

| Software Name                                                                 | Version                             | License | License Link                                                                                                  | Source                                                                                          |
|-------------------------------------------------------------------------------|-------------------------------------|---------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| chokidar                                                                      | 4.0.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/chokidar@4.0.3                                                                          |
| @babel/plugin-bugfix-safari-id-destructuring-collision-in-function-expression | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-bugfix-safari-id-destructuring-collision-in-function-expression@7.25.9  |
| @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining                | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining@7.25.9                 |
| @babel/plugin-bugfix-v8-static-class-fields-define-readonly                   | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-bugfix-v8-static-class-fields-define-readonly@7.25.9                    |
| @babel/plugin-proposal-decorators                                             | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-proposal-decorators@7.25.9                                              |
| @babel/plugin-proposal-export-default-from                                    | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-proposal-export-default-from@7.25.9                                     |
| @babel/plugin-proposal-private-property-in-object                             | 7.21.0-placeholder-for-preset-env.2 | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-proposal-private-property-in-object@7.21.0-placeholder-for-preset-env.2 |
| @babel/plugin-syntax-async-generators                                         | 7.8.4                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-async-generators@7.8.4                                           |
| @babel/plugin-syntax-bigint                                                   | 7.8.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-bigint@7.8.3                                                     |
| @babel/plugin-syntax-class-properties                                         | 7.12.13                             | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-class-properties@7.12.13                                         |
| @babel/plugin-syntax-class-static-block                                       | 7.14.5                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-class-static-block@7.14.5                                        |
| @babel/plugin-syntax-decorators                                               | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-decorators@7.25.9                                                |
| @babel/plugin-syntax-import-assertions                                        | 7.26.0                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-import-assertions@7.26.0                                         |
| @babel/plugin-syntax-import-attributes                                        | 7.26.0                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-import-attributes@7.26.0                                         |
| @babel/plugin-syntax-import-meta                                              | 7.10.4                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-import-meta@7.10.4                                               |
| @babel/plugin-syntax-json-strings                                             | 7.8.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-json-strings@7.8.3                                               |
| @babel/plugin-syntax-jsx                                                      | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-jsx@7.25.9                                                       |
| chownr                                                                        | 1.1.4                               | ISC     | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/chownr@1.1.4                                                                            |
| @babel/plugin-syntax-logical-assignment-operators                             | 7.10.4                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-logical-assignment-operators@7.10.4                              |
| @babel/plugin-syntax-nullish-coalescing-operator                              | 7.8.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-nullish-coalescing-operator@7.8.3                                |
| @babel/plugin-syntax-numeric-separator                                        | 7.10.4                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-numeric-separator@7.10.4                                         |
| @babel/plugin-syntax-object-rest-spread                                       | 7.8.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-object-rest-spread@7.8.3                                         |
| @babel/plugin-syntax-optional-catch-binding                                   | 7.8.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-optional-catch-binding@7.8.3                                     |
| @babel/plugin-syntax-optional-chaining                                        | 7.8.3                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-optional-chaining@7.8.3                                          |
| @babel/plugin-syntax-private-property-in-object                               | 7.14.5                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-private-property-in-object@7.14.5                                |
| @babel/plugin-syntax-top-level-await                                          | 7.14.5                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-top-level-await@7.14.5                                           |
| @babel/plugin-syntax-typescript                                               | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-typescript@7.25.9                                                |
| @babel/plugin-syntax-unicode-sets-regex                                       | 7.18.6                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-syntax-unicode-sets-regex@7.18.6                                        |
| @babel/plugin-transform-arrow-functions                                       | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-arrow-functions@7.25.9                                        |
| @babel/plugin-transform-async-generator-functions                             | 7.26.8                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-async-generator-functions@7.26.8                              |
| @babel/plugin-transform-async-to-generator                                    | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-async-to-generator@7.25.9                                     |
| @babel/plugin-transform-block-scoped-functions                                | 7.26.5                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-block-scoped-functions@7.26.5                                 |
| @babel/plugin-transform-block-scoping                                         | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-block-scoping@7.25.9                                          |
| @babel/plugin-transform-class-properties                                      | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-class-properties@7.25.9                                       |
| @babel/plugin-transform-class-static-block                                    | 7.26.0                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-class-static-block@7.26.0                                     |
| @babel/plugin-transform-classes                                               | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-classes@7.25.9                                                |
| @babel/plugin-transform-computed-properties                                   | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-computed-properties@7.25.9                                    |
| @babel/plugin-transform-destructuring                                         | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-destructuring@7.25.9                                          |
| @babel/plugin-transform-dotall-regex                                          | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-dotall-regex@7.25.9                                           |
| @babel/plugin-transform-duplicate-keys                                        | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-duplicate-keys@7.25.9                                         |
| @babel/plugin-transform-duplicate-named-capturing-groups-regex                | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-duplicate-named-capturing-groups-regex@7.25.9                 |
| @babel/plugin-transform-dynamic-import                                        | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-dynamic-import@7.25.9                                         |
| @babel/plugin-transform-exponentiation-operator                               | 7.26.3                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-exponentiation-operator@7.26.3                                |
| @babel/plugin-transform-export-namespace-from                                 | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-export-namespace-from@7.25.9                                  |
| @babel/plugin-transform-for-of                                                | 7.26.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-for-of@7.26.9                                                 |
| @babel/plugin-transform-function-name                                         | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-function-name@7.25.9                                          |
| @babel/plugin-transform-json-strings                                          | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-json-strings@7.25.9                                           |
| @babel/plugin-transform-literals                                              | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-literals@7.25.9                                               |
| @babel/plugin-transform-logical-assignment-operators                          | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-logical-assignment-operators@7.25.9                           |
| @babel/plugin-transform-member-expression-literals                            | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-member-expression-literals@7.25.9                             |
| @babel/plugin-transform-modules-amd                                           | 7.25.9                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-modules-amd@7.25.9                                            |
| @babel/plugin-transform-modules-commonjs                                      | 7.26.3                              | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/plugin-transform-modules-commonjs@7.26.3                                       |
| @repeaterjs/repeater                                                          | 3.0.6                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40repeaterjs/repeater@3.0.6                                                            |
| @rspace/binding                                                               | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding@1.2.7                                                                 |
| @rspace/binding-darwin-arm64                                                  | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding-darwin-arm64@1.2.7                                                    |
| @rspace/binding-linux-x64-gnu                                                 | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding-linux-x64-gnu@1.2.7                                                   |
| @rspace/binding-linux-x64-musl                                                | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding-linux-x64-musl@1.2.7                                                  |
| @rspace/binding-win32-arm64-msvc                                              | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding-win32-arm64-msvc@1.2.7                                                |
| @rspace/binding-win32-ia32-msvc                                               | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding-win32-ia32-msvc@1.2.7                                                 |
| @rspace/binding-win32-x64-msvc                                                | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/binding-win32-x64-msvc@1.2.7                                                  |
| @rspace/core                                                                  | 1.2.7                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/core@1.2.7                                                                    |
| @rspace/lite-table                                                            | 1.0.1                               | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspace/lite-table@1.0.1                                                              |

|                                                      |         |              |                                                                                                         |                                                                       |
|------------------------------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| @babel/plugin-transform-modules-systemjs             | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-modules-systemjs@7.25.9             |
| @babel/plugin-transform-modules-umd                  | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-modules-umd@7.25.9                  |
| @babel/plugin-transform-named-capturing-groups-regex | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-named-capturing-groups-regex@7.25.9 |
| @babel/plugin-transform-new-target                   | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-new-target@7.25.9                   |
| @babel/plugin-transform-optional-catch-binding       | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-optional-catch-binding@7.25.9       |
| @babel/plugin-transform-optional-chaining            | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-optional-chaining@7.25.9            |
| @babel/plugin-transform-parameters                   | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-parameters@7.25.9                   |
| @babel/plugin-transform-private-methods              | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-private-methods@7.25.9              |
| @babel/plugin-transform-private-property-in-object   | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-private-property-in-object@7.25.9   |
| @babel/plugin-transform-property-literals            | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-property-literals@7.25.9            |
| @babel/plugin-transform-regexp-modifiers             | 7.26.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-regexp-modifiers@7.26.0             |
| @babel/plugin-transform-reserved-words               | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-reserved-words@7.25.9               |
| @babel/plugin-transform-runtime                      | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-runtime@7.25.9                      |
| @babel/plugin-transform-runtime                      | 7.26.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-runtime@7.26.9                      |
| @babel/plugin-transform-template-literals            | 7.26.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-template-literals@7.26.8            |
| @babel/plugin-transform-typeof-symbol                | 7.26.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-typeof-symbol@7.26.7                |
| @babel/plugin-transform-typescript                   | 7.26.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-typescript@7.26.8                   |
| @babel/plugin-transform-unicode-escapes              | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-unicode-escapes@7.25.9              |
| @babel/plugin-transform-unicode-property-regex       | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-unicode-property-regex@7.25.9       |
| @babel/plugin-transform-unicode-regex                | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-unicode-regex@7.25.9                |
| @babel/plugin-transform-unicode-sets-regex           | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/plugin-transform-unicode-sets-regex@7.25.9           |
| @babel/traverse                                      | 7.26.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/traverse@7.26.9                                      |
| Ascii85                                              | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/Ascii85@2.0.1                                                 |
| @babel/types                                         | 7.26.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40babel/types@7.26.9                                         |
| @bcoe/v8-coverage                                    | 0.2.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40bcoe/v8-coverage@0.2.3                                     |
| afm                                                  | 0.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/afm@0.2.2                                                     |
| @sentry/cli-darwin                                   | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a> | pkg:npm/%40sentry/cli-darwin@2.41.1                                   |
| @codemirror/lang-css                                 | 6.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40codemirror/lang-css@6.3.1                                  |
| @codemirror/lang-html                                | 6.4.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40codemirror/lang-html@6.4.9                                 |
| @codemirror/lang-javascript                          | 6.2.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40codemirror/lang-javascript@6.2.3                           |
| @commitlint/config-conventional                      | 17.6.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/config-conventional@17.6.6                      |
| @commitlint/config-validator                         | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/config-validator@17.8.1                         |
| @commitlint/config-validator                         | 19.5.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/config-validator@19.5.0                         |
| @commitlint/ensure                                   | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/ensure@17.8.1                                   |
| @commitlint/execute-rule                             | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/execute-rule@17.8.1                             |
| @commitlint/execute-rule                             | 19.5.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/execute-rule@19.5.0                             |
| @commitlint/message                                  | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/message@17.8.1                                  |
| @commitlint/parse                                    | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/parse@17.8.1                                    |
| @commitlint/read                                     | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/read@17.8.1                                     |
| @commitlint/resolve-extends                          | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/resolve-extends@17.8.1                          |
| @commitlint/resolve-extends                          | 19.5.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/resolve-extends@19.5.0                          |
| @sentry-internal/feedback                            | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40sentry-internal/feedback@7.120.3                           |
| @commitlint/types                                    | 17.8.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40commitlint/types@17.8.1                                    |
| @contentful/rich-text-react-renderer                 | 14.1.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40contentful/rich-text-react-renderer@14.1.3                 |
| @contentful/rich-text-types                          | 14.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40contentful/rich-text-types@14.1.2                          |
| @cspotcode/source-map-support                        | 0.8.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40cspotcode/source-map-support@0.8.1                         |
| @csstools/css-parser-algorithms                      | 3.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40csstools/css-parser-algorithms@3.0.4                       |
| @csstools/css-tokenizer                              | 3.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40csstools/css-tokenizer@3.0.3                               |
| @emnapi/runtime                                      | 1.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emnapi/runtime@1.3.1                                       |
| @emnapi/wasi-threads                                 | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emnapi/wasi-threads@1.0.1                                  |
| @sentry-internal/replay-canvas                       | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40sentry-internal/replay-canvas@7.120.3                      |
| @emotion/cache                                       | 11.14.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/cache@11.14.0                                      |
| @emotion/hash                                        | 0.9.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/hash@0.9.2                                         |
| @emotion/memoize                                     | 0.9.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/memoize@0.9.0                                      |
| @emotion/react                                       | 11.14.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/react@11.14.0                                      |
| @emotion/serialize                                   | 1.3.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/serialize@1.3.3                                    |
| @emotion/sheet                                       | 1.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/sheet@1.4.0                                        |
| @emotion/unitless                                    | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/unitless@0.10.0                                    |
| @emotion/use-insertion-effect-with-fallbacks         | 1.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40emotion/use-insertion-effect-with-fallbacks@1.2.0          |
| @eslint/config-helpers                               | 0.1.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:npm/%40eslint/config-helpers@0.1.0                                |
| @eslint/core                                         | 0.10.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:npm/%40eslint/core@0.10.0                                         |
| @eslint/eslintrc                                     | 3.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40eslint/eslintrc@3.3.0                                      |
| @eslint/js                                           | 9.17.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40eslint/js@9.17.0                                           |

|                                         |         |              |                                                                                                                             |                                                         |
|-----------------------------------------|---------|--------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| @eslint/js                              | 9.22.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40eslint/js@9.22.0                             |
| @eslint/json                            | 0.10.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40eslint/json@0.10.0                           |
| @eslint/markdown                        | 6.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40eslint/markdown@6.2.2                        |
| @eslint/object-schema                   | 2.1.6   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40eslint/object-schema@2.1.6                   |
| @floating-ui/core                       | 1.6.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40floating-ui/core@1.6.9                       |
| @floating-ui/dom                        | 1.6.13  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40floating-ui/dom@1.6.13                       |
| @formatjs/intl-localematcher            | 0.6.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40formatjs/intl-localematcher@0.6.1            |
| @frontify/frontify-authenticator        | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40frontify/frontify-authenticator@2.0.0        |
| @frontify/frontify-finder               | 2.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40frontify/frontify-finder@2.2.0               |
| @graphql-codegen/add                    | 5.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/add@5.0.3                    |
| @graphql-codegen/plugin-helpers         | 5.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/plugin-helpers@5.1.0         |
| @graphql-codegen/schema-ast             | 4.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/schema-ast@4.1.0             |
| @graphql-codegen/typed-document-node    | 5.0.15  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/typed-document-node@5.0.15   |
| @graphql-codegen/typescript             | 4.1.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/typescript@4.1.5             |
| @graphql-codegen/typescript-operations  | 4.5.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/typescript-operations@4.5.1  |
| @graphql-codegen/visitor-plugin-common  | 5.7.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-codegen/visitor-plugin-common@5.7.1  |
| @graphql-tools/executor-common          | 0.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/executor-common@0.0.3          |
| @graphql-tools/executor-graphql-ws      | 2.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/executor-graphql-ws@2.0.3      |
| @graphql-tools/executor-http            | 1.2.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/executor-http@1.2.8            |
| @graphql-tools/github-loader            | 8.0.18  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/github-loader@8.0.18           |
| @graphql-tools/graphql-file-loader      | 8.0.17  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/graphql-file-loader@8.0.17     |
| @graphql-tools/graphql-tag-pluck        | 8.3.17  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/graphql-tag-pluck@8.3.17       |
| @graphql-tools/import                   | 7.0.16  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/import@7.0.16                  |
| @graphql-tools/json-file-loader         | 8.0.16  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/json-file-loader@8.0.16        |
| @graphql-tools/load                     | 8.0.17  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/load@8.0.17                    |
| @graphql-tools/merge                    | 9.0.22  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/merge@9.0.22                   |
| @graphql-tools/optimize                 | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40graphql-tools/optimize@2.0.0                 |
| @humanfs/core                           | 0.19.1  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40humanfs/core@0.19.1                          |
| @humanfs/node                           | 0.16.6  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40humanfs/node@0.16.6                          |
| @humanwhocodes/module-importer          | 1.0.1   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40humanwhocodes/module-importer@1.0.1          |
| @humanwhocodes/retry                    | 0.3.1   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40humanwhocodes/retry@0.3.1                    |
| crass                                   | 1.0.6   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/crass@1.0.6                                     |
| dry-configurable                        | 1.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/dry-configurable@1.3.0                          |
| @humanwhocodes/retry                    | 0.4.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40humanwhocodes/retry@0.4.2                    |
| ttfunk                                  | 1.8.0   | GPL-2.0-only | <a href="https://www.gnu.org/licenses/old-licenses/gpl-2.0.html">https://www.gnu.org/licenses/old-licenses/gpl-2.0.html</a> | pkg:gem/ttfunk@1.8.0                                    |
| warden                                  | 1.2.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/warden@1.2.9                                    |
| @hutson/parse-repository-url            | 3.0.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40hutson/parse-repository-url@3.0.2            |
| @icons/material                         | 0.2.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40icons/material@0.2.4                         |
| @jest/core                              | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/core@29.7.0                             |
| @jest/environment                       | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/environment@29.7.0                      |
| @jest/expect                            | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/expect@29.7.0                           |
| @jest/expect-utils                      | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/expect-utils@29.7.0                     |
| @sentry-internal/tracing                | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40sentry-internal/tracing@7.120.3              |
| active_record_query_trace               | 1.8.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/active_record_query_trace@1.8.3                 |
| attr_encrypted                          | 4.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/attr_encrypted@4.2.0                            |
| binding_of_caller                       | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/binding_of_caller@1.0.1                         |
| brpoplpush-redis_script                 | 0.1.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/brpoplpush-redis_script@0.1.3                   |
| @jest/fake-timers                       | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/fake-timers@29.7.0                      |
| @jest/globals                           | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/globals@29.7.0                          |
| @jest/schemas                           | 29.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/schemas@29.6.3                          |
| @jest/source-map                        | 29.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/source-map@29.6.3                       |
| @jest/test-result                       | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/test-result@29.7.0                      |
| @jest/test-sequencer                    | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/test-sequencer@29.7.0                   |
| crack                                   | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/crack@1.0.0                                     |
| @jest/transform                         | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/transform@29.7.0                        |
| @jest/types                             | 29.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jest/types@29.6.3                            |
| @jridgewell/gen-mapping                 | 0.3.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jridgewell/gen-mapping@0.3.8                 |
| @sentry/babel-plugin-component-annotate | 3.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40sentry/babel-plugin-component-annotate@3.1.2 |
| dry-auto_inject                         | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:gem/dry-auto_inject@1.1.0                           |
| @jridgewell/resolve-uri                 | 3.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jridgewell/resolve-uri@3.1.2                 |
| @jridgewell/set-array                   | 1.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                                       | pkg:npm/%40jridgewell/set-array@1.2.1                   |
| @jsonjoy.com/json-pack                  | 1.1.1   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40jsonjoy.com/json-pack@1.1.1                  |
| @jsonjoy.com/util                       | 1.5.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>                       | pkg:npm/%40jsonjoy.com/util@1.5.0                       |

|                                  |         |              |                                                                                                               |                                                   |
|----------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| @juggle/resize-observer          | 3.4.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40juggle/resize-observer@3.4.0           |
| @leichtgewicht/ip-codec          | 2.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40leichtgewicht/ip-codec@2.0.5           |
| ffi-compiler                     | 1.3.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/ffi-compiler@1.3.2                        |
| execjs                           | 2.9.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/execjs@2.9.1                              |
| event_stream_parser              | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/event_stream_parser@1.0.0                 |
| fastimage                        | 2.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/fastimage@2.4.0                           |
| fork_break                       | 0.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/fork_break@0.1.4                          |
| hashery                          | 2.1.2   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/hashery@2.1.2                             |
| hashie                           | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/hashie@5.0.0                              |
| http-cookie                      | 1.0.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/http-cookie@1.0.8                         |
| http-form_data                   | 2.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/http-form_data@2.3.0                      |
| htmlentities                     | 4.3.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/htmlentities@4.3.4                        |
| @lezer/html                      | 1.3.10  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/html@1.3.10                      |
| @lezer/javascript                | 1.4.21  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/javascript@1.4.21                |
| @lezer/lr                        | 1.4.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/lr@1.4.2                         |
| @lezer/markdown                  | 1.4.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/markdown@1.4.2                   |
| @marijn/find-cluster-break       | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40marijn/find-cluster-break@1.0.2        |
| @microsoft/teams-js              | 2.30.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40microsoft/teams-js@2.30.0              |
| lint_roller                      | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/lint_roller@1.1.0                         |
| jsonapi-serializer               | 2.2.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/jsonapi-serializer@2.2.0                  |
| kaminari                         | 1.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/kaminari@1.2.2                            |
| kaminari-actionview              | 1.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/kaminari-actionview@1.2.2                 |
| kaminari-activerecord            | 1.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/kaminari-activerecord@1.2.2               |
| kaminari-core                    | 1.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/kaminari-core@1.2.2                       |
| launchy                          | 3.1.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:gem/launchy@3.1.0                             |
| letter_opener                    | 1.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/letter_opener@1.10.0                      |
| @module-federation/dts-plugin    | 0.8.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/dts-plugin@0.8.12    |
| @module-federation/enhanced      | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/enhanced@0.10.0      |
| @module-federation/enhanced      | 0.8.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/enhanced@0.8.12      |
| @module-federation/error-codes   | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/error-codes@0.10.0   |
| @module-federation/error-codes   | 0.8.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/error-codes@0.8.12   |
| @module-federation/manifest      | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/manifest@0.10.0      |
| @module-federation/manifest      | 0.8.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/manifest@0.8.12      |
| @module-federation/node          | 2.6.28  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/node@2.6.28          |
| @module-federation/rspack        | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/rspack@0.10.0        |
| method_source                    | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/method_source@1.1.0                       |
| multipart-post                   | 2.4.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/multipart-post@2.4.1                      |
| mini_portile2                    | 2.8.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/mini_portile2@2.8.9                       |
| listen                           | 3.9.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/listen@3.9.0                              |
| mimemagic                        | 0.4.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/mimemagic@0.4.3                           |
| mini_mime                        | 1.1.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/mini_mime@1.1.5                           |
| murmurhash3                      | 0.1.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/murmurhash3@0.1.7                         |
| orm_adapter                      | 0.5.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/orm_adapter@0.5.0                         |
| package_json                     | 0.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/package_json@0.1.0                        |
| packs                            | 0.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/packs@0.2.0                               |
| packs-rails                      | 0.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/packs-rails@0.0.5                         |
| packs-specification              | 0.0.10  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/packs-specification@0.0.10                |
| packwerk-extensions              | 0.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/packwerk-extensions@0.3.0                 |
| pandoc-ruby                      | 2.1.10  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/pandoc-ruby@2.1.10                        |
| paranoia                         | 3.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/paranoia@3.0.1                            |
| parse_packwerk                   | 0.26.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/parse_packwerk@0.26.0                     |
| @module-federation/rspack        | 0.8.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/rspack@0.8.12        |
| @module-federation/runtime-core  | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime-core@0.10.0  |
| @module-federation/runtime-core  | 0.6.20  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime-core@0.6.20  |
| @module-federation/runtime-tools | 0.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime-tools@0.10.0 |
| @module-federation/runtime-tools | 0.8.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime-tools@0.8.12 |
| @module-federation/runtime-tools | 0.8.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime-tools@0.8.4  |
| @sentry/browser                  | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40sentry/browser@7.120.3                 |
| prometheus-client                | 4.2.3   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/prometheus-client@4.2.3                   |
| prometheus_exporter              | 2.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/prometheus_exporter@2.2.0                 |
| pry-rails                        | 0.3.11  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/pry-rails@0.3.11                          |
| rack-attack                      | 6.7.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rack-attack@6.7.0                         |
| rack-proxy                       | 0.7.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rack-proxy@0.7.7                          |

|                                                           |          |                 |                                                                                                                     |                                                                            |
|-----------------------------------------------------------|----------|-----------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| @module-federation/sdk                                    | 0.10.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40module-federation/sdk@0.10.0                                    |
| @module-federation/sdk                                    | 0.8.12   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40module-federation/sdk@0.8.12                                    |
| @napi-rs/wasm-runtime                                     | 0.2.4    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40napi-rs/wasm-runtime@0.2.4                                      |
| redis-rack                                                | 3.0.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/redis-rack@3.0.0                                                   |
| redis-store                                               | 1.10.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/redis-store@1.10.0                                                 |
| responders                                                | 3.1.1    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/responders@3.1.1                                                   |
| rubocop-performance                                       | 1.25.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/rubocop-performance@1.25.0                                         |
| ruby-graphviz                                             | 1.2.5    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/ruby-graphviz@1.2.5                                                |
| ruby-ole                                                  | 1.2.13.1 | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/ruby-ole@1.2.13.1                                                  |
| @node/lib/fs.scandir                                      | 2.1.5    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40node/lib/fs.scandir@2.1.5                                       |
| @node/lib/fs.stat                                         | 2.0.5    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40node/lib/fs.stat@2.0.5                                          |
| @nx/devkit                                                | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/devkit@20.4.0                                                |
| @nx/eslint                                                | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/eslint@20.4.0                                                |
| @nx/jest                                                  | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/jest@20.4.0                                                  |
| @nx/js                                                    | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/js@20.4.0                                                    |
| secure_headers                                            | 7.1.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/secure_headers@7.1.0                                               |
| semantic_range                                            | 3.1.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/semantic_range@3.1.0                                               |
| tilt                                                      | 2.6.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/tilt@2.6.0                                                         |
| test-prof                                                 | 1.4.4    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/test-prof@1.4.4                                                    |
| timecop                                                   | 0.9.10   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/timecop@0.9.10                                                     |
| tok                                                       | 6.0.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/tok@6.0.0                                                          |
| @nx/module-federation                                     | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/module-federation@20.4.0                                     |
| @nx/nx-darwin-arm64                                       | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/nx-darwin-arm64@20.4.0                                       |
| @nx/nx-darwin-x64                                         | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/nx-darwin-x64@20.4.0                                         |
| @nx/nx-freebsd-x64                                        | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/nx-freebsd-x64@20.4.0                                        |
| @nx/webpack                                               | 20.4.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40nx/webpack@20.4.0                                               |
| @parcel/watcher                                           | 2.5.1    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40parcel/watcher@2.5.1                                            |
| @parcel/watcher-android-arm64                             | 2.5.1    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40parcel/watcher-android-arm64@2.5.1                              |
| useragent                                                 | 0.16.11  | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/useragent@0.16.11                                                  |
| tty-prompt                                                | 0.23.1   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/tty-prompt@0.23.1                                                  |
| tty-reader                                                | 0.9.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/tty-reader@0.9.0                                                   |
| tty-screen                                                | 0.8.2    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/tty-screen@0.8.2                                                   |
| unicode-emoji                                             | 4.0.4    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:gem/unicode-emoji@4.0.4                                                |
| unleash                                                   | 5.1.1    | Apache-2.0      | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>               | pkg:gem/unleash@5.1.1                                                      |
| vcr                                                       | 6.3.1    | Hippocratic-2.1 | <a href="https://firstdonoharm.dev/version/2/1/license.html">https://firstdonoharm.dev/version/2/1/license.html</a> | pkg:gem/vcr@6.3.1                                                          |
| @adobe/css-tools                                          | 4.4.2    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40adobe/css-tools@4.4.2                                           |
| @alloc/quick-lru                                          | 5.2.0    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40alloc/quick-lru@5.2.0                                           |
| @amplitude/analytics-browser                              | 2.11.10  | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40amplitude/analytics-browser@2.11.10                             |
| @amplitude/analytics-client-common                        | 2.3.8    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40amplitude/analytics-client-common@2.3.8                         |
| @amplitude/analytics-connector                            | 1.6.4    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40amplitude/analytics-connector@1.6.4                             |
| @amplitude/analytics-core                                 | 2.5.6    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40amplitude/analytics-core@2.5.6                                  |
| @amplitude/analytics-remote-config                        | 0.4.1    | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40amplitude/analytics-remote-config@0.4.1                         |
| @babel/helper-module-imports                              | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/helper-module-imports@7.25.9                              |
| @babel/code-frame                                         | 7.26.2   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/code-frame@7.26.2                                         |
| @babel/compat-data                                        | 7.26.8   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/compat-data@7.26.8                                        |
| @babel/core                                               | 7.26.0   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/core@7.26.0                                               |
| @babel/generator                                          | 7.26.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/generator@7.26.9                                          |
| @babel/helper-compilation-targets                         | 7.26.5   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/helper-compilation-targets@7.26.5                         |
| @babel/helper-member-expression-to-functions              | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/helper-member-expression-to-functions@7.25.9              |
| @babel/helper-validator-option                            | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/helper-validator-option@7.25.9                            |
| @babel/helper-wrap-function                               | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/helper-wrap-function@7.25.9                               |
| @babel/parser                                             | 7.26.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/parser@7.26.9                                             |
| @babel/plugin-bugfix-firefox-class-in-computed-class-key  | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-bugfix-firefox-class-in-computed-class-key@7.25.9  |
| @babel/plugin-bugfix-safari-class-field-initializer-scope | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-bugfix-safari-class-field-initializer-scope@7.25.9 |
| @babel/plugin-transform-nullish-coalescing-operator       | 7.26.6   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-nullish-coalescing-operator@7.26.6       |
| @babel/plugin-transform-numeric-separator                 | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-numeric-separator@7.25.9                 |
| @babel/plugin-transform-object-rest-spread                | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-object-rest-spread@7.25.9                |
| @babel/plugin-transform-object-super                      | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-object-super@7.25.9                      |
| @babel/plugin-transform-react-constant-elements           | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-react-constant-elements@7.25.9           |
| @babel/plugin-transform-react-display-name                | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-react-display-name@7.25.9                |
| @babel/plugin-transform-react-jsx                         | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-react-jsx@7.25.9                         |
| @babel/plugin-transform-react-jsx-development             | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-react-jsx-development@7.25.9             |
| @babel/plugin-transform-react-pure-annotations            | 7.25.9   | MIT             | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                               | pkg:npm/%40babel/plugin-transform-react-pure-annotations@7.25.9            |

|                                              |                           |            |                                                                                                       |                                                               |
|----------------------------------------------|---------------------------|------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| @babel/plugin-transform-regenerator          | 7.25.9                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/plugin-transform-regenerator@7.25.9          |
| @babel/plugin-transform-shorthand-properties | 7.25.9                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/plugin-transform-shorthand-properties@7.25.9 |
| @babel/plugin-transform-spread               | 7.25.9                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/plugin-transform-spread@7.25.9               |
| @babel/plugin-transform-sticky-regex         | 7.25.9                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/plugin-transform-sticky-regex@7.25.9         |
| @babel/preset-env                            | 7.26.0                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/preset-env@7.26.0                            |
| @babel/preset-env                            | 7.26.9                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/preset-env@7.26.9                            |
| @babel/preset-modules                        | 0.1.6-no-external-plugins | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/preset-modules@0.1.6-no-external-plugins     |
| @babel/preset-react                          | 7.26.3                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/preset-react@7.26.3                          |
| @babel/preset-typescript                     | 7.26.0                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/preset-typescript@7.26.0                     |
| @babel/template                              | 7.26.9                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40babel/template@7.26.9                              |
| @codemirror/lint                             | 6.8.4                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40codemirror/lint@6.8.4                              |
| @commitlint/cli                              | 17.6.6                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/cli@17.6.6                              |
| @commitlint/format                           | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/format@17.8.1                           |
| @commitlint/is-ignored                       | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/is-ignored@17.8.1                       |
| @commitlint/lint                             | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/lint@17.8.1                             |
| @commitlint/load                             | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/load@17.8.1                             |
| @commitlint/load                             | 19.6.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/load@19.6.1                             |
| @commitlint/rules                            | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/rules@17.8.1                            |
| @commitlint/to-lines                         | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/to-lines@17.8.1                         |
| @commitlint/top-level                        | 17.8.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/top-level@17.8.1                        |
| @commitlint/types                            | 19.5.0                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40commitlint/types@19.5.0                            |
| @csstools/media-query-list-parser            | 4.0.2                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40csstools/media-query-list-parser@4.0.2             |
| @csstools/selector-specificity               | 5.0.0                     | MIT-0      | <a href="https://opensource.org/licenses/mit-0">https://opensource.org/licenses/mit-0</a>             | pkg:npm/%40csstools/selector-specificity@5.0.0                |
| @discoveryjs/json-ext                        | 0.5.7                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40discoveryjs/json-ext@0.5.7                         |
| @discoveryjs/json-ext                        | 0.6.3                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40discoveryjs/json-ext@0.6.3                         |
| @draft-js-plugins/mention                    | 5.3.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40draft-js-plugins/mention@5.3.0                     |
| @dual-bundle/import-meta-resolve             | 4.1.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40dual-bundle/import-meta-resolve@4.1.0              |
| @emnapi/core                                 | 1.3.1                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40emnapi/core@1.3.1                                  |
| @emotion/babel-plugin                        | 11.13.5                   | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40emotion/babel-plugin@11.13.5                       |
| @emotion/units                               | 1.4.2                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40emotion/units@1.4.2                                |
| @emotion/weak-memoize                        | 0.4.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40emotion/weak-memoize@0.4.0                         |
| @envelop/core                                | 5.2.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40envelop/core@5.2.0                                 |
| @envelop/instruments                         | 1.0.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40envelop/instruments@1.0.0                          |
| @envelop/types                               | 5.2.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40envelop/types@5.2.0                                |
| @eslint-community/eslint-utils               | 4.4.1                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40eslint-community/eslint-utils@4.4.1                |
| @eslint-community/regexpp                    | 4.12.1                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40eslint-community/regexpp@4.12.1                    |
| @eslint/config-array                         | 0.19.2                    | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40eslint/config-array@0.19.2                         |
| @eslint/core                                 | 0.12.0                    | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40eslint/core@0.12.0                                 |
| @floating-ui/react-dom                       | 2.1.2                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40floating-ui/react-dom@2.1.2                        |
| @floating-ui/utils                           | 0.2.9                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40floating-ui/utils@0.2.9                            |
| @formatjs/ecma402-abstract                   | 2.3.4                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40formatjs/ecma402-abstract@2.3.4                    |
| @formatjs/fast-memoize                       | 2.2.7                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40formatjs/fast-memoize@2.2.7                        |
| @formatjs/icu-messageformat-parser           | 2.11.2                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40formatjs/icu-messageformat-parser@2.11.2           |
| @formatjs/icu-skeleton-parser                | 1.8.14                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40formatjs/icu-skeleton-parser@1.8.14                |
| @graphql-codegen/cli                         | 5.0.5                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-codegen/cli@5.0.5                          |
| @graphql-codegen/client-preset               | 4.6.4                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-codegen/client-preset@4.6.4                |
| @graphql-codegen/core                        | 4.0.2                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-codegen/core@4.0.2                         |
| @graphql-codegen/gql-tag-operations          | 4.0.16                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-codegen/gql-tag-operations@4.0.16          |
| @graphql-eslint/eslint-plugin                | 4.3.0                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-eslint/eslint-plugin@4.3.0                 |
| @graphql-tools/apollo-engine-loader          | 8.0.18                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/apollo-engine-loader@8.0.18          |
| @graphql-tools/batch-execute                 | 9.0.12                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/batch-execute@9.0.12                 |
| @graphql-tools/code-file-loader              | 8.1.18                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/code-file-loader@8.1.18              |
| @graphql-tools/delegate                      | 10.2.13                   | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/delegate@10.2.13                     |
| @graphql-tools/documents                     | 1.0.1                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/documents@1.0.1                      |
| @graphql-tools/executor                      | 1.4.3                     | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/executor@1.4.3                       |
| @graphql-tools/executor-legacy-ws            | 1.1.15                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/executor-legacy-ws@1.1.15            |
| @graphql-tools/git-loader                    | 8.0.22                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/git-loader@8.0.22                    |
| @graphql-tools/prisma-loader                 | 8.0.17                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/prisma-loader@8.0.17                 |
| @graphql-tools/relay-operation-optimizer     | 7.0.17                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/relay-operation-optimizer@7.0.17     |
| @graphql-tools/schema                        | 10.0.21                   | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/schema@10.0.21                       |
| @graphql-tools/url-loader                    | 8.0.29                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/url-loader@8.0.29                    |
| @graphql-tools/utils                         | 10.8.4                    | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/utils@10.8.4                         |
| @graphql-tools/wrap                          | 10.0.31                   | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/%40graphql-tools/wrap@10.0.31                         |

|                                                        |               |            |                                                                                                               |                                                                         |
|--------------------------------------------------------|---------------|------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| @humanwhocodes/momoa                                   | 3.3.8         | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40humanwhocodes/momoa@3.3.8                                    |
| @isaacs/fs-minipass                                    | 4.0.1         | ISC        | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/%40isaacs/fs-minipass@4.0.1                                     |
| @istanbuljs/load-nyc-config                            | 1.1.0         | ISC        | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/%40istanbuljs/load-nyc-config@1.1.0                             |
| @istanbuljs/schema                                     | 0.1.3         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40istanbuljs/schema@0.1.3                                      |
| @jest/console                                          | 29.7.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40jest/console@29.7.0                                          |
| @jest/reporters                                        | 29.7.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40jest/reporters@29.7.0                                        |
| @lezer/common                                          | 1.2.3         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/common@1.2.3                                           |
| @jridgewell/source-map                                 | 0.3.6         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40jridgewell/source-map@0.3.6                                  |
| @jridgewell/sourcemap-codec                            | 1.5.0         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40jridgewell/sourcemap-codec@1.5.0                             |
| @jridgewell/trace-mapping                              | 0.3.25        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40jridgewell/trace-mapping@0.3.25                              |
| @jridgewell/trace-mapping                              | 0.3.9         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40jridgewell/trace-mapping@0.3.9                               |
| @jsonjoy.com/base64                                    | 1.1.2         | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40jsonjoy.com/base64@1.1.2                                     |
| @keyv/serialize                                        | 1.0.3         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40keyv/serialize@1.0.3                                         |
| @lezer/css                                             | 1.1.10        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/css@1.1.10                                             |
| @module-federation/bridge-react-webpack-plugin         | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/bridge-react-webpack-plugin@0.10.0         |
| @module-federation/bridge-react-webpack-plugin         | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/bridge-react-webpack-plugin@0.8.12         |
| @module-federation/data-prefetch                       | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/data-prefetch@0.10.0                       |
| @module-federation/data-prefetch                       | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/data-prefetch@0.8.12                       |
| @module-federation/dts-plugin                          | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/dts-plugin@0.10.0                          |
| @module-federation/error-codes                         | 0.8.4         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/error-codes@0.8.4                          |
| @module-federation/inject-external-runtime-core-plugin | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/inject-external-runtime-core-plugin@0.10.0 |
| @module-federation/inject-external-runtime-core-plugin | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/inject-external-runtime-core-plugin@0.8.12 |
| @module-federation/managers                            | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/managers@0.10.0                            |
| @module-federation/managers                            | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/managers@0.8.12                            |
| @module-federation/runtime                             | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime@0.10.0                             |
| @module-federation/runtime                             | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime@0.8.12                             |
| @module-federation/runtime                             | 0.8.4         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/runtime@0.8.4                              |
| @module-federation/sdk                                 | 0.8.4         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/sdk@0.8.4                                  |
| @module-federation/third-party-dts-extractor           | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/third-party-dts-extractor@0.10.0           |
| @module-federation/third-party-dts-extractor           | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/third-party-dts-extractor@0.8.12           |
| @module-federation/utilities                           | 3.1.46        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/utilities@3.1.46                           |
| @module-federation/webpack-bundler-runtime             | 0.10.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/webpack-bundler-runtime@0.10.0             |
| @module-federation/webpack-bundler-runtime             | 0.8.12        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/webpack-bundler-runtime@0.8.12             |
| @module-federation/webpack-bundler-runtime             | 0.8.4         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40module-federation/webpack-bundler-runtime@0.8.4              |
| @nodelib/fs.walk                                       | 1.2.8         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nodelib/fs.walk@1.2.8                                        |
| @nolyfill/is-core-module                               | 1.0.39        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nolyfill/is-core-module@1.0.39                               |
| @nx/nx-linux-arm-gnueabi                               | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-linux-arm-gnueabi@20.4.0                               |
| @nx/nx-linux-arm64-gnu                                 | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-linux-arm64-gnu@20.4.0                                 |
| @nx/nx-linux-arm64-musl                                | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-linux-arm64-musl@20.4.0                                |
| @nx/nx-linux-x64-gnu                                   | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-linux-x64-gnu@20.4.0                                   |
| @nx/nx-linux-x64-musl                                  | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-linux-x64-musl@20.4.0                                  |
| @nx/nx-win32-arm64-msvc                                | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-win32-arm64-msvc@20.4.0                                |
| @nx/nx-win32-x64-msvc                                  | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/nx-win32-x64-msvc@20.4.0                                  |
| @nx/react                                              | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/react@20.4.0                                              |
| @nx/web                                                | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/web@20.4.0                                                |
| @nx/workspace                                          | 20.4.0        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40nx/workspace@20.4.0                                          |
| @parcel/watcher-linux-x64-glibc                        | 2.5.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-linux-x64-glibc@2.5.1                         |
| @parcel/watcher-linux-x64-musl                         | 2.5.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-linux-x64-musl@2.5.1                          |
| @parcel/watcher-win32-arm64                            | 2.5.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-win32-arm64@2.5.1                             |
| @parcel/watcher-win32-ia32                             | 2.5.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-win32-ia32@2.5.1                              |
| @parcel/watcher-win32-x64                              | 2.5.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-win32-x64@2.5.1                               |
| @phenomnomnominal/tsquery                              | 5.0.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40phenomnomnominal/tsquery@5.0.1                               |
| @pkgr/core                                             | 0.1.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40pkgr/core@0.1.1                                              |
| @popperjs/core                                         | 2.11.8        | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40popperjs/core@2.11.8                                         |
| @react-aria/button                                     | 3.13.1        | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/button@3.13.1                                     |
| @react-aria/toolbar                                    | 3.0.0-beta.16 | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/toolbar@3.0.0-beta.16                             |
| @react-dnd/asap                                        | 4.0.1         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-dnd/asap@4.0.1                                         |
| @react-dnd/invariant                                   | 2.0.0         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-dnd/invariant@2.0.0                                    |
| @react-dnd/shallowequal                                | 2.0.0         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-dnd/shallowequal@2.0.0                                 |
| @rspack/binding-darwin-x64                             | 1.2.7         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspack/binding-darwin-x64@1.2.7                              |
| @rspack/binding-linux-arm64-gnu                        | 1.2.7         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspack/binding-linux-arm64-gnu@1.2.7                         |
| @rspack/binding-linux-arm64-musl                       | 1.2.7         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rspack/binding-linux-arm64-musl@1.2.7                        |
| @rtsao/scc                                             | 1.1.0         | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40rtsao/scc@1.1.0                                              |

|                                               |         |              |                                                                                                             |                                                               |
|-----------------------------------------------|---------|--------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| @sentry/cli-linux-arm64                       | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/license/bsd-3-clause">https://opensource.org/license/bsd-3-clause</a>       | pkg:npm/%40sentry/cli-linux-arm64@2.41.1                      |
| @sentry/cli-linux-i686                        | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/license/bsd-3-clause">https://opensource.org/license/bsd-3-clause</a>       | pkg:npm/%40sentry/cli-linux-i686@2.41.1                       |
| @sentry/cli-linux-x64                         | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/license/bsd-3-clause">https://opensource.org/license/bsd-3-clause</a>       | pkg:npm/%40sentry/cli-linux-x64@2.41.1                        |
| @sentry/cli-win32-i686                        | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/license/bsd-3-clause">https://opensource.org/license/bsd-3-clause</a>       | pkg:npm/%40sentry/cli-win32-i686@2.41.1                       |
| @sentry/cli-win32-x64                         | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/license/bsd-3-clause">https://opensource.org/license/bsd-3-clause</a>       | pkg:npm/%40sentry/cli-win32-x64@2.41.1                        |
| @sentry/core                                  | 7.120.3 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40sentry/core@7.120.3                                |
| @sentry/utls                                  | 7.120.3 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40sentry/utls@7.120.3                                |
| @sentry/webpack-plugin                        | 3.1.2   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40sentry/webpack-plugin@3.1.2                        |
| @sinclair/typebox                             | 0.27.8  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40sinclair/typebox@0.27.8                            |
| @smithy/util-buffer-from                      | 2.2.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40smithy/util-buffer-from@2.2.0                      |
| @svgr/babel-preset                            | 8.1.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40svgr/babel-preset@8.1.0                            |
| @smithy/util-utf8                             | 2.3.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40smithy/util-utf8@2.3.0                             |
| @socket.io/component-emitter                  | 3.1.2   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40socket.io/component-emitter@3.1.2                  |
| @svgr/babel-plugin-svg-dynamic-title          | 8.0.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40svgr/babel-plugin-svg-dynamic-title@8.0.0          |
| @svgr/babel-plugin-svg-em-dimensions          | 8.0.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40svgr/babel-plugin-svg-em-dimensions@8.0.0          |
| @svgr/babel-plugin-transform-react-native-svg | 8.1.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40svgr/babel-plugin-transform-react-native-svg@8.1.0 |
| @svgr/babel-plugin-transform-svg-component    | 8.0.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40svgr/babel-plugin-transform-svg-component@8.0.0    |
| @tanstack/react-query                         | 5.66.9  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tanstack/react-query@5.66.9                        |
| @tanstack/react-query-devtools                | 5.66.9  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tanstack/react-query-devtools@5.66.9               |
| @tanstack/react-virtual                       | 3.13.10 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tanstack/react-virtual@3.13.10                     |
| @tootallnate/once                             | 2.0.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tootallnate/once@2.0.0                             |
| @trysound/sax                                 | 0.2.0   | ISC          | <a href="https://opensource.org/license/isc-license-txt">https://opensource.org/license/isc-license-txt</a> | pkg:npm/%40trysound/sax@0.2.0                                 |
| @tsconfig/node10                              | 1.0.11  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tsconfig/node10@1.0.11                             |
| @tsconfig/node12                              | 1.0.11  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tsconfig/node12@1.0.11                             |
| @tsconfig/node14                              | 1.0.3   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tsconfig/node14@1.0.3                              |
| @tsconfig/node16                              | 1.0.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tsconfig/node16@1.0.4                              |
| @tybys/wasm-util                              | 0.9.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40tybys/wasm-util@0.9.0                              |
| @types/aria-query                             | 5.0.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/aria-query@5.0.4                             |
| @types/connect-history-api-fallback           | 1.5.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/connect-history-api-fallback@1.5.4           |
| @types/conventional-commits-parser            | 5.0.1   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/conventional-commits-parser@5.0.1            |
| @types/cookie                                 | 0.6.0   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/cookie@0.6.0                                 |
| @types/d3-array                               | 3.2.1   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-array@3.2.1                               |
| @types/d3-color                               | 3.1.3   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-color@3.1.3                               |
| @types/d3-ease                                | 3.0.2   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-ease@3.0.2                                |
| @types/d3-interpolate                         | 3.0.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-interpolate@3.0.4                         |
| @types/d3-path                                | 3.1.1   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-path@3.1.1                                |
| @types/d3-scale                               | 4.0.9   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-scale@4.0.9                               |
| @types/d3-time                                | 3.0.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/d3-time@3.0.4                                |
| @types/lodash                                 | 4.17.15 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/lodash@4.17.15                               |
| @types/graceful-fs                            | 4.1.9   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/graceful-fs@4.1.9                            |
| @types/http-errors                            | 2.0.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/http-errors@2.0.4                            |
| @types/http-proxy                             | 1.17.16 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/http-proxy@1.17.16                           |
| @types/istanbul-lib-coverage                  | 2.0.6   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/istanbul-lib-coverage@2.0.6                  |
| @types/istanbul-lib-report                    | 3.0.3   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/istanbul-lib-report@3.0.3                    |
| @types/istanbul-reports                       | 3.0.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/istanbul-reports@3.0.4                       |
| @types/jest                                   | 29.5.12 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/jest@29.5.12                                 |
| @types/json5                                  | 0.0.29  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/json5@0.0.29                                 |
| @types/node                                   | 20.5.1  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/node@20.5.1                                  |
| @types/node-forge                             | 1.3.11  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/node-forge@1.3.11                            |
| @types/react-beforeunload                     | 2.1.5   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/react-beforeunload@2.1.5                     |
| @types/react-color                            | 3.0.13  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/react-color@3.0.13                           |
| @types/url-regex-safe                         | 1.0.2   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/url-regex-safe@1.0.2                         |
| @types/reactcss                               | 1.2.13  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/reactcss@1.2.13                              |
| @types/retry                                  | 0.12.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/retry@0.12.2                                 |
| @types/tough-cookie                           | 4.0.5   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/tough-cookie@4.0.5                           |
| @types/twitter-text                           | 3.1.10  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/twitter-text@3.1.10                          |
| @types/uuid                                   | 8.3.4   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/uuid@8.3.4                                   |
| @types/valid-url                              | 1.0.7   | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/valid-url@1.0.7                              |
| @types/webpack                                | 5.28.5  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/webpack@5.28.5                               |
| @types/yargs-parser                           | 21.0.3  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40types/yargs-parser@21.0.3                          |
| @typescript-eslint/types                      | 8.26.1  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40typescript-eslint/types@8.26.1                     |
| @typescript-eslint/typescript-estree          | 8.18.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40typescript-eslint/typescript-estree@8.18.2         |
| @typescript-eslint/typescript-estree          | 8.26.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                         | pkg:npm/%40typescript-eslint/typescript-estree@8.26.0         |

|                                                |        |              |                                                                                                               |                                                               |
|------------------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| @typescript-eslint/typescript-estree           | 8.26.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/typescript-estree@8.26.1         |
| @typescript-eslint/utils                       | 8.18.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/utils@8.18.2                     |
| @typescript-eslint/utils                       | 8.26.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/utils@8.26.0                     |
| @typescript-eslint/visitor-keys                | 8.18.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/visitor-keys@8.18.2              |
| @webassemblyjs/helper-wasm-section             | 1.14.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/helper-wasm-section@1.14.1           |
| @webassemblyjs/ieee754                         | 1.13.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/ieee754@1.13.2                       |
| @webassemblyjs/leb128                          | 1.13.2 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40webassemblyjs/leb128@1.13.2                        |
| @webassemblyjs/utf8                            | 1.13.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/utf8@1.13.2                          |
| @webassemblyjs/wasm-edit                       | 1.14.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/wasm-edit@1.14.1                     |
| @webassemblyjs/wasm-gen                        | 1.14.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/wasm-gen@1.14.1                      |
| @webassemblyjs/wasm-opt                        | 1.14.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/wasm-opt@1.14.1                      |
| @webpack-cli/info                              | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webpack-cli/info@3.0.1                             |
| @webpack-cli/serve                             | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webpack-cli/serve@3.0.1                            |
| @yarnpkg/parsers                               | 3.0.2  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/%40yarnpkg/parsers@3.0.2                              |
| @zkochan/js-yaml                               | 0.0.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40zkochan/js-yaml@0.0.7                              |
| abab                                           | 2.0.6  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/abab@2.0.6                                            |
| abort-controller                               | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/abort-controller@3.0.0                                |
| accepts                                        | 1.3.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/accepts@1.3.8                                         |
| acorn                                          | 7.4.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/acorn@7.4.1                                           |
| add-stream                                     | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/add-stream@1.0.0                                      |
| address                                        | 1.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/address@1.2.2                                         |
| adm-zip                                        | 0.5.16 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/adm-zip@0.5.16                                        |
| agent-base                                     | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/agent-base@6.0.2                                      |
| ansi-styles                                    | 6.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-styles@6.2.1                                     |
| ajv-keywords                                   | 5.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ajv-keywords@5.1.0                                    |
| ansi-colors                                    | 4.1.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-colors@4.1.3                                     |
| ansi-escapes                                   | 4.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-escapes@4.3.2                                    |
| ansi-html                                      | 0.0.9  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/ansi-html@0.0.9                                       |
| anymatch                                       | 3.1.3  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/anymatch@3.1.3                                        |
| arg                                            | 4.1.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/arg@4.1.3                                             |
| argparse                                       | 1.0.10 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/argparse@1.0.10                                       |
| argparse                                       | 2.0.1  | Python-2.0   | <a href="https://www.ruby-lang.org/en/about/license.txt">https://www.ruby-lang.org/en/about/license.txt</a>   | pkg:npm/argparse@2.0.1                                        |
| aria-query                                     | 5.3.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/aria-query@5.3.0                                      |
| array-includes                                 | 3.1.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array-includes@3.1.8                                  |
| array-union                                    | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array-union@2.1.0                                     |
| array-union                                    | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array-union@3.0.1                                     |
| asap                                           | 2.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/asap@2.0.6                                            |
| asn1.js                                        | 4.10.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/asn1.js@4.10.1                                        |
| assert                                         | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/assert@2.1.0                                          |
| ast-types-flow                                 | 0.0.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ast-types-flow@0.0.8                                  |
| astral-regex                                   | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/astral-regex@2.0.0                                    |
| async                                          | 2.6.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/async@2.6.4                                           |
| async                                          | 3.2.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/async@3.2.6                                           |
| async-function                                 | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/async-function@1.0.0                                  |
| attr-accept                                    | 2.2.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/attr-accept@2.2.5                                     |
| babel-plugin-const-enum                        | 1.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-const-enum@1.2.0                         |
| babel-plugin-istanbul                          | 6.1.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/babel-plugin-istanbul@6.1.1                           |
| babel-plugin-jest-hoist                        | 29.6.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-jest-hoist@29.6.3                        |
| babel-plugin-macros                            | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-macros@3.1.0                             |
| babel-plugin-polyfill-corejs2                  | 0.4.12 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-polyfill-corejs2@0.4.12                  |
| babel-plugin-polyfill-corejs3                  | 0.10.6 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-polyfill-corejs3@0.10.6                  |
| babel-plugin-transform-react-remove-prop-types | 0.4.24 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-transform-react-remove-prop-types@0.4.24 |
| babel-plugin-transform-typescript-metadata     | 0.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-transform-typescript-metadata@0.3.2      |
| blurbash                                       | 2.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/blurbash@2.0.5                                        |
| binary-extensions                              | 2.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/binary-extensions@2.3.0                               |
| bl                                             | 4.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/bl@4.1.0                                              |
| bn.js                                          | 4.12.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/bn.js@4.12.1                                          |
| bn.js                                          | 5.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/bn.js@5.2.1                                           |
| body-parser                                    | 1.20.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/body-parser@1.20.3                                    |
| bonjour-service                                | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/bonjour-service@1.3.0                                 |
| brace-expansion                                | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/brace-expansion@2.0.1                                 |
| braces                                         | 3.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/braces@3.0.3                                          |
| brorand                                        | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/brorand@1.1.0                                         |

|                                   |               |              |                                                                                                               |                                                   |
|-----------------------------------|---------------|--------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| browserify-aes                    | 1.2.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/browserify-aes@1.2.0                      |
| bser                              | 2.1.1         | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/bser@2.1.1                                |
| buffer                            | 5.7.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/buffer@5.7.1                              |
| buffer                            | 6.0.3         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/buffer@6.0.3                              |
| buffer-from                       | 1.1.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/buffer-from@1.1.2                         |
| cache-content-type                | 1.0.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cache-content-type@1.0.1                  |
| cacheable                         | 1.8.10        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cacheable@1.8.10                          |
| cachedir                          | 2.3.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cachedir@2.3.0                            |
| call-bind                         | 1.0.8         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/call-bind@1.0.8                           |
| call-bind-apply-helpers           | 1.0.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/call-bind-apply-helpers@1.0.2             |
| camelcase-keys                    | 6.2.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/camelcase-keys@6.2.2                      |
| can-use-dom                       | 0.1.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/can-use-dom@0.1.0                         |
| chalk                             | 4.1.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/chalk@4.1.2                               |
| chalk                             | 5.2.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/chalk@5.2.0                               |
| chalk                             | 5.4.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/chalk@5.4.1                               |
| change-case                       | 4.1.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/change-case@4.1.2                         |
| change-case-all                   | 1.0.15        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/change-case-all@1.0.15                    |
| char-regex                        | 1.0.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/char-regex@1.0.2                          |
| clean-stack                       | 2.2.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/clean-stack@2.2.0                         |
| cli-cursor                        | 3.1.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cli-cursor@3.1.0                          |
| cli-spinners                      | 2.6.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cli-spinners@2.6.1                        |
| cli-spinners                      | 2.9.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cli-spinners@2.9.2                        |
| cli-truncate                      | 2.1.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cli-truncate@2.1.0                        |
| cli-truncate                      | 3.1.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cli-truncate@3.1.0                        |
| cli-width                         | 3.0.0         | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/cli-width@3.0.0                           |
| clsx                              | 1.2.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/clsx@1.2.1                                |
| clsx                              | 2.1.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/clsx@2.1.1                                |
| co                                | 4.6.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/co@4.6.0                                  |
| codemirror                        | 5.65.18       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/codemirror@5.65.18                        |
| builder                           | 3.3.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/builder@3.3.0                             |
| cronex                            | 0.15.0        | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/cronex@0.15.0                             |
| mail                              | 2.8.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/mail@2.8.1                                |
| marcel                            | 1.0.4         | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/marcel@1.0.4                              |
| net-protocol                      | 0.2.2         | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/net-protocol@0.2.2                        |
| nio4r                             | 2.7.4         | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/nio4r@2.7.4                               |
| racc                              | 1.8.1         | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/racc@1.8.1                                |
| rack-session                      | 1.0.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rack-session@1.0.2                        |
| rack-test                         | 2.2.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rack-test@2.2.0                           |
| rails-html-sanitizer              | 1.6.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rails-html-sanitizer@1.6.2                |
| securerandom                      | 0.4.1         | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/securerandom@0.4.1                        |
| @parcel/watcher-darwin-arm64      | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-darwin-arm64@2.5.1      |
| @parcel/watcher-darwin-x64        | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-darwin-x64@2.5.1        |
| @parcel/watcher-freebsd-x64       | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-freebsd-x64@2.5.1       |
| timeout                           | 0.4.3         | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/timeout@0.4.3                             |
| tzinfo                            | 2.0.6         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/tzinfo@2.0.6                              |
| websocket-driver                  | 0.7.7         | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/websocket-driver@0.7.7                    |
| @parcel/watcher-linux-arm-glibc   | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-linux-arm-glibc@2.5.1   |
| @parcel/watcher-linux-arm-musl    | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-linux-arm-musl@2.5.1    |
| @parcel/watcher-linux-arm64-glibc | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-linux-arm64-glibc@2.5.1 |
| @parcel/watcher-linux-arm64-musl  | 2.5.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40parcel/watcher-linux-arm64-musl@2.5.1  |
| @svgr/webpack                     | 8.1.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40svgr/webpack@8.1.0                     |
| ruby-saml                         | 1.18.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/ruby-saml@1.18.0                          |
| @pmmmw/refresh-webpack-plugin     | 0.5.15        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40pmmmw/refresh-webpack-plugin@0.5.15    |
| @floating-ui/react                | 0.27.7        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40floating-ui/react@0.27.7               |
| @types/react-portal               | 4.0.7         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/react-portal@4.0.7               |
| @emoji-mart/react                 | 1.1.1         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40emoji-mart/react@1.1.1                 |
| @polka/url                        | 1.0.0-next.28 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40polka/url@1.0.0-next.28                |
| @sentry/bundler-plugin-core       | 3.1.2         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40sentry/bundler-plugin-core@3.1.2       |
| @sentry/cli                       | 2.41.1        | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40sentry/cli@2.41.1                      |
| axios                             | 1.9.0         | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/axios@1.9.0                               |
| @codemirror/autocomplete          | 6.18.6        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/autocomplete@6.18.6         |
| @symbiote/symbiote                | 1.11.7        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40symbiote/symbiote@1.11.7               |
| @babel/helpers                    | 7.26.9        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/helpers@7.26.9                   |

|                                |              |              |                                                                                                         |                                                |
|--------------------------------|--------------|--------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------|
| @types/babel__template         | 7.4.4        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40types/babel__template@7.4.4         |
| @protobufjs/base64             | 1.1.2        | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a> | pkg:npm/%40protobufjs/base64@1.1.2             |
| @protobufjs/codegen            | 2.0.4        | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a> | pkg:npm/%40protobufjs/codegen@2.0.4            |
| @protobufjs/eventemitter       | 1.1.0        | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a> | pkg:npm/%40protobufjs/eventemitter@1.1.0       |
| @protobufjs/fetch              | 1.1.0        | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a> | pkg:npm/%40protobufjs/fetch@1.1.0              |
| brace-expansion                | 1.1.11       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/brace-expansion@1.1.11                 |
| @eslint/plugin-kit             | 0.2.7        | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:npm/%40eslint/plugin-kit@0.2.7             |
| @fortawesome/react-fontawesome | 0.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/%40fortawesome/react-fontawesome@0.2.0 |
| sidekiq-unique-jobs            | 8.0.3        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/sidekiq-unique-jobs@8.0.3              |
| slop                           | 4.10.1       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/slop@4.10.1                            |
| activemodel-serializers-xml    | 1.0.3        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/activemodel-serializers-xml@1.0.3      |
| better_html                    | 2.1.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/better_html@2.1.1                      |
| dry-core                       | 1.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/dry-core@1.1.0                         |
| dry-inflector                  | 1.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/dry-inflector@1.2.0                    |
| dry-logic                      | 1.6.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/dry-logic@1.6.0                        |
| jsonapi-renderer               | 0.2.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/jsonapi-renderer@0.2.2                 |
| ice_nine                       | 0.11.2       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/ice_nine@0.11.2                        |
| database_cleaner-core          | 2.0.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/database_cleaner-core@2.0.1            |
| date                           | 3.4.1        | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/date@3.4.1                             |
| request_store                  | 1.7.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/request_store@1.7.0                    |
| sorbet-runtime                 | 0.5.11780    | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/sorbet-runtime@0.5.11780               |
| sprockets                      | 3.7.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/sprockets@3.7.2                        |
| bcrypt                         | 3.1.20       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/bcrypt@3.1.20                          |
| active_record_extended         | 3.3.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/active_record_extended@3.3.0           |
| net-http                       | 0.6.0        | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/net-http@0.6.0                         |
| addressable                    | 2.8.7        | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/addressable@2.8.7                      |
| activerecord-explain-analyze   | 0.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/activerecord-explain-analyze@0.1.0     |
| coderay                        | 1.1.3        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/coderay@1.1.3                          |
| caxlsx                         | 4.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/caxlsx@4.2.0                           |
| cent                           | 3.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/cent@3.0.0                             |
| childprocess                   | 5.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/childprocess@5.1.0                     |
| choice                         | 0.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/choice@0.2.0                           |
| clowne                         | 1.5.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/clowne@1.5.0                           |
| code_ownership                 | 1.38.3       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/code_ownership@1.38.3                  |
| code_teams                     | 1.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/code_teams@1.0.2                       |
| case_transform                 | 0.2          | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/case_transform@0.2                     |
| uniform_notifier               | 1.16.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/uniform_notifier@1.16.0                |
| debug_inspector                | 1.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/debug_inspector@1.2.0                  |
| devise_saml_authenticatable    | 1.9.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/devise_saml_authenticatable@1.9.1      |
| devise                         | 4.9.4        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/devise@4.9.4                           |
| domain_name                    | 0.6.20240107 | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/domain_name@0.6.20240107               |
| diff-lcs                       | 1.5.1        | Artistic-2.0 | <a href="https://opensource.org/licenses/artistic-2.0">https://opensource.org/licenses/artistic-2.0</a> | pkg:gem/diff-lcs@1.5.1                         |
| docile                         | 1.4.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/docile@1.4.1                           |
| encryptor                      | 3.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/encryptor@3.0.0                        |
| et-orbi                        | 1.2.11       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/et-orbi@1.2.11                         |
| ethon                          | 0.15.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/ethon@0.15.0                           |
| dry-initializer                | 3.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/dry-initializer@3.2.0                  |
| google-protobuf                | 4.28.3       | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a> | pkg:gem/google-protobuf@4.28.3                 |
| fugit                          | 1.11.1       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/fugit@1.11.1                           |
| globalid                       | 1.2.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/globalid@1.2.1                         |
| haml                           | 5.2.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/haml@5.2.2                             |
| jmespath                       | 1.6.2        | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/jmespath@1.6.2                         |
| json-schema                    | 5.1.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/json-schema@5.1.1                      |
| letter_opener_web              | 3.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/letter_opener_web@3.0.0                |
| logstash-event                 | 1.2.02       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/logstash-event@1.2.02                  |
| net-pop                        | 0.1.2        | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/net-pop@0.1.2                          |
| raabro                         | 1.4.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/raabro@1.4.0                           |
| olive_branch                   | 4.0.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/olive_branch@4.0.1                     |
| pastel                         | 0.8.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/pastel@0.8.0                           |
| rails-erd                      | 1.7.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/rails-erd@1.7.2                        |
| rb-fsevent                     | 0.11.2       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/rb-fsevent@0.11.2                      |
| rb-inotify                     | 0.11.1       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/rb-inotify@0.11.1                      |
| redis-actionpack               | 5.5.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/redis-actionpack@5.5.0                 |

|                                                    |         |              |                                                                                                             |                                                                     |
|----------------------------------------------------|---------|--------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| rotp                                               | 6.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rotp@6.3.0                                                  |
| rubyzip                                            | 2.4.1   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/rubyzip@2.4.1                                               |
| rspec_junit_formatter                              | 0.6.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rspec_junit_formatter@0.6.0                                 |
| rs wag-specs                                       | 2.16.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rs wag-specs@2.16.0                                         |
| ruby_parser                                        | 3.20.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/ruby_parser@3.20.3                                          |
| ruby2_keywords                                     | 0.0.5   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/ruby2_keywords@0.0.5                                        |
| sanitize                                           | 7.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sanitize@7.0.0                                              |
| sass-embedded                                      | 1.80.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sass-embedded@1.80.6                                        |
| sassc-embedded                                     | 1.80.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sassc-embedded@1.80.1                                       |
| unf_ext                                            | 0.0.9.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/unf_ext@0.0.9.1                                             |
| simplecov_json_formatter                           | 0.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/simplecov_json_formatter@0.1.4                              |
| shakapacker                                        | 8.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/shakapacker@8.1.0                                           |
| stackprof                                          | 0.2.27  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/stackprof@0.2.27                                            |
| stripe                                             | 6.5.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/stripe@6.5.0                                                |
| temple                                             | 0.8.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/temple@0.8.2                                                |
| tty-color                                          | 0.6.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/tty-color@0.6.0                                             |
| tty-cursor                                         | 0.7.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/tty-cursor@0.7.1                                            |
| twitter-text                                       | 3.1.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/twitter-text@3.1.0                                          |
| typhoeus                                           | 1.4.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/typhoeus@1.4.1                                              |
| sprockets-rails                                    | 3.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sprockets-rails@3.5.2                                       |
| unicode                                            | 0.4.4.5 | Ruby         | <a href="https://www.ruby-lang.org/en/about/license.txt">https://www.ruby-lang.org/en/about/license.txt</a> | pkg:gem/unicode@0.4.4.5                                             |
| websocket-extensions                               | 0.1.5   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/websocket-extensions@0.1.5                                  |
| wisper                                             | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/wisper@2.0.1                                                |
| xmlrpc                                             | 0.3.3   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/xmlrpc@0.3.3                                                |
| yabeda-prometheus                                  | 0.9.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/yabeda-prometheus@0.9.1                                     |
| yabeda-puma-plugin                                 | 0.7.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/yabeda-puma-plugin@0.7.1                                    |
| webrick                                            | 1.9.1   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/webrick@1.9.1                                               |
| @amplitude/analytics-types                         | 2.9.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40amplitude/analytics-types@2.9.1                          |
| @amplitude/plugin-autocapture-browser              | 1.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40amplitude/plugin-autocapture-browser@1.0.5               |
| @amplitude/plugin-page-view-tracking-browser       | 2.3.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40amplitude/plugin-page-view-tracking-browser@2.3.9        |
| @ampproject/remapping                              | 2.3.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40ampproject/remapping@2.3.0                               |
| @ardatan/relay-compiler                            | 12.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40ardatan/relay-compiler@12.0.2                            |
| @aws-crypto/supports-web-crypto                    | 5.2.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40aws-crypto/supports-web-crypto@5.2.0                     |
| @aws-crypto/util                                   | 5.2.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40aws-crypto/util@5.2.0                                    |
| @aws-sdk/util-locate-window                        | 3.723.0 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40aws-sdk/util-locate-window@3.723.0                       |
| @babel/helper-annotate-as-pure                     | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-annotate-as-pure@7.25.9                     |
| @babel/helper-create-class-features-plugin         | 7.26.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-create-class-features-plugin@7.26.9         |
| @babel/helper-create-regexp-features-plugin        | 7.26.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-create-regexp-features-plugin@7.26.3        |
| @babel/helper-define-polyfill-provider             | 0.6.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-define-polyfill-provider@0.6.3              |
| @babel/helper-module-transforms                    | 7.26.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-module-transforms@7.26.0                    |
| @babel/helper-optimise-call-expression             | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-optimise-call-expression@7.25.9             |
| @babel/helper-plugin-utils                         | 7.26.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-plugin-utils@7.26.5                         |
| @babel/helper-remap-async-to-generator             | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-remap-async-to-generator@7.25.9             |
| @babel/helper-replace-supers                       | 7.26.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-replace-supers@7.26.5                       |
| @babel/helper-skip-transparent-expression-wrappers | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-skip-transparent-expression-wrappers@7.25.9 |
| @babel/helper-string-parser                        | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-string-parser@7.25.9                        |
| @babel/helper-validator-identifier                 | 7.25.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40babel/helper-validator-identifier@7.25.9                 |
| @sentry/cli-linux-arm                              | 2.41.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>     | pkg:npm/%40sentry/cli-linux-arm@2.41.1                              |
| @sentry/integrations                               | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40sentry/integrations@7.120.3                              |
| @sentry/react                                      | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40sentry/react@7.120.3                                     |
| @sentry/replay                                     | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40sentry/replay@7.120.3                                    |
| @sentry/types                                      | 7.120.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40sentry/types@7.120.3                                     |
| @sinonjs/commons                                   | 3.0.1   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>     | pkg:npm/%40sinonjs/commons@3.0.1                                    |
| @sinonjs/fake-timers                               | 10.3.0  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>     | pkg:npm/%40sinonjs/fake-timers@10.3.0                               |
| @smithy/is-array-buffer                            | 2.2.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/%40smithy/is-array-buffer@2.2.0                             |
| @stylistic/eslint-plugin-js                        | 2.12.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40stylistic/eslint-plugin-js@2.12.1                        |
| @stylistic/eslint-plugin-ts                        | 2.12.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40stylistic/eslint-plugin-ts@2.12.1                        |
| @svgr/babel-plugin-add-jsx-attribute               | 8.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40svgr/babel-plugin-add-jsx-attribute@8.0.0                |
| @svgr/babel-plugin-remove-jsx-attribute            | 8.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40svgr/babel-plugin-remove-jsx-attribute@8.0.0             |
| @svgr/babel-plugin-remove-jsx-empty-expression     | 8.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40svgr/babel-plugin-remove-jsx-empty-expression@8.0.0      |
| @svgr/babel-plugin-replace-jsx-attribute-value     | 8.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40svgr/babel-plugin-replace-jsx-attribute-value@8.0.0      |
| @svgr/core                                         | 8.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40svgr/core@8.1.0                                          |
| @svgr/hast-util-to-babel-ast                       | 8.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40svgr/hast-util-to-babel-ast@8.0.0                        |

|                                  |         |     |                                                                                       |                                                   |
|----------------------------------|---------|-----|---------------------------------------------------------------------------------------|---------------------------------------------------|
| @svgr/plugin-jsx                 | 8.1.0   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40svgr/plugin-jsx@8.1.0                  |
| @svgr/plugin-svgo                | 8.1.0   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40svgr/plugin-svgo@8.1.0                 |
| @tanstack/eslint-plugin-query    | 5.66.1  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40tanstack/eslint-plugin-query@5.66.1    |
| @tanstack/query-core             | 5.66.4  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40tanstack/query-core@5.66.4             |
| @tanstack/query-devtools         | 5.65.0  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40tanstack/query-devtools@5.65.0         |
| @tanstack/virtual-core           | 3.13.10 | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40tanstack/virtual-core@3.13.10          |
| @testing-library/dom             | 10.1.0  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40testing-library/dom@10.1.0             |
| @testing-library/jest-dom        | 6.4.5   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40testing-library/jest-dom@6.4.5         |
| @testing-library/react           | 15.0.7  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40testing-library/react@15.0.7           |
| @testing-library/user-event      | 14.5.2  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40testing-library/user-event@14.5.2      |
| @tokenizer/token                 | 0.3.0   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40tokenizer/token@0.3.0                  |
| @types/babel__core               | 7.20.5  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/babel__core@7.20.5               |
| @types/babel__generator          | 7.6.8   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/babel__generator@7.6.8           |
| @types/babel__traverse           | 7.20.6  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/babel__traverse@7.20.6           |
| @types/body-parser               | 1.19.5  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/body-parser@1.19.5               |
| @types/bonjour                   | 3.5.13  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/bonjour@3.5.13                   |
| @types/codemirror                | 0.0.88  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/codemirror@0.0.88                |
| @types/codemirror                | 5.60.15 | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/codemirror@5.60.15               |
| @types/color-name                | 1.1.5   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/color-name@1.1.5                 |
| @types/connect                   | 3.4.38  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/connect@3.4.38                   |
| @types/d3-shape                  | 3.1.7   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/d3-shape@3.1.7                   |
| @types/d3-timer                  | 3.0.2   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/d3-timer@3.0.2                   |
| @types/debug                     | 4.1.12  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/debug@4.1.12                     |
| @types/draft-js                  | 0.11.18 | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/draft-js@0.11.18                 |
| @types/eslint                    | 9.6.1   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/eslint@9.6.1                     |
| @types/eslint-scope              | 3.7.7   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/eslint-scope@3.7.7               |
| @types/estree                    | 1.0.6   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/estree@1.0.6                     |
| @types/express                   | 4.17.21 | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/express@4.17.21                  |
| @types/express-serve-static-core | 4.19.6  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/express-serve-static-core@4.19.6 |
| @types/express-serve-static-core | 5.0.6   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/express-serve-static-core@5.0.6  |
| @types/js-yaml                   | 4.0.9   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/js-yaml@4.0.9                    |
| @types/jsdom                     | 20.0.1  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/jsdom@20.0.1                     |
| @types/json-schema               | 7.0.15  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/json-schema@7.0.15               |
| @types/marked                    | 0.7.4   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/marked@0.7.4                     |
| @types/mime                      | 1.3.5   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/mime@1.3.5                       |
| @types/minimist                  | 1.2.5   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/minimist@1.2.5                   |
| @types/ms                        | 2.1.0   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/ms@2.1.0                         |
| @types/normalize-package-data    | 2.4.4   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/normalize-package-data@2.4.4     |
| @types/object-hash               | 2.2.1   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/object-hash@2.2.1                |
| @types/parse-json                | 4.0.2   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/parse-json@4.0.2                 |
| @types/prismjs                   | 1.26.5  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/prismjs@1.26.5                   |
| @types/prop-types                | 15.7.14 | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/prop-types@15.7.14               |
| @typescript-eslint/parser        | 8.18.2  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40typescript-eslint/parser@8.18.2        |
| @types/qs                        | 6.9.18  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/qs@6.9.18                        |
| @types/range-parser              | 1.2.7   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/range-parser@1.2.7               |
| @types/react-reconciler          | 0.28.9  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/react-reconciler@0.28.9          |
| @types/react-transition-group    | 4.4.12  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/react-transition-group@4.4.12    |
| @types/react-virtualized         | 9.22.2  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/react-virtualized@9.22.2         |
| @types/react-window              | 1.8.8   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/react-window@1.8.8               |
| @types/semver                    | 7.5.8   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/semver@7.5.8                     |
| @types/send                      | 0.17.4  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/send@0.17.4                      |
| @types/serve-index               | 1.9.4   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/serve-index@1.9.4                |
| @types/serve-static              | 1.15.7  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/serve-static@1.15.7              |
| @types/sockjs                    | 0.3.36  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/sockjs@0.3.36                    |
| @types/stack-utils               | 2.0.3   | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/stack-utils@2.0.3                |
| @types/tern                      | 0.23.9  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/tern@0.23.9                      |
| @types/ws                        | 8.18.0  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/ws@8.18.0                        |
| @types/yargs                     | 17.0.33 | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40types/yargs@17.0.33                    |
| @typescript-eslint/eslint-plugin | 8.18.2  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40typescript-eslint/eslint-plugin@8.18.2 |
| @typescript-eslint/parser        | 8.26.1  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40typescript-eslint/parser@8.26.1        |
| @typescript-eslint/scope-manager | 8.18.2  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40typescript-eslint/scope-manager@8.18.2 |
| @typescript-eslint/scope-manager | 8.26.0  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40typescript-eslint/scope-manager@8.26.0 |
| @typescript-eslint/scope-manager | 8.26.1  | MIT | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a> | pkg:npm/%40typescript-eslint/scope-manager@8.26.1 |

|                                          |         |              |                                                                                                               |                                                           |
|------------------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| @typescript-eslint/type-utils            | 8.18.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/type-utils@8.18.2            |
| @typescript-eslint/types                 | 8.18.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/types@8.18.2                 |
| @typescript-eslint/types                 | 8.26.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/types@8.26.0                 |
| @typescript-eslint/visitor-keys          | 8.26.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/visitor-keys@8.26.0          |
| @typescript-eslint/visitor-keys          | 8.26.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40typescript-eslint/visitor-keys@8.26.1          |
| @uidotdev/usehooks                       | 2.4.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40uidotdev/usehooks@2.4.1                        |
| @webassemblyjs/ast                       | 1.14.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/ast@1.14.1                       |
| @webassemblyjs/floating-point-hex-parser | 1.13.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/floating-point-hex-parser@1.13.2 |
| @webassemblyjs/helper-api-error          | 1.13.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/helper-api-error@1.13.2          |
| @webassemblyjs/helper-buffer             | 1.14.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/helper-buffer@1.14.1             |
| @webassemblyjs/helper-numbers            | 1.13.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/helper-numbers@1.13.2            |
| @webassemblyjs/helper-wasm-bytecode      | 1.13.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/helper-wasm-bytecode@1.13.2      |
| @webassemblyjs/wasm-parser               | 1.14.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/wasm-parser@1.14.1               |
| @webassemblyjs/wast-printer              | 1.14.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webassemblyjs/wast-printer@1.14.1              |
| @webpack-cli/configtest                  | 3.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40webpack-cli/configtest@3.0.1                   |
| @whatwg-node/disposablestack             | 0.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40whatwg-node/disposablestack@0.0.5              |
| @whatwg-node/disposablestack             | 0.0.6   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40whatwg-node/disposablestack@0.0.6              |
| @whatwg-node/fetch                       | 0.10.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40whatwg-node/fetch@0.10.5                       |
| @whatwg-node/node-fetch                  | 0.7.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40whatwg-node/node-fetch@0.7.12                  |
| @whatwg-node/promise-helpers             | 1.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40whatwg-node/promise-helpers@1.2.2              |
| @xtuc/ieee754                            | 1.2.0   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40xtuc/ieee754@1.2.0                             |
| @xtuc/long                               | 4.2.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40xtuc/long@4.2.2                                |
| @yarnpkg/lockfile                        | 1.1.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/%40yarnpkg/lockfile@1.1.0                         |
| acorn                                    | 8.14.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/acorn@8.14.0                                      |
| acorn-globals                            | 7.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/acorn-globals@7.0.1                               |
| acorn-jsx                                | 5.3.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/acorn-jsx@5.3.2                                   |
| acorn-walk                               | 8.3.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/acorn-walk@8.3.4                                  |
| agent-base                               | 7.1.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/agent-base@7.1.3                                  |
| aggregate-error                          | 3.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/aggregate-error@3.1.0                             |
| ajv                                      | 6.12.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ajv@6.12.6                                        |
| ajv                                      | 8.17.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ajv@8.17.1                                        |
| ajv-formats                              | 2.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ajv-formats@2.1.1                                 |
| ajv-keywords                             | 3.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ajv-keywords@3.5.2                                |
| ansi-html-community                      | 0.0.8   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/ansi-html-community@0.0.8                         |
| ansi-regex                               | 5.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-regex@5.0.1                                  |
| ansi-regex                               | 6.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-regex@6.1.0                                  |
| ansi-styles                              | 3.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-styles@3.2.1                                 |
| ansi-styles                              | 4.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-styles@4.3.0                                 |
| ansi-styles                              | 5.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ansi-styles@5.2.0                                 |
| aria-query                               | 5.3.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/aria-query@5.3.2                                  |
| array-buffer-byte-length                 | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array-buffer-byte-length@1.0.2                    |
| array-flatten                            | 1.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array-flatten@1.1.1                               |
| array-if                                 | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array-if@1.0.0                                    |
| array.prototype.findlast                 | 1.2.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array.prototype.findlast@1.2.5                    |
| array.prototype.findlastindex            | 1.2.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array.prototype.findlastindex@1.2.5               |
| array.prototype.flat                     | 1.3.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array.prototype.flat@1.3.3                        |
| array.prototype.flatmap                  | 1.3.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array.prototype.flatmap@1.3.3                     |
| array.prototype.tosorted                 | 1.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/array.prototype.tosorted@1.1.4                    |
| arraybuffer.prototype.slice              | 1.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/arraybuffer.prototype.slice@1.0.4                 |
| arrify                                   | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/arrify@1.0.1                                      |
| asn1kit                                  | 0.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/asn1kit@0.4.0                                     |
| at-least-node                            | 1.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/at-least-node@1.0.0                               |
| auto-bind                                | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/auto-bind@4.0.0                                   |
| autoprefixer                             | 10.4.20 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/autoprefixer@10.4.20                              |
| available-typed-arrays                   | 1.0.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/available-typed-arrays@1.0.7                      |
| axe-core                                 | 4.10.2  | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                   | pkg:npm/axe-core@4.10.2                                   |
| axios-mock-adapter                       | 2.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/axios-mock-adapter@2.1.0                          |
| axobject-query                           | 4.1.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/axobject-query@4.1.0                              |
| babel-jest                               | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-jest@29.7.0                                 |
| babel-loader                             | 9.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-loader@9.2.1                                |
| babel-plugin-polyfill-corejs3            | 0.11.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-polyfill-corejs3@0.11.1              |
| babel-plugin-polyfill-regenerator        | 0.6.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-polyfill-regenerator@0.6.3           |
| babel-plugin-transform-remove-console    | 6.9.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/babel-plugin-transform-remove-console@6.9.4       |

|                                  |              |               |                                                                                                                   |                                                |
|----------------------------------|--------------|---------------|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| babel-preset-current-node-syntax | 1.1.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/babel-preset-current-node-syntax@1.1.0 |
| babel-preset-jest                | 29.6.3       | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/babel-preset-jest@29.6.3               |
| balanced-match                   | 1.0.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/balanced-match@1.0.2                   |
| balanced-match                   | 2.0.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/balanced-match@2.0.0                   |
| basic-auth                       | 2.0.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/basic-auth@2.0.1                       |
| batch                            | 0.6.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/batch@0.6.1                            |
| base64-js                        | 1.5.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/base64-js@1.5.1                        |
| big.js                           | 5.2.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/big.js@5.2.2                           |
| bignumber.js                     | 9.1.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/bignumber.js@9.1.2                     |
| boolbase                         | 1.0.0        | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>     | pkg:npm/boolbase@1.0.0                         |
| browsersify-cipher               | 1.0.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/browsersify-cipher@1.0.1               |
| browsersify-des                  | 1.0.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/browsersify-des@1.0.2                  |
| browsersify-rsa                  | 4.1.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/browsersify-rsa@4.1.1                  |
| browsersify-sign                 | 4.2.3        | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>     | pkg:npm/browsersify-sign@4.2.3                 |
| browserslist                     | 4.24.4       | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/browserslist@4.24.4                    |
| buffer-xor                       | 1.0.3        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/buffer-xor@1.0.3                       |
| builtin-status-codes             | 3.0.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/builtin-status-codes@3.0.0             |
| bundle-name                      | 4.1.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/bundle-name@4.1.0                      |
| bytes                            | 3.1.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/bytes@3.1.2                            |
| chokidar                         | 3.6.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/chokidar@3.6.0                         |
| call-bound                       | 1.0.4        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/call-bound@1.0.4                       |
| callsites                        | 3.1.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/callsites@3.1.0                        |
| camel-case                       | 4.1.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/camel-case@4.1.2                       |
| camelcase                        | 5.3.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/camelcase@5.3.1                        |
| camelcase                        | 6.3.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/camelcase@6.3.0                        |
| caniuse-api                      | 3.0.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/caniuse-api@3.0.0                      |
| caniuse-lite                     | 1.0.30001702 | CC-BY-4.0     | <a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>           | pkg:npm/caniuse-lite@1.0.30001702              |
| canvas                           | 3.1.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/canvas@3.1.0                           |
| capital-case                     | 1.0.4        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/capital-case@1.0.4                     |
| centrifuge                       | 5.2.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/centrifuge@5.2.2                       |
| chalk                            | 2.4.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/chalk@2.4.2                            |
| chalk                            | 3.0.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/chalk@3.0.0                            |
| character-entities               | 2.0.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/character-entities@2.0.2               |
| charset                          | 0.7.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/charset@0.7.0                          |
| chownr                           | 3.0.0        | BlueOak-1.0.0 | <a href="https://blueoakcouncil.org/licenses/1.0.0">https://blueoakcouncil.org/licenses/1.0.0</a>                 | pkg:npm/chownr@3.0.0                           |
| chrome-trace-event               | 1.0.4        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/chrome-trace-event@1.0.4               |
| ci-info                          | 3.9.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/ci-info@3.9.0                          |
| cipher-base                      | 1.0.6        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/cipher-base@1.0.6                      |
| cjs-module-lexer                 | 1.4.3        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/cjs-module-lexer@1.4.3                 |
| cliui                            | 8.0.1        | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>     | pkg:npm/cliui@8.0.1                            |
| clone                            | 1.0.4        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/clone@1.0.4                            |
| clone-deep                       | 4.0.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/clone-deep@4.0.1                       |
| codemirror-spell-checker         | 1.1.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/codemirror-spell-checker@1.1.2         |
| collect-v8-coverage              | 1.0.2        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/collect-v8-coverage@1.0.2              |
| color-convert                    | 1.9.3        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/color-convert@1.9.3                    |
| @types/react                     | 18.3.2       | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/%40types/react@18.3.2                  |
| @types/react-dom                 | 18.3.0       | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/%40types/react-dom@18.3.0              |
| classnames                       | 2.5.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/classnames@2.5.1                       |
| rexml                            | 3.4.1        | BSD-2-Clause  | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>           | pkg:gem/rexml@3.4.1                            |
| @emoji-mart/data                 | 1.2.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/%40emoji-mart/data@1.2.1               |
| pdf-core                         | 0.10.0       | GPL-2.0-only  | <a href="https://www.gnu.org/licenses/old-licenses/gpl-2.0">https://www.gnu.org/licenses/old-licenses/gpl-2.0</a> | pkg:gem/pdf-core@0.10.0                        |
| prawn                            | 2.5.0        | GPL-2.0-only  | <a href="https://www.gnu.org/licenses/old-licenses/gpl-2.0">https://www.gnu.org/licenses/old-licenses/gpl-2.0</a> | pkg:gem/prawn@2.5.0                            |
| prism                            | 1.4.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:gem/prism@1.4.0                            |
| rainbow                          | 3.1.1        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:gem/rainbow@3.1.1                          |
| unicode-display_width            | 3.1.4        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:gem/unicode-display_width@3.1.4            |
| @types/color                     | 3.0.6        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/%40types/color@3.0.6                   |
| @tippyjs/react                   | 4.2.6        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/%40tippyjs/react@4.2.6                 |
| @types/sanitize-html             | 2.16.0       | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/%40types/sanitize-html@2.16.0          |
| color                            | 4.2.3        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/color@4.2.3                            |
| @swc/helpers                     | 0.5.17       | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>             | pkg:npm/%40swc/helpers@0.5.17                  |
| browsersify-zlib                 | 0.2.0        | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                             | pkg:npm/browsersify-zlib@0.2.0                 |
| @aws-crypto/crc32                | 5.2.0        | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>             | pkg:npm/%40aws-crypto/crc32@5.2.0              |
| @aws-crypto/sha256-browser       | 5.2.0        | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>             | pkg:npm/%40aws-crypto/sha256-browser@5.2.0     |

|                                            |         |              |                                                                                                               |                                                          |
|--------------------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| @aws-crypto/sha256-js                      | 5.2.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-crypto/sha256-js@5.2.0                    |
| @codemirror/lang-markdown                  | 6.3.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/lang-markdown@6.3.2                |
| @codemirror/language                       | 6.10.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/language@6.10.8                    |
| @codemirror/state                          | 6.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/state@6.5.2                        |
| @codemirror/view                           | 6.36.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/view@6.36.4                        |
| @lezer/highlight                           | 1.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40lezer/highlight@1.2.1                         |
| @protobufjs/aspromise                      | 1.1.2   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40protobufjs/aspromise@1.1.2                    |
| @protobufjs/float                          | 1.0.2   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40protobufjs/float@1.0.2                        |
| @protobufjs/inquire                        | 1.1.0   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40protobufjs/inquire@1.1.0                      |
| @protobufjs/path                           | 1.1.2   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40protobufjs/path@1.1.2                         |
| @protobufjs/pool                           | 1.1.0   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40protobufjs/pool@1.1.0                         |
| @protobufjs/utf8                           | 1.1.0   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/%40protobufjs/utf8@1.1.0                         |
| @types/marked                              | 4.3.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/marked@4.3.2                            |
| @types/color-convert                       | 2.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/color-convert@2.0.4                     |
| @types/mdast                               | 4.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/mdast@4.0.4                             |
| @types/node                                | 18.19.8 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/node@18.19.8                            |
| @types/unist                               | 3.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/unist@3.0.3                             |
| @use-it/event-listener                     | 0.1.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40use-it/event-listener@0.1.7                   |
| browser                                    | 2.11.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/browser@2.11.0                                   |
| ccount                                     | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ccount@2.0.1                                     |
| @uploadcare/image-shrink                   | 6.14.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40uploadcare/image-shrink@6.14.3                |
| color-convert                              | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/color-convert@2.0.1                              |
| @fortawesome/fontawesome-common-types      | 6.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40fortawesome/fontawesome-common-types@6.5.2    |
| color-name                                 | 1.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/color-name@1.1.4                                 |
| anyway_config                              | 2.6.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/anyway_config@2.6.4                              |
| concurrent-ruby                            | 1.3.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/concurrent-ruby@1.3.5                            |
| @fortawesome/fontawesome-svg-core          | 6.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40fortawesome/fontawesome-svg-core@6.5.2        |
| @graphql-typed-document-node/core          | 3.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40graphql-typed-document-node/core@3.2.0        |
| @types/react-grid-layout                   | 1.3.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/react-grid-layout@1.3.5                 |
| @babel/runtime                             | 7.26.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40babel/runtime@7.26.0                          |
| devise-two-factor                          | 4.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/devise-two-factor@4.1.1                          |
| koa                                        | 2.15.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/koa@2.15.4                                       |
| p-try                                      | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-try@1.0.0                                      |
| p-try                                      | 2.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-try@2.2.0                                      |
| colord                                     | 2.9.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/colord@2.9.3                                     |
| colorette                                  | 2.0.20  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/colorette@2.0.20                                 |
| commitizen                                 | 4.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/commitizen@4.3.0                                 |
| common-path-prefix                         | 3.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/common-path-prefix@3.0.0                         |
| common-tags                                | 1.8.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/common-tags@1.8.2                                |
| compare-func                               | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/compare-func@2.0.0                               |
| compressible                               | 2.0.18  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/compressible@2.0.18                              |
| compression                                | 1.8.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/compression@1.8.0                                |
| compression-webpack-plugin                 | 11.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/compression-webpack-plugin@11.1.0                |
| constant-case                              | 3.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/constant-case@3.0.4                              |
| conventional-changelog-conventionalcommits | 5.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-conventionalcommits@5.0.0 |
| conventional-changelog-conventionalcommits | 6.1.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-conventionalcommits@6.1.0 |
| conventional-changelog-core                | 5.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-changelog-core@5.0.2                |
| conventional-changelog-ember               | 3.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-ember@3.0.0               |
| conventional-changelog-eslint              | 4.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-eslint@4.0.0              |
| conventional-changelog-express             | 3.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-express@3.0.0             |
| conventional-changelog-jquery              | 4.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-jquery@4.0.0              |
| conventional-changelog-jshint              | 3.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-jshint@3.0.0              |
| copy-webpack-plugin                        | 10.2.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/copy-webpack-plugin@10.2.4                       |
| core-js                                    | 2.6.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/core-js@2.6.12                                   |
| core-js                                    | 3.37.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/core-js@3.37.1                                   |
| core-js-compat                             | 3.41.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/core-js-compat@3.41.0                            |
| core-js-pure                               | 3.41.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/core-js-pure@3.41.0                              |
| core-util-is                               | 1.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/core-util-is@1.0.3                               |
| corser                                     | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/corser@2.0.1                                     |
| cosmiconfig                                | 7.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cosmiconfig@7.1.0                                |
| cosmiconfig-typescript-loader              | 4.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cosmiconfig-typescript-loader@4.4.0              |
| cosmiconfig-typescript-loader              | 6.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cosmiconfig-typescript-loader@6.1.0              |
| create-ecdh                                | 4.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/create-ecdh@4.0.4                                |

|                                  |        |              |                                                                                                               |                                                |
|----------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| cross-spawn                      | 7.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cross-spawn@7.0.6                      |
| cross-inspect                    | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cross-inspect@1.0.1                    |
| crypto-browserify                | 3.12.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/crypto-browserify@3.12.1               |
| css-declaration-sorter           | 7.2.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/css-declaration-sorter@7.2.0           |
| css-functions-list               | 3.2.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css-functions-list@3.2.3               |
| css-tree                         | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css-tree@3.1.0                         |
| css-what                         | 6.1.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/css-what@6.1.0                         |
| css.escape                       | 1.5.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css.escape@1.5.1                       |
| cssesc                           | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssesc@3.0.0                           |
| cssnano                          | 6.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssnano@6.1.2                          |
| cssstyle                         | 2.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssstyle@2.3.0                         |
| csstype                          | 3.1.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/csstype@3.1.3                          |
| cz-conventional-changelog        | 3.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cz-conventional-changelog@3.3.0        |
| d3-color                         | 3.1.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-color@3.1.0                         |
| d3-shape                         | 3.2.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-shape@3.2.0                         |
| d3-time                          | 3.1.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-time@3.1.0                          |
| d3-time-format                   | 4.1.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-time-format@4.1.0                   |
| d3-timer                         | 3.0.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-timer@3.0.1                         |
| damerau-levenshtein              | 1.0.8  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/damerau-levenshtein@1.0.8              |
| dargs                            | 7.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dargs@7.0.0                            |
| data-uri-to-buffer               | 4.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/data-uri-to-buffer@4.0.1               |
| data-urls                        | 3.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/data-urls@3.0.2                        |
| data-view-byte-offset            | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/data-view-byte-offset@1.0.1            |
| decamelize                       | 1.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/decamelize@1.2.0                       |
| decamelize-keys                  | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/decamelize-keys@1.1.1                  |
| decimal.js                       | 10.5.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/decimal.js@10.5.0                      |
| decimal.js-light                 | 2.5.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/decimal.js-light@2.5.1                 |
| decode-named-character-reference | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/decode-named-character-reference@1.0.2 |
| decompress-response              | 6.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/decompress-response@6.0.0              |
| dedent                           | 0.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dedent@0.7.0                           |
| dedent                           | 1.5.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dedent@1.5.3                           |
| deep-is                          | 0.1.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/deep-is@0.1.4                          |
| default-browser                  | 5.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/default-browser@5.2.1                  |
| delegates                        | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/delegates@1.0.0                        |
| depd                             | 1.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/depd@1.1.2                             |
| depd                             | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/depd@2.0.0                             |
| dependency-graph                 | 0.11.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dependency-graph@0.11.0                |
| dequal                           | 2.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dequal@2.0.3                           |
| des.js                           | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/des.js@1.1.0                           |
| detect-libc                      | 2.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/detect-libc@2.0.4                      |
| detect-newline                   | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/detect-newline@3.1.0                   |
| detect-node                      | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/detect-node@2.1.0                      |
| dns-packet                       | 5.6.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dns-packet@5.6.1                       |
| doctrine                         | 2.1.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/doctrine@2.1.0                         |
| dom-accessibility-api            | 0.5.16 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dom-accessibility-api@0.5.16           |
| dom-accessibility-api            | 0.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dom-accessibility-api@0.6.3            |
| dom-helpers                      | 3.4.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dom-helpers@3.4.0                      |
| dom-helpers                      | 5.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dom-helpers@5.2.1                      |
| domhandler                       | 5.0.3  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/domhandler@5.0.3                       |
| domutils                         | 3.2.2  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/domutils@3.2.2                         |
| dot-case                         | 3.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dot-case@3.0.4                         |
| dot-prop                         | 5.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dot-prop@5.3.0                         |
| dotenv                           | 16.4.5 | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/dotenv@16.4.5                          |
| dunder-proto                     | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dunder-proto@1.0.1                     |
| duplexer                         | 0.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/duplexer@0.1.2                         |
| eastasianwidth                   | 0.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eastasianwidth@0.2.0                   |
| easymde                          | 2.18.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/easymde@2.18.0                         |
| emittery                         | 0.13.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/emittery@0.13.1                        |
| eml-format                       | 0.6.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eml-format@0.6.1                       |
| emoji-regex                      | 8.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/emoji-regex@8.0.0                      |
| emoji-regex                      | 9.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/emoji-regex@9.2.2                      |
| emojis-list                      | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/emojis-list@3.0.0                      |
| encodeurl                        | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/encodeurl@1.0.2                        |

|                                   |         |              |                                                                                                               |                                                 |
|-----------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| end-of-stream                     | 1.4.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/end-of-stream@1.4.4                     |
| error-ex                          | 1.3.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/error-ex@1.3.2                          |
| error-stack-parser                | 2.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/error-stack-parser@2.1.4                |
| es-abstract                       | 1.23.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-abstract@1.23.9                      |
| es-define-property                | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-define-property@1.0.1                |
| es-iterator-helpers               | 1.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-iterator-helpers@1.2.1               |
| es-module-lexer                   | 1.6.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-module-lexer@1.6.0                   |
| eslint-import-resolver-node       | 0.3.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-import-resolver-node@0.3.9       |
| eslint-import-resolver-typescript | 3.8.5   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/eslint-import-resolver-typescript@3.8.5 |
| eslint-module-utils               | 2.12.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-module-utils@2.12.0              |
| eslint-plugin-import              | 2.31.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-plugin-import@2.31.0             |
| eslint-plugin-jsx-a11y            | 6.10.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-plugin-jsx-a11y@6.10.2           |
| eslint-plugin-prettier            | 5.2.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-plugin-prettier@5.2.3            |
| eslint-plugin-react               | 7.37.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-plugin-react@7.37.3              |
| eslint-plugin-react-hooks         | 5.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-plugin-react-hooks@5.1.0         |
| eslint-plugin-sort-keys-fix       | 1.1.2   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/eslint-plugin-sort-keys-fix@1.1.2       |
| eslint-scope                      | 5.1.1   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/eslint-scope@5.1.1                      |
| esrecurse                         | 4.3.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/esrecurse@4.3.0                         |
| estraverse                        | 4.3.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/estraverse@4.3.0                        |
| estree                            | 5.3.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/estree@5.3.0                            |
| esutils                           | 2.0.3   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/esutils@2.0.3                           |
| etag                              | 1.8.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/etag@1.8.1                              |
| event-target-shim                 | 5.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/event-target-shim@5.0.1                 |
| execa                             | 7.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/execa@7.2.0                             |
| expand-tilde                      | 2.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/expand-tilde@2.0.2                      |
| fast-diff                         | 1.3.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/fast-diff@1.3.0                         |
| fast-equals                       | 4.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fast-equals@4.0.3                       |
| fast-equals                       | 5.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fast-equals@5.2.2                       |
| fast-json-stable-stringify        | 2.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fast-json-stable-stringify@2.1.0        |
| fast-levenstein                   | 2.0.6   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fast-levenstein@2.0.6                   |
| faye-websocket                    | 0.11.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/faye-websocket@0.11.4                   |
| fb-watchman                       | 2.0.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/fb-watchman@2.0.2                       |
| fbjs                              | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fbjs@2.0.0                              |
| fbjs                              | 3.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fbjs@3.0.5                              |
| fbjs-css-vars                     | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fbjs-css-vars@1.0.2                     |
| fdir                              | 6.4.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fdir@6.4.3                              |
| file-loader                       | 6.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/file-loader@6.2.0                       |
| file-saver                        | 2.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/file-saver@2.0.5                        |
| file-selector                     | 0.6.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/file-selector@0.6.0                     |
| find-node-modules                 | 2.1.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-node-modules@2.1.3                 |
| find-pkg                          | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-pkg@2.0.0                          |
| find-root                         | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-root@1.1.0                         |
| find-up                           | 2.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-up@2.1.0                           |
| find-up                           | 4.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-up@4.1.0                           |
| find-up                           | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-up@5.0.0                           |
| find-up                           | 6.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-up@6.3.0                           |
| fsevents                          | 2.3.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fsevents@2.3.3                          |
| function-bind                     | 1.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/function-bind@1.1.2                     |
| get-proto                         | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-proto@1.0.1                         |
| get-stream                        | 6.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-stream@6.0.1                        |
| get-symbol-description            | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-symbol-description@1.1.0            |
| get-tsconfig                      | 4.10.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-tsconfig@4.10.0                     |
| git-rw-commits                    | 2.0.11  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/git-rw-commits@2.0.11                   |
| git-rw-commits                    | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/git-rw-commits@3.0.0                    |
| glob                              | 7.2.3   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/glob@7.2.3                              |
| glob                              | 9.3.5   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/glob@9.3.5                              |
| glob-parent                       | 5.1.2   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/glob-parent@5.1.2                       |
| glob-parent                       | 6.0.2   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/glob-parent@6.0.2                       |
| global-prefix                     | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/global-prefix@1.0.2                     |
| global-prefix                     | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/global-prefix@3.0.0                     |
| globals                           | 11.12.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globals@11.12.0                         |
| globals                           | 14.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globals@14.0.0                          |
| graceful-fs                       | 4.2.11  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/graceful-fs@4.2.11                      |

|                                  |         |              |                                                                                                               |                                                |
|----------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| graphemer                        | 1.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/graphemer@1.4.0                        |
| graphql-config                   | 5.1.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/graphql-config@5.1.3                   |
| graphql-depth-limit              | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/graphql-depth-limit@1.1.0              |
| graphql-request                  | 6.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/graphql-request@6.1.0                  |
| hard-rejection                   | 2.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hard-rejection@2.1.0                   |
| hash-base                        | 3.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hash-base@3.0.5                        |
| hash.js                          | 1.1.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hash.js@1.1.7                          |
| hasown                           | 2.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hasown@2.0.2                           |
| he                               | 1.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/he@1.2.0                               |
| header-case                      | 2.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/header-case@2.0.4                      |
| hmac-drbg                        | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hmac-drbg@1.0.1                        |
| hosted-git-info                  | 4.1.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hosted-git-info@4.1.0                  |
| http-assert                      | 1.5.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-assert@1.5.0                      |
| http-deceiver                    | 1.2.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-deceiver@1.2.7                    |
| http-errors                      | 1.6.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-errors@1.6.3                      |
| http-errors                      | 1.8.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-errors@1.8.1                      |
| http-errors                      | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-errors@2.0.0                      |
| http-parser-js                   | 0.5.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-parser-js@0.5.9                   |
| http-proxy-agent                 | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-proxy-agent@5.0.0                 |
| http-proxy-middleware            | 3.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-proxy-middleware@3.0.3            |
| http-server                      | 14.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-server@14.1.1                     |
| https-browserify                 | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/https-browserify@1.0.0                 |
| https-proxy-agent                | 5.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/https-proxy-agent@5.0.1                |
| i18n-js                          | 4.4.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/i18n-js@4.4.3                          |
| i18next                          | 20.6.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/i18next@20.6.1                         |
| iconv-lite                       | 0.4.24  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/iconv-lite@0.4.24                      |
| iconv-lite                       | 0.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/iconv-lite@0.5.2                       |
| identity-obj-proxy               | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/identity-obj-proxy@3.0.0               |
| image-size                       | 0.5.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/image-size@0.5.5                       |
| immediate                        | 3.0.6   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/immediate@3.0.6                        |
| immutability-helper              | 2.9.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/immutability-helper@2.9.1              |
| immutable                        | 3.7.6   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/immutable@3.7.6                        |
| immutable                        | 5.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/immutable@5.0.3                        |
| import-fresh                     | 3.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/import-fresh@3.3.1                     |
| indent-string                    | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/indent-string@4.0.0                    |
| inflight                         | 1.0.6   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/inflight@1.0.6                         |
| inherits                         | 2.0.3   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/inherits@2.0.3                         |
| interpret                        | 3.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/interpret@3.1.1                        |
| intl-messageformat               | 10.7.16 | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/intl-messageformat@10.7.16             |
| invariant                        | 2.2.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/invariant@2.2.4                        |
| ip-regex                         | 4.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ip-regex@4.3.0                         |
| ipaddr.js                        | 1.9.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ipaddr.js@1.9.1                        |
| ipaddr.js                        | 2.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ipaddr.js@2.2.0                        |
| is-absolute                      | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-absolute@1.0.0                      |
| is-arguments                     | 1.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-arguments@1.2.0                     |
| is-date-object                   | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-date-object@1.1.0                   |
| is-docker                        | 2.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-docker@2.2.1                        |
| is-docker                        | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-docker@3.0.0                        |
| is-extendable                    | 2.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-extendable@2.1.1                    |
| is-finalizationregistry          | 1.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-finalizationregistry@1.1.1          |
| is-fullwidth-code-point          | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-fullwidth-code-point@3.0.0          |
| is-fullwidth-code-point          | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-fullwidth-code-point@4.0.0          |
| is-generator-fn                  | 2.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-generator-fn@2.1.0                  |
| is-inside-container              | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-inside-container@1.0.0              |
| is-interactive                   | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-interactive@1.0.0                   |
| is-plain-obj                     | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-plain-obj@3.0.0                     |
| is-plain-object                  | 2.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-plain-object@2.0.4                  |
| is-plain-object                  | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-plain-object@5.0.0                  |
| is-potential-custom-element-name | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-potential-custom-element-name@1.0.1 |
| is-regex                         | 1.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-regex@1.2.1                         |
| is-relative                      | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-relative@1.0.0                      |
| is-string                        | 1.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-string@1.1.1                        |
| is-symbol                        | 1.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-symbol@1.1.1                        |

|                                  |        |              |                                                                                                                     |                                                 |
|----------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| is-text-path                     | 1.0.1  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-text-path@1.0.1                      |
| is-typed-array                   | 1.1.15 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-typed-array@1.1.15                   |
| is-unc-path                      | 1.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-unc-path@1.0.0                       |
| is-weakset                       | 2.0.4  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-weakset@2.0.4                        |
| is-what                          | 3.14.1 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-what@3.14.1                          |
| is-windows                       | 1.0.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-windows@1.0.2                        |
| is-wsl                           | 2.2.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/is-wsl@2.2.0                            |
| isomorphic-rslog                 | 0.0.7  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/isomorphic-rslog@0.0.7                  |
| isomorphic-ws                    | 5.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/isomorphic-ws@5.0.0                     |
| istanbul-lib-coverage            | 3.2.2  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>             | pkg:npm/istanbul-lib-coverage@3.2.2             |
| istanbul-lib-instrument          | 5.2.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>             | pkg:npm/istanbul-lib-instrument@5.2.1           |
| istanbul-lib-instrument          | 6.0.3  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>             | pkg:npm/istanbul-lib-instrument@6.0.3           |
| istanbul-lib-report              | 3.0.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>             | pkg:npm/istanbul-lib-report@3.0.1               |
| jake                             | 10.9.2 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>               | pkg:npm/jake@10.9.2                             |
| jest-environment-jsdom           | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-environment-jsdom@29.7.0           |
| jest-environment-node            | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-environment-node@29.7.0            |
| jest-get-type                    | 29.6.3 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-get-type@29.6.3                    |
| jest-haste-map                   | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-haste-map@29.7.0                   |
| jest-junit                       | 16.0.0 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>               | pkg:npm/jest-junit@16.0.0                       |
| jest-leak-detector               | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-leak-detector@29.7.0               |
| jest-matcher-utils               | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-matcher-utils@29.7.0               |
| jest-resolve-dependencies        | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-resolve-dependencies@29.7.0        |
| jest-worker                      | 27.5.1 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-worker@27.5.1                      |
| jest-worker                      | 29.7.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jest-worker@29.7.0                      |
| jiti                             | 1.21.7 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jiti@1.21.7                             |
| jiti                             | 2.4.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jiti@2.4.2                              |
| jose                             | 5.10.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jose@5.10.0                             |
| js-tokens                        | 4.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/js-tokens@4.0.0                         |
| jsesc                            | 3.0.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsesc@3.0.2                             |
| jsesc                            | 3.1.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsesc@3.1.0                             |
| jsonparse                        | 1.3.1  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsonparse@1.3.1                         |
| json5                            | 1.0.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/json5@1.0.2                             |
| json5                            | 2.2.3  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/json5@2.2.3                             |
| jsonc-parser                     | 3.2.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsonc-parser@3.2.0                      |
| jsonfile                         | 4.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsonfile@4.0.0                          |
| jsonfile                         | 6.1.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsonfile@6.1.0                          |
| jsx-ast-utils                    | 3.3.5  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/jsx-ast-utils@3.3.5                     |
| keyv                             | 5.3.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/keyv@5.3.2                              |
| kind-of                          | 6.0.3  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/kind-of@6.0.3                           |
| kleur                            | 3.0.3  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/kleur@3.0.3                             |
| klona                            | 2.0.6  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/klona@2.0.6                             |
| known-css-properties             | 0.35.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/known-css-properties@0.35.0             |
| language-subtag-registry         | 0.3.23 | CC0-1.0      | <a href="https://creativecommons.org/publicdomain/zero/1.0/">https://creativecommons.org/publicdomain/zero/1.0/</a> | pkg:npm/language-subtag-registry@0.3.23         |
| language-tags                    | 1.0.9  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/language-tags@1.0.9                     |
| launch-editor                    | 2.10.0 | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/launch-editor@2.10.0                    |
| lightningcss-darwin-arm64        | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-darwin-arm64@1.30.1        |
| lightningcss-darwin-x64          | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-darwin-x64@1.30.1          |
| lightningcss-freebsd-x64         | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-freebsd-x64@1.30.1         |
| lightningcss-linux-arm-gnueabihf | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-linux-arm-gnueabihf@1.30.1 |
| lightningcss-linux-arm64-gnu     | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-linux-arm64-gnu@1.30.1     |
| lightningcss-linux-arm64-musl    | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-linux-arm64-musl@1.30.1    |
| lightningcss-linux-x64-gnu       | 1.30.1 | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                         | pkg:npm/lightningcss-linux-x64-gnu@1.30.1       |
| lilconfig                        | 2.1.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/lilconfig@2.1.0                         |
| lilconfig                        | 3.1.3  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/lilconfig@3.1.3                         |
| line-height                      | 0.3.1  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/line-height@0.3.1                       |
| loader-utils                     | 2.0.4  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/loader-utils@2.0.4                      |
| localforage                      | 1.10.0 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>               | pkg:npm/localforage@1.10.0                      |
| locate-path                      | 2.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/locate-path@2.0.0                       |
| locate-path                      | 5.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/locate-path@5.0.0                       |
| locate-path                      | 6.0.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/locate-path@6.0.0                       |
| locate-path                      | 7.2.0  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/locate-path@7.2.0                       |
| lockfile                         | 1.0.4  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>       | pkg:npm/lockfile@1.0.4                          |
| lodash.memoize                   | 4.1.2  | MIT          | <a href="https://opensource.org/license/mit">https://opensource.org/license/mit</a>                                 | pkg:npm/lodash.memoize@4.1.2                    |

|                                                   |         |                  |                                                                                                               |                                                                 |
|---------------------------------------------------|---------|------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| lodash.merge                                      | 4.6.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.merge@4.6.2                                      |
| lodash.mergewith                                  | 4.6.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.mergewith@4.6.2                                  |
| lodash.snakecase                                  | 4.1.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.snakecase@4.1.1                                  |
| lodash.sortby                                     | 4.7.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.sortby@4.7.0                                     |
| lodash.startcase                                  | 4.4.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.startcase@4.4.0                                  |
| lodash.truncate                                   | 4.4.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.truncate@4.4.2                                   |
| lodash.uniq                                       | 4.5.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.uniq@4.5.0                                       |
| log-update                                        | 4.0.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/log-update@4.0.0                                        |
| log4js                                            | 6.9.1   | Apache-2.0       | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/log4js@6.9.1                                            |
| luxon                                             | 3.5.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/luxon@3.5.0                                             |
| lru-cache                                         | 5.1.1   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/lru-cache@5.1.1                                         |
| lru-cache                                         | 6.0.0   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/lru-cache@6.0.0                                         |
| lz-string                                         | 1.5.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lz-string@1.5.0                                         |
| magic-string                                      | 0.30.17 | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/magic-string@0.30.17                                    |
| magic-string                                      | 0.30.8  | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/magic-string@0.30.8                                     |
| make-event-props                                  | 1.6.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/make-event-props@1.6.2                                  |
| make-plural                                       | 7.4.0   | Unicode-DFS-2016 | <a href="https://www.unicode.org/license.txt">https://www.unicode.org/license.txt</a>                         | pkg:npm/make-plural@7.4.0                                       |
| makeerror                                         | 1.0.12  | BSD-3-Clause     | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/makeerror@1.0.12                                        |
| map-cache                                         | 0.2.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/map-cache@0.2.2                                         |
| mdast-util-find-and-replace                       | 3.0.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mdast-util-find-and-replace@3.0.2                       |
| mdast-util-phrasing                               | 4.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mdast-util-phrasing@4.1.0                               |
| math-intrinsics                                   | 1.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/math-intrinsics@1.1.0                                   |
| mathml-tag-names                                  | 2.1.3   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mathml-tag-names@2.1.3                                  |
| md5.js                                            | 1.3.5   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/md5.js@1.3.5                                            |
| mdast-util-gfm-task-list-item                     | 2.0.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mdast-util-gfm-task-list-item@2.0.0                     |
| mdn-data                                          | 2.0.28  | CC0-1.0          | <a href="https://creativecommons.org/publicdomain/zero">https://creativecommons.org/publicdomain/zero</a>     | pkg:npm/mdn-data@2.0.28                                         |
| mdn-data                                          | 2.0.30  | CC0-1.0          | <a href="https://creativecommons.org/publicdomain/zero">https://creativecommons.org/publicdomain/zero</a>     | pkg:npm/mdn-data@2.0.30                                         |
| memfs                                             | 4.17.0  | Apache-2.0       | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/memfs@4.17.0                                            |
| memoize-one                                       | 5.2.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/memoize-one@5.2.1                                       |
| memoize-one                                       | 6.0.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/memoize-one@6.0.0                                       |
| meow                                              | 13.2.0  | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/meow@13.2.0                                             |
| meros                                             | 1.3.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/meros@1.3.0                                             |
| methods                                           | 1.1.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/methods@1.1.2                                           |
| micromark                                         | 4.0.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark@4.0.2                                         |
| micromark-core-commonmark                         | 2.0.3   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-core-commonmark@2.0.3                         |
| micromark-extension-gfm-autolink-literal          | 2.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-extension-gfm-autolink-literal@2.1.0          |
| micromark-extension-gfm-footnote                  | 2.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-extension-gfm-footnote@2.1.0                  |
| micromark-extension-gfm-strikethrough             | 2.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-extension-gfm-strikethrough@2.1.0             |
| micromark-util-sanitize-uri                       | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-sanitize-uri@2.0.1                       |
| micromark-extension-gfm-task-list-item            | 2.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-extension-gfm-task-list-item@2.1.0            |
| micromark-util-decode-numeric-character-reference | 2.0.2   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-decode-numeric-character-reference@2.0.2 |
| micromark-util-decode-string                      | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-decode-string@2.0.1                      |
| micromark-util-encode                             | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-encode@2.0.1                             |
| micromark-util-html-tag-name                      | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-html-tag-name@2.0.1                      |
| micromark-util-normalize-identifier               | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-normalize-identifier@2.0.1               |
| micromark-util-resolve-all                        | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/micromark-util-resolve-all@2.0.1                        |
| mini-css-extract-plugin                           | 2.4.7   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mini-css-extract-plugin@2.4.7                           |
| minimalistic-assert                               | 1.0.1   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/minimalistic-assert@1.0.1                               |
| minimalistic-crypto-utils                         | 1.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/minimalistic-crypto-utils@1.0.1                         |
| minimatch                                         | 3.1.2   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/minimatch@3.1.2                                         |
| minimatch                                         | 5.1.6   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/minimatch@5.1.6                                         |
| minimatch                                         | 8.0.4   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/minimatch@8.0.4                                         |
| minimist-options                                  | 4.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/minimist-options@4.1.0                                  |
| minipass                                          | 4.2.8   | ISC              | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/minipass@4.2.8                                          |
| mobx-react-lite                                   | 4.1.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mobx-react-lite@4.1.0                                   |
| mobx-utils                                        | 6.0.8   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mobx-utils@6.0.8                                        |
| modify-values                                     | 1.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/modify-values@1.0.1                                     |
| mrmime                                            | 2.0.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mrmime@2.0.1                                            |
| ms                                                | 2.0.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ms@2.0.0                                                |
| napi-build-utils                                  | 2.0.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/napi-build-utils@2.0.0                                  |
| natural-compare                                   | 1.4.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/natural-compare@1.4.0                                   |
| natural-compare-lite                              | 1.4.0   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/natural-compare-lite@1.4.0                              |
| needle                                            | 3.3.1   | MIT              | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/needle@3.3.1                                            |

|                                    |        |              |                                                                                                               |                                                  |
|------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| negotiator                         | 0.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/negotiator@0.6.3                         |
| negotiator                         | 0.6.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/negotiator@0.6.4                         |
| node-addon-api                     | 7.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-addon-api@7.1.1                     |
| node-domexception                  | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-domexception@1.0.0                  |
| node-fetch                         | 2.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-fetch@2.7.0                         |
| normalize-package-data             | 2.5.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/normalize-package-data@2.5.0             |
| normalize-package-data             | 3.0.3  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/normalize-package-data@3.0.3             |
| normalize-path                     | 2.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/normalize-path@2.1.1                     |
| normalize-path                     | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/normalize-path@3.0.0                     |
| normalize-range                    | 0.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/normalize-range@0.1.2                    |
| npm-package-arg                    | 11.0.1 | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/npm-package-arg@11.0.1                   |
| npm-run-path                       | 4.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/npm-run-path@4.0.1                       |
| object.groupby                     | 1.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object.groupby@1.0.3                     |
| object.values                      | 1.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object.values@1.2.1                      |
| obuf                               | 1.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/obuf@1.1.2                               |
| on-finished                        | 2.4.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/on-finished@2.4.1                        |
| once                               | 1.4.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/once@1.4.0                               |
| onetime                            | 5.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/onetime@5.1.2                            |
| open                               | 8.4.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/open@8.4.2                               |
| optionator                         | 0.9.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/optionator@0.9.4                         |
| p-limit                            | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-limit@3.1.0                            |
| p-limit                            | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-limit@4.0.0                            |
| p-locate                           | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-locate@2.0.0                           |
| p-locate                           | 4.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-locate@4.1.0                           |
| p-locate                           | 5.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-locate@5.0.0                           |
| p-locate                           | 6.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-locate@6.0.0                           |
| param-case                         | 3.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/param-case@3.0.4                         |
| parent-module                      | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parent-module@1.0.1                      |
| parse-asn1                         | 5.1.7  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/parse-asn1@5.1.7                         |
| parse-filepath                     | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-filepath@1.0.2                     |
| parse-srcset                       | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-srcset@1.0.2                       |
| parse5                             | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse5@4.0.0                             |
| parse5                             | 7.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse5@7.2.1                             |
| path-exists                        | 5.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-exists@5.0.0                        |
| path-is-absolute                   | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-is-absolute@1.0.1                   |
| path-key                           | 3.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-key@3.1.1                           |
| path-key                           | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-key@4.0.0                           |
| path-parse                         | 1.0.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-parse@1.0.7                         |
| path-root                          | 0.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-root@0.1.1                          |
| path-root-regex                    | 0.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-root-regex@0.1.2                    |
| path-to-regexp                     | 0.1.12 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-to-regexp@0.1.12                    |
| path2d                             | 0.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path2d@0.2.2                             |
| pify                               | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pify@3.0.0                               |
| pify                               | 4.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pify@4.0.1                               |
| pirates                            | 4.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pirates@4.0.6                            |
| pkg-dir                            | 4.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pkg-dir@4.2.0                            |
| pkg-dir                            | 7.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pkg-dir@7.0.0                            |
| portfinder                         | 1.0.33 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/portfinder@1.0.33                        |
| possible-typed-array-names         | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/possible-typed-array-names@1.1.0         |
| postcss-calc                       | 9.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-calc@9.0.1                       |
| postcss-convert-values             | 6.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-convert-values@6.1.0             |
| postcss-discard-comments           | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-discard-comments@6.0.2           |
| postcss-minify-font-values         | 6.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-minify-font-values@6.1.0         |
| postcss-minify-gradients           | 6.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-minify-gradients@6.0.3           |
| postcss-minify-params              | 6.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-minify-params@6.1.0              |
| postcss-minify-selectors           | 6.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-minify-selectors@6.0.4           |
| postcss-modules-extract-imports    | 3.1.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/postcss-modules-extract-imports@3.1.0    |
| postcss-modules-local-by-default   | 4.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-modules-local-by-default@4.2.0   |
| postcss-modules-scope              | 3.2.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/postcss-modules-scope@3.2.1              |
| postcss-normalize-positions        | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-normalize-positions@6.0.2        |
| postcss-normalize-repeat-style     | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-normalize-repeat-style@6.0.2     |
| postcss-normalize-string           | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-normalize-string@6.0.2           |
| postcss-normalize-timing-functions | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-normalize-timing-functions@6.0.2 |

|                                      |        |              |                                                                                                               |                                                    |
|--------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| postcss-resolve-nested-selector      | 0.1.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-resolve-nested-selector@0.1.6      |
| postcss-safe-parser                  | 7.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-safe-parser@7.0.1                  |
| postcss-selector-parser              | 6.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-selector-parser@6.1.2              |
| postcss-selector-parser              | 7.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-selector-parser@7.1.0              |
| prettier-linter-helpers              | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/prettier-linter-helpers@1.0.0              |
| pretty-format                        | 27.5.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pretty-format@27.5.1                       |
| pretty-format                        | 29.7.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pretty-format@29.7.0                       |
| prism-react-renderer                 | 2.4.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/prism-react-renderer@2.4.1                 |
| proc-log                             | 3.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/proc-log@3.0.0                             |
| protobufjs                           | 7.4.0  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/protobufjs@7.4.0                           |
| prompts                              | 2.4.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/prompts@2.4.2                              |
| proxy-addr                           | 2.0.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/proxy-addr@2.0.7                           |
| punycode                             | 2.3.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/punycode@2.3.1                             |
| pure-rand                            | 6.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pure-rand@6.1.0                            |
| q                                    | 1.5.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/q@1.5.1                                    |
| qrcode.react                         | 3.2.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/qrcode.react@3.2.0                         |
| qs                                   | 6.13.0 | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/qs@6.13.0                                  |
| qs                                   | 6.14.0 | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/qs@6.14.0                                  |
| rambda                               | 9.4.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/rambda@9.4.2                               |
| react-color                          | 2.19.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-color@2.19.3                         |
| react-device-detect                  | 2.2.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-device-detect@2.2.3                  |
| react-dnd                            | 14.0.5 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-dnd@14.0.5                           |
| react-dnd-html5-backend              | 14.1.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-dnd-html5-backend@14.1.0             |
| koa                                  | 2.15.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/koa@2.15.3                                 |
| mobx-react                           | 8.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mobx-react@8.0.0                           |
| handlebars                           | 4.7.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/handlebars@4.7.8                           |
| keyux                                | 0.7.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/keyux@0.7.2                                |
| date-fns                             | 4.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/date-fns@4.1.0                             |
| pbkdf2                               | 3.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pbkdf2@3.1.2                               |
| form-data                            | 4.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/form-data@4.0.2                            |
| columnify                            | 1.6.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/columnify@1.6.0                            |
| combined-stream                      | 1.0.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/combined-stream@1.0.8                      |
| commander                            | 10.0.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/commander@10.0.1                           |
| commander                            | 12.1.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/commander@12.1.0                           |
| commander                            | 2.20.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/commander@2.20.3                           |
| commander                            | 7.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/commander@7.2.0                            |
| concat-map                           | 0.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/concat-map@0.0.1                           |
| connect-history-api-fallback         | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/connect-history-api-fallback@2.0.0         |
| constants-browserify                 | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/constants-browserify@1.0.0                 |
| content-disposition                  | 0.5.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/content-disposition@0.5.4                  |
| content-type                         | 1.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/content-type@1.0.5                         |
| conventional-changelog               | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-changelog@4.0.0               |
| conventional-changelog-angular       | 6.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-angular@6.0.0       |
| conventional-changelog-atom          | 3.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-atom@3.0.0          |
| conventional-changelog-cli           | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-changelog-cli@3.0.0           |
| conventional-changelog-codemirror    | 3.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-changelog-codemirror@3.0.0    |
| conventional-changelog-preset-loader | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-changelog-preset-loader@3.0.0 |
| conventional-changelog-writer        | 6.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-changelog-writer@6.0.1        |
| conventional-commit-types            | 3.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/conventional-commit-types@3.0.0            |
| conventional-commits-filter          | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-commits-filter@3.0.0          |
| conventional-commits-parser          | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/conventional-commits-parser@4.0.0          |
| convert-source-map                   | 1.9.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/convert-source-map@1.9.0                   |
| convert-source-map                   | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/convert-source-map@2.0.0                   |
| cookie                               | 0.7.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cookie@0.7.1                               |
| cookie                               | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cookie@1.0.2                               |
| cookie-signature                     | 1.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cookie-signature@1.0.6                     |
| cookies                              | 0.9.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cookies@0.9.1                              |
| copy-anything                        | 2.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/copy-anything@2.0.6                        |
| cosmiconfig                          | 8.3.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cosmiconfig@8.3.6                          |
| cosmiconfig                          | 9.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cosmiconfig@9.0.0                          |
| d3-ease                              | 3.0.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/d3-ease@3.0.1                              |
| create-hash                          | 1.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/create-hash@1.2.0                          |
| create-hmac                          | 1.1.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/create-hmac@1.1.7                          |

|                              |         |              |                                                                                                               |                                            |
|------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| create-jest                  | 29.7.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/create-jest@29.7.0                 |
| create-require               | 1.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/create-require@1.1.1               |
| crelt                        | 1.0.6   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/crelt@1.0.6                        |
| cron-parser                  | 4.9.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cron-parser@4.9.0                  |
| cross-fetch                  | 3.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cross-fetch@3.2.0                  |
| css-loader                   | 6.11.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css-loader@6.11.0                  |
| css-minimizer-webpack-plugin | 5.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css-minimizer-webpack-plugin@5.0.1 |
| css-select                   | 5.1.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/css-select@5.1.0                   |
| css-tree                     | 2.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css-tree@2.2.1                     |
| css-tree                     | 2.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/css-tree@2.3.1                     |
| cssnano-preset-default       | 6.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssnano-preset-default@6.1.2       |
| cssnano-utils                | 4.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssnano-utils@4.0.2                |
| cssso                        | 5.0.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssso@5.0.5                        |
| cssom                        | 0.3.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssom@0.3.8                        |
| cssom                        | 0.5.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/cssom@0.5.0                        |
| d3-array                     | 3.2.4   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-array@3.2.4                     |
| d3-format                    | 3.1.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-format@3.1.0                    |
| d3-interpolate               | 3.0.1   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-interpolate@3.0.1               |
| d3-path                      | 3.1.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-path@3.1.0                      |
| d3-scale                     | 4.0.2   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/d3-scale@4.0.2                     |
| data-view-buffer             | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/data-view-buffer@1.0.2             |
| data-view-byte-length        | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/data-view-byte-length@1.0.2        |
| dataloader                   | 2.2.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dataloader@2.2.3                   |
| date-format                  | 4.0.14  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/date-format@4.0.14                 |
| dateformat                   | 3.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dateformat@3.0.3                   |
| debounce                     | 1.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/debounce@1.2.1                     |
| debug                        | 2.6.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/debug@2.6.9                        |
| debug                        | 3.2.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/debug@3.2.7                        |
| debug                        | 4.3.7   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/debug@4.3.7                        |
| deep-equal                   | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/deep-equal@1.0.1                   |
| deep-extend                  | 0.6.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/deep-extend@0.6.0                  |
| deepmerge                    | 4.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/deepmerge@4.3.1                    |
| default-browser-id           | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/default-browser-id@5.0.0           |
| defaults                     | 1.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/defaults@1.0.4                     |
| define-data-property         | 1.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/define-data-property@1.1.4         |
| define-lazy-prop             | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/define-lazy-prop@2.0.0             |
| define-lazy-prop             | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/define-lazy-prop@3.0.0             |
| define-properties            | 1.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/define-properties@1.2.1            |
| delayed-stream               | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/delayed-stream@1.0.0               |
| destroy                      | 1.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/destroy@1.2.0                      |
| detect-file                  | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/detect-file@1.0.0                  |
| detect-indent                | 6.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/detect-indent@6.1.0                |
| detect-libc                  | 1.0.3   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/detect-libc@1.0.3                  |
| detect-port                  | 1.6.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/detect-port@1.6.1                  |
| diff                         | 4.0.2   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/diff@4.0.2                         |
| diff-sequences               | 29.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/diff-sequences@29.6.3              |
| diffie-hellman               | 5.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/diffie-hellman@5.0.3               |
| dir-glob                     | 3.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dir-glob@3.0.1                     |
| dnd-core                     | 14.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dnd-core@14.0.1                    |
| dom-serializer               | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dom-serializer@2.0.0               |
| domain-browser               | 5.7.0   | Artistic-2.0 | <a href="https://opensource.org/licenses/artistic-2-0">https://opensource.org/licenses/artistic-2-0</a>       | pkg:npm/domain-browser@5.7.0               |
| domelementtype               | 2.3.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/domelementtype@2.3.0               |
| domexception                 | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/domexception@4.0.0                 |
| dotenv-expand                | 11.0.6  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/dotenv-expand@11.0.6               |
| draft-convert                | 2.1.13  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/draft-convert@2.1.13               |
| draft-js                     | 0.11.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/draft-js@0.11.7                    |
| draft-js-plugins-editor      | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/draft-js-plugins-editor@3.0.0      |
| dset                         | 3.1.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dset@3.1.4                         |
| ee-first                     | 1.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ee-first@1.1.1                     |
| ejs                          | 3.1.10  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/ejs@3.1.10                         |
| electron-to-chromium         | 1.5.112 | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/electron-to-chromium@1.5.112       |
| elliptic                     | 6.6.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/elliptic@6.6.1                     |
| email-regex                  | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/email-regex@4.0.0                  |

|                                   |        |              |                                                                                                               |                                                 |
|-----------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| encodeurl                         | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/encodeurl@2.0.0                         |
| encoding                          | 0.1.13 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/encoding@0.1.13                         |
| engine.io-client                  | 6.5.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/engine.io-client@6.5.4                  |
| engine.io-parser                  | 5.2.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/engine.io-parser@5.2.3                  |
| enhanced-resolve                  | 5.18.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/enhanced-resolve@5.18.1                 |
| enquirer                          | 2.3.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/enquirer@2.3.6                          |
| entities                          | 2.2.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/entities@2.2.0                          |
| entities                          | 4.5.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/entities@4.5.0                          |
| env-paths                         | 2.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/env-paths@2.2.1                         |
| envinfo                           | 7.14.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/envinfo@7.14.0                          |
| errno                             | 0.1.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/errno@0.1.8                             |
| figures                           | 3.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/figures@3.2.0                           |
| es-errors                         | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-errors@1.3.0                         |
| es-object-atoms                   | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-object-atoms@1.1.1                   |
| es-set-tostringtag                | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-set-tostringtag@2.1.0                |
| es-shim-unscopables               | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-shim-unscopables@1.1.0               |
| es-to-primitive                   | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-to-primitive@1.3.0                   |
| escalade                          | 3.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/escalade@3.2.0                          |
| escape-html                       | 1.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/escape-html@1.0.3                       |
| escape-string-regexp              | 1.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/escape-string-regexp@1.0.5              |
| escape-string-regexp              | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/escape-string-regexp@2.0.0              |
| escape-string-regexp              | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/escape-string-regexp@4.0.0              |
| escape-string-regexp              | 5.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/escape-string-regexp@5.0.0              |
| escodegen                         | 2.1.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/escodegen@2.1.0                         |
| file-entry-cache                  | 10.0.8 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/file-entry-cache@10.0.8                 |
| eslint                            | 9.22.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint@9.22.0                           |
| eslint-config-prettier            | 9.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-config-prettier@9.1.0            |
| eslint-plugin-simple-import-sort  | 12.1.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eslint-plugin-simple-import-sort@12.1.1 |
| eslint-plugin-sort-structure-keys | 2.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/eslint-plugin-sort-structure-keys@2.0.0 |
| eslint-scope                      | 8.3.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/eslint-scope@8.3.0                      |
| eslint-visitor-keys               | 1.3.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/eslint-visitor-keys@1.3.0               |
| eslint-visitor-keys               | 3.4.3  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/eslint-visitor-keys@3.4.3               |
| eslint-visitor-keys               | 4.2.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/eslint-visitor-keys@4.2.0               |
| espre                             | 10.3.0 | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/espre@10.3.0                            |
| espre                             | 6.2.1  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/espre@6.2.1                             |
| esprima                           | 4.0.1  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/esprima@4.0.1                           |
| esquery                           | 1.6.0  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/esquery@1.6.0                           |
| eventemitter3                     | 4.0.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/eventemitter3@4.0.7                     |
| evp_bytestokey                    | 1.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/evp_bytestokey@1.0.3                    |
| execa                             | 5.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/execa@5.1.1                             |
| expect                            | 29.7.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/expect@29.7.0                           |
| express                           | 4.21.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/express@4.21.2                          |
| external-editor                   | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/external-editor@3.1.0                   |
| external-remotes-plugin           | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/external-remotes-plugin@1.0.0           |
| extract-files                     | 11.0.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/extract-files@11.0.0                    |
| fast-glob                         | 3.3.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fast-glob@3.3.3                         |
| fast-uri                          | 3.0.6  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/fast-uri@3.0.6                          |
| fastest-levenshtein               | 1.0.16 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fastest-levenshtein@1.0.16              |
| fastq                             | 1.19.1 | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/fastq@1.19.1                            |
| fetch-blob                        | 3.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fetch-blob@3.2.0                        |
| nanoid                            | 3.3.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/nanoid@3.3.8                            |
| file-entry-cache                  | 8.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/file-entry-cache@8.0.0                  |
| file-type                         | 16.5.4 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/file-type@16.5.4                        |
| filelist                          | 1.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/filelist@1.0.4                          |
| filesize                          | 10.1.4 | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/filesize@10.1.4                         |
| fill-range                        | 7.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fill-range@7.1.1                        |
| finalhandler                      | 1.3.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/finalhandler@1.3.1                      |
| find-cache-dir                    | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-cache-dir@4.0.0                    |
| find-file-up                      | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/find-file-up@2.0.1                      |
| findup-sync                       | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/findup-sync@4.0.0                       |
| flat                              | 5.0.2  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/flat@5.0.2                              |
| flat-cache                        | 4.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/flat-cache@4.0.1                        |
| flat-cache                        | 6.1.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/flat-cache@6.1.8                        |

|                                |              |              |                                                                                                               |                                              |
|--------------------------------|--------------|--------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| flatted                        | 3.3.3        | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/flatted@3.3.3                        |
| follow-redirects               | 1.15.9       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/follow-redirects@1.15.9              |
| for-each                       | 0.3.5        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/for-each@0.3.5                       |
| fork-ts-checker-webpack-plugin | 9.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fork-ts-checker-webpack-plugin@9.0.2 |
| formdata-polyfill              | 4.0.10       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/formdata-polyfill@4.0.10             |
| forwarded                      | 0.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/forwarded@0.2.0                      |
| fraction.js                    | 4.3.7        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fraction.js@4.3.7                    |
| fresh                          | 0.5.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fresh@0.5.2                          |
| front-matter                   | 4.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/front-matter@4.0.2                   |
| fs-constants                   | 1.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fs-constants@1.0.0                   |
| fs-extra                       | 10.1.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fs-extra@10.1.0                      |
| fs-extra                       | 11.3.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fs-extra@11.3.0                      |
| fs-extra                       | 8.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fs-extra@8.1.0                       |
| fs-extra                       | 9.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fs-extra@9.1.0                       |
| fs.realpath                    | 1.0.0        | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/fs.realpath@1.0.0                    |
| function.prototype.name        | 1.1.8        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/function.prototype.name@1.1.8        |
| functions-have-names           | 1.2.3        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/functions-have-names@1.2.3           |
| gensync                        | 1.0.0-beta.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/gensync@1.0.0-beta.2                 |
| get-caller-file                | 2.0.5        | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/get-caller-file@2.0.5                |
| get-intrinsic                  | 1.3.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-intrinsic@1.3.0                  |
| get-package-type               | 0.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-package-type@0.1.0               |
| get-pkg-repo                   | 4.2.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/get-pkg-repo@4.2.1                   |
| git-remote-origin-url          | 2.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/git-remote-origin-url@2.0.0          |
| git-semver-tags                | 5.0.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/git-semver-tags@5.0.1                |
| github-from-package            | 0.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/github-from-package@0.0.0            |
| glob-to-regexp                 | 0.4.1        | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/glob-to-regexp@0.4.1                 |
| global-directory               | 4.0.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/global-directory@4.0.1               |
| global-dirs                    | 0.1.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/global-dirs@0.1.1                    |
| global-modules                 | 1.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/global-modules@1.0.0                 |
| global-modules                 | 2.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/global-modules@2.0.0                 |
| globals                        | 15.14.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globals@15.14.0                      |
| globalthis                     | 1.0.4        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globalthis@1.0.4                     |
| globby                         | 11.1.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globby@11.1.0                        |
| globby                         | 12.2.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globby@12.2.0                        |
| globjoin                       | 0.1.4        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/globjoin@0.1.4                       |
| gopd                           | 1.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/gopd@1.2.0                           |
| graphql-tag                    | 2.12.6       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/graphql-tag@2.12.6                   |
| graphql-ws                     | 6.0.4        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/graphql-ws@6.0.4                     |
| gzip-size                      | 6.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/gzip-size@6.0.0                      |
| handle-thing                   | 2.0.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/handle-thing@2.0.1                   |
| has-bigints                    | 1.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-bigints@1.1.0                    |
| has-flag                       | 3.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-flag@3.0.0                       |
| has-flag                       | 4.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-flag@4.0.0                       |
| has-property-descriptors       | 1.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-property-descriptors@1.0.2       |
| has-proto                      | 1.2.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-proto@1.2.0                      |
| has-symbols                    | 1.1.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-symbols@1.1.0                    |
| has-tostringtag                | 1.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/has-tostringtag@1.0.2                |
| hoist-non-react-statics        | 3.3.2        | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/hoist-non-react-statics@3.3.2        |
| homedir-polyfill               | 1.0.3        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/homedir-polyfill@1.0.3               |
| hookified                      | 1.8.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hookified@1.8.2                      |
| hosted-git-info                | 2.8.9        | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hosted-git-info@2.8.9                |
| hosted-git-info                | 7.0.2        | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hosted-git-info@7.0.2                |
| hpack.js                       | 2.1.6        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hpack.js@2.1.6                       |
| html-encoding-sniffer          | 3.0.0        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-encoding-sniffer@3.0.0          |
| html-entities                  | 2.5.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-entities@2.5.2                  |
| html-escaper                   | 2.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-escaper@2.0.2                   |
| html-parse-stringify           | 3.0.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-parse-stringify@3.0.1           |
| html-tags                      | 3.3.1        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-tags@3.3.1                      |
| html-to-image                  | 1.11.11      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-to-image@1.11.11                |
| htmlparser2                    | 8.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/htmlparser2@8.0.2                    |
| http-proxy                     | 1.18.1       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-proxy@1.18.1                    |
| http-proxy-agent               | 7.0.2        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/http-proxy-agent@7.0.2               |
| https-proxy-agent              | 7.0.6        | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/https-proxy-agent@7.0.6              |

|                          |        |              |                                                                                                               |                                        |
|--------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------|
| human-signals            | 2.1.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/human-signals@2.1.0            |
| human-signals            | 4.3.1  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/human-signals@4.3.1            |
| husky                    | 8.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/husky@8.0.3                    |
| hyperdyperid             | 1.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hyperdyperid@1.2.0             |
| hyphenopoly              | 4.12.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hyphenopoly@4.12.0             |
| iconv-lite               | 0.6.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/iconv-lite@0.6.3               |
| icss-utils               | 5.1.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/icss-utils@5.1.0               |
| ieee754                  | 1.2.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/ieee754@1.2.1                  |
| ignore                   | 5.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ignore@5.3.2                   |
| ignore                   | 7.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ignore@7.0.3                   |
| import-from              | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/import-from@4.0.0              |
| import-local             | 3.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/import-local@3.2.0             |
| import-meta-resolve      | 4.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/import-meta-resolve@4.1.0      |
| imurmurhash              | 0.1.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/imurmurhash@0.1.4              |
| ini                      | 1.3.8  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/ini@1.3.8                      |
| ini                      | 4.1.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/ini@4.1.1                      |
| inquirer                 | 8.2.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/inquirer@8.2.5                 |
| inquirer                 | 8.2.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/inquirer@8.2.6                 |
| internal-slot            | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/internal-slot@1.1.0            |
| internmap                | 2.0.3  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/internmap@2.0.3                |
| is-array-buffer          | 3.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-array-buffer@3.0.5          |
| is-arrayish              | 0.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-arrayish@0.2.1              |
| is-arrayish              | 0.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-arrayish@0.3.2              |
| is-async-function        | 2.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-async-function@2.1.1        |
| is-bigint                | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-bigint@1.1.0                |
| is-binary-path           | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-binary-path@2.1.0           |
| is-boolean-object        | 1.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-boolean-object@1.2.2        |
| is-buffer                | 2.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-buffer@2.0.5                |
| is-bun-module            | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-bun-module@1.3.0            |
| is-callable              | 1.2.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-callable@1.2.7              |
| is-core-module           | 2.16.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-core-module@2.16.1          |
| is-data-view             | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-data-view@1.0.2             |
| is-generator-function    | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-generator-function@1.1.0    |
| is-glob                  | 4.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-glob@4.0.3                  |
| is-lower-case            | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-lower-case@2.0.2            |
| is-map                   | 2.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-map@2.0.3                   |
| is-nan                   | 1.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-nan@1.3.2                   |
| is-network-error         | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-network-error@1.1.0         |
| is-number                | 7.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-number@7.0.0                |
| is-number-object         | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-number-object@1.1.1         |
| is-obj                   | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-obj@2.0.0                   |
| is-plain-obj             | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-plain-obj@1.1.0             |
| is-set                   | 2.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-set@2.0.3                   |
| is-shared-array-buffer   | 1.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-shared-array-buffer@1.0.4   |
| is-stream                | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-stream@2.0.1                |
| is-stream                | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-stream@3.0.0                |
| is-unicode-supported     | 0.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-unicode-supported@0.1.0     |
| is-upper-case            | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-upper-case@2.0.2            |
| is-utf8                  | 0.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-utf8@0.2.1                  |
| is-weakmap               | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-weakmap@2.0.2               |
| is-weakref               | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-weakref@1.1.1               |
| is-wsl                   | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-wsl@3.1.0                   |
| isarray                  | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/isarray@1.0.0                  |
| isarray                  | 2.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/isarray@2.0.5                  |
| isexe                    | 2.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/isexe@2.0.0                    |
| isobject                 | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/isobject@3.0.1                 |
| isomorphic-rslog         | 0.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/isomorphic-rslog@0.0.6         |
| istanbul-lib-source-maps | 4.0.1  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/istanbul-lib-source-maps@4.0.1 |
| istanbul-reports         | 3.1.7  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/istanbul-reports@3.1.7         |
| iterator.prototype       | 1.1.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/iterator.prototype@1.1.5       |
| its-fine                 | 1.2.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/its-fine@1.2.5                 |
| jest                     | 29.7.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest@29.7.0                    |
| jest-changed-files       | 29.7.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-changed-files@29.7.0      |

|                                       |        |            |                                                                                                               |                                                     |
|---------------------------------------|--------|------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| jest-circus                           | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-circus@29.7.0                          |
| jest-cli                              | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-cli@29.7.0                             |
| jest-config                           | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-config@29.7.0                          |
| jest-diff                             | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-diff@29.7.0                            |
| jest-docblock                         | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-docblock@29.7.0                        |
| jest-each                             | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-each@29.7.0                            |
| jest-message-util                     | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-message-util@29.7.0                    |
| jest-mock                             | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-mock@29.7.0                            |
| jest-pnp-resolver                     | 1.2.3  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-pnp-resolver@1.2.3                     |
| jest-regex-util                       | 29.6.3 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-regex-util@29.6.3                      |
| jest-resolve                          | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-resolve@29.7.0                         |
| jest-runner                           | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-runner@29.7.0                          |
| jest-runtime                          | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-runtime@29.7.0                         |
| jest-snapshot                         | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-snapshot@29.7.0                        |
| jest-transform-graphql                | 2.1.0  | ISC        | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/jest-transform-graphql@2.1.0                |
| jest-util                             | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-util@29.7.0                            |
| jest-validate                         | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-validate@29.7.0                        |
| jest-watcher                          | 29.7.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jest-watcher@29.7.0                         |
| js-yaml                               | 3.14.1 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/js-yaml@3.14.1                              |
| js-yaml                               | 4.1.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/js-yaml@4.1.0                               |
| jsdom                                 | 20.0.3 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jsdom@20.0.3                                |
| json-buffer                           | 3.0.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/json-buffer@3.0.1                           |
| json-parse-better-errors              | 1.0.2  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/json-parse-better-errors@1.0.2              |
| json-parse-even-better-errors         | 2.3.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/json-parse-even-better-errors@2.3.1         |
| json-schema-traverse                  | 0.4.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/json-schema-traverse@0.4.1                  |
| json-schema-traverse                  | 1.0.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/json-schema-traverse@1.0.0                  |
| json-stable-stringify-without-jsonify | 1.0.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/json-stable-stringify-without-jsonify@1.0.1 |
| json-stringify-safe                   | 5.0.1  | ISC        | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/json-stringify-safe@5.0.1                   |
| json-to-pretty-yaml                   | 1.2.2  | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/json-to-pretty-yaml@1.2.2                   |
| keygrip                               | 1.1.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/keygrip@1.1.0                               |
| keyv                                  | 4.5.4  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/keyv@4.5.4                                  |
| koa-compose                           | 4.1.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/koa-compose@4.1.0                           |
| koa-convert                           | 2.0.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/koa-convert@2.0.0                           |
| konva                                 | 9.3.14 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/konva@9.3.14                                |
| less                                  | 4.1.3  | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/less@4.1.3                                  |
| less-loader                           | 11.1.0 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/less-loader@11.1.0                          |
| leven                                 | 3.1.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/leven@3.1.0                                 |
| levn                                  | 0.4.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/levn@0.4.1                                  |
| license-webpack-plugin                | 4.0.2  | ISC        | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/license-webpack-plugin@4.0.2                |
| lie                                   | 3.1.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lie@3.1.1                                   |
| lightningcss                          | 1.30.1 | MPL-2.0    | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                   | pkg:npm/lightningcss@1.30.1                         |
| lightningcss-linux-x64-musl           | 1.30.1 | MPL-2.0    | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                   | pkg:npm/lightningcss-linux-x64-musl@1.30.1          |
| lightningcss-win32-arm64-msvc         | 1.30.1 | MPL-2.0    | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                   | pkg:npm/lightningcss-win32-arm64-msvc@1.30.1        |
| lightningcss-win32-x64-msvc           | 1.30.1 | MPL-2.0    | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                   | pkg:npm/lightningcss-win32-x64-msvc@1.30.1          |
| lines-and-columns                     | 1.2.4  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lines-and-columns@1.2.4                     |
| lines-and-columns                     | 2.0.3  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lines-and-columns@2.0.3                     |
| lint-staged                           | 13.2.3 | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lint-staged@13.2.3                          |
| litr2                                 | 4.0.5  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/litr2@4.0.5                                 |
| litr2                                 | 5.0.8  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/litr2@5.0.8                                 |
| load-json-file                        | 4.0.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/load-json-file@4.0.0                        |
| loader-runner                         | 4.3.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/loader-runner@4.3.0                         |
| lodash.camelcase                      | 4.3.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.camelcase@4.3.0                      |
| lodash.clonedeepwith                  | 4.5.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.clonedeepwith@4.5.0                  |
| lodash.debounce                       | 4.0.8  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.debounce@4.0.8                       |
| lodash.get                            | 4.4.2  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.get@4.4.2                            |
| lodash.has                            | 4.5.2  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.has@4.5.2                            |
| lodash.isfunction                     | 3.0.9  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.isfunction@3.0.9                     |
| lodash.ismatch                        | 4.4.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.ismatch@4.4.0                        |
| lodash.isplainobject                  | 4.0.6  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.isplainobject@4.0.6                  |
| lodash.kebabcase                      | 4.1.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.kebabcase@4.1.1                      |
| lodash.lowercase                      | 4.3.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.lowercase@4.3.0                      |
| lodash.map                            | 4.6.0  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.map@4.6.0                            |
| lodash.upperfirst                     | 4.3.1  | MIT        | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/lodash.upperfirst@4.3.1                     |

|                                   |        |         |                                                                                                                     |                                                 |
|-----------------------------------|--------|---------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| log-symbols                       | 4.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/log-symbols@4.1.0                       |
| long-timeout                      | 0.1.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/long-timeout@0.1.1                      |
| longest                           | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/longest@2.0.1                           |
| longest-streak                    | 3.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/longest-streak@3.1.0                    |
| loose-envify                      | 1.4.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/loose-envify@1.4.0                      |
| lower-case                        | 2.0.2  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/lower-case@2.0.2                        |
| lower-case-first                  | 2.0.2  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/lower-case-first@2.0.2                  |
| lru-cache                         | 10.4.3 | ISC     | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>       | pkg:npm/lru-cache@10.4.3                        |
| make-cancellable-promise          | 1.3.2  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/make-cancellable-promise@1.3.2          |
| make-dir                          | 2.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/make-dir@2.1.0                          |
| make-dir                          | 4.0.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/make-dir@4.0.0                          |
| make-error                        | 1.3.6  | ISC     | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>       | pkg:npm/make-error@1.3.6                        |
| map-obj                           | 1.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/map-obj@1.0.1                           |
| map-obj                           | 4.3.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/map-obj@4.3.0                           |
| markdown-table                    | 3.0.4  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/markdown-table@3.0.4                    |
| marked                            | 4.3.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/marked@4.3.0                            |
| material-colors                   | 1.2.6  | ISC     | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>       | pkg:npm/material-colors@1.2.6                   |
| mdast-util-gfm-autolink-literal   | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mdast-util-gfm-autolink-literal@2.0.1   |
| mdast-util-gfm-footnote           | 2.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mdast-util-gfm-footnote@2.1.0           |
| mdast-util-gfm-strikethrough      | 2.0.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mdast-util-gfm-strikethrough@2.0.0      |
| mdast-util-gfm-table              | 2.0.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mdast-util-gfm-table@2.0.0              |
| mdn-data                          | 2.12.2 | CC0-1.0 | <a href="https://creativecommons.org/publicdomain/zero/1.0/">https://creativecommons.org/publicdomain/zero/1.0/</a> | pkg:npm/mdn-data@2.12.2                         |
| mdn-data                          | 2.17.0 | CC0-1.0 | <a href="https://creativecommons.org/publicdomain/zero/1.0/">https://creativecommons.org/publicdomain/zero/1.0/</a> | pkg:npm/mdn-data@2.17.0                         |
| media-typer                       | 0.3.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/media-typer@0.3.0                       |
| meow                              | 8.1.2  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/meow@8.1.2                              |
| merge                             | 2.1.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/merge@2.1.1                             |
| merge-descriptors                 | 1.0.3  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/merge-descriptors@1.0.3                 |
| merge-refs                        | 1.3.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/merge-refs@1.3.0                        |
| merge-stream                      | 2.0.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/merge-stream@2.0.0                      |
| merge2                            | 1.4.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/merge2@1.4.1                            |
| micromark-extension-gfm-table     | 2.1.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-extension-gfm-table@2.1.1     |
| micromark-extension-gfm-tagfilter | 2.0.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-extension-gfm-tagfilter@2.0.0 |
| micromark-factory-destination     | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-factory-destination@2.0.1     |
| micromark-factory-label           | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-factory-label@2.0.1           |
| micromark-factory-space           | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-factory-space@2.0.1           |
| micromark-factory-title           | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-factory-title@2.0.1           |
| micromark-factory-whitespace      | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-factory-whitespace@2.0.1      |
| micromark-util-character          | 2.1.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-util-character@2.1.1          |
| micromark-util-chunked            | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-util-chunked@2.0.1            |
| micromark-util-classify-character | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-util-classify-character@2.0.1 |
| micromark-util-combine-extensions | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-util-combine-extensions@2.0.1 |
| micromark-util-subtokenize        | 2.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-util-subtokenize@2.1.0        |
| micromark-util-symbol             | 2.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromark-util-symbol@2.0.1             |
| micromatch                        | 4.0.8  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/micromatch@4.0.8                        |
| millier-rabin                     | 4.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/miller-rabin@4.0.1                      |
| mime                              | 1.6.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mime@1.6.0                              |
| mime-db                           | 1.52.0 | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mime-db@1.52.0                          |
| mime-db                           | 1.53.0 | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mime-db@1.53.0                          |
| mime-types                        | 2.1.35 | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mime-types@2.1.35                       |
| mimic-fn                          | 2.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mimic-fn@2.1.0                          |
| mimic-fn                          | 4.0.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mimic-fn@4.0.0                          |
| mimic-response                    | 3.1.0  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mimic-response@3.1.0                    |
| min-indent                        | 1.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/min-indent@1.0.1                        |
| minimatch                         | 9.0.3  | ISC     | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a>       | pkg:npm/minimatch@9.0.3                         |
| minimist                          | 1.2.7  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/minimist@1.2.7                          |
| minimist                          | 1.2.8  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/minimist@1.2.8                          |
| minizlib                          | 3.0.2  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/minizlib@3.0.2                          |
| mkdirp                            | 0.5.6  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mkdirp@0.5.6                            |
| mkdirp                            | 1.0.4  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mkdirp@1.0.4                            |
| mkdirp                            | 3.0.1  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mkdirp@3.0.1                            |
| mkdirp-classic                    | 0.5.3  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/mkdirp-classic@0.5.3                    |
| ms                                | 2.1.3  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/ms@2.1.3                                |
| multicast-dns                     | 7.2.5  | MIT     | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                               | pkg:npm/multicast-dns@7.2.5                     |

|                              |        |              |                                                                                                               |                                            |
|------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| mute-stream                  | 0.0.8  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/mute-stream@0.0.8                  |
| neo-async                    | 2.6.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/neo-async@2.6.2                    |
| no-case                      | 3.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/no-case@3.0.4                      |
| node-abi                     | 3.74.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-abi@3.74.0                    |
| node-abort-controller        | 3.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-abort-controller@3.1.1        |
| node-fetch                   | 3.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-fetch@3.3.2                   |
| node-int64                   | 0.4.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-int64@0.4.0                   |
| node-machine-id              | 1.1.12 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-machine-id@1.1.12             |
| node-polyfill-webpack-plugin | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-polyfill-webpack-plugin@4.0.0 |
| node-releases                | 2.0.19 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-releases@2.0.19               |
| node-schedule                | 2.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/node-schedule@2.1.1                |
| npm-run-path                 | 5.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/npm-run-path@5.3.0                 |
| nth-check                    | 2.1.1  | BSD-2-Clause | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/nth-check@2.1.1                    |
| nullthrows                   | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/nullthrows@1.1.1                   |
| nwsapi                       | 2.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/nwsapi@2.2.2                       |
| nx                           | 20.4.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/nx@20.4.0                          |
| object-hash                  | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object-hash@3.0.0                  |
| object-inspect               | 1.13.4 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object-inspect@1.13.4              |
| object-is                    | 1.1.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object-is@1.1.6                    |
| object-keys                  | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object-keys@1.1.1                  |
| object.assign                | 4.1.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object.assign@4.1.7                |
| object.entries               | 1.1.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object.entries@1.1.8               |
| object.fromentries           | 2.0.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/object.fromentries@2.0.8           |
| onetime                      | 6.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/onetime@6.0.0                      |
| open                         | 10.1.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/open@10.1.0                        |
| ora                          | 5.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ora@5.3.0                          |
| ora                          | 5.4.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ora@5.4.1                          |
| os-browsify                  | 0.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/os-browsify@0.3.0                  |
| os-tmpdir                    | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/os-tmpdir@1.0.2                    |
| own-keys                     | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/own-keys@1.0.1                     |
| p-limit                      | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-limit@1.3.0                      |
| p-limit                      | 2.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-limit@2.3.0                      |
| p-map                        | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-map@4.0.0                        |
| p-retry                      | 6.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/p-retry@6.2.1                      |
| parse-json                   | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-json@4.0.0                   |
| parse-json                   | 5.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-json@5.2.0                   |
| parse-node-version           | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-node-version@1.0.1           |
| parse-passwd                 | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-passwd@1.0.0                 |
| parseurl                     | 1.3.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parseurl@1.3.3                     |
| pascal-case                  | 3.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pascal-case@3.1.2                  |
| path-browsify                | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-browsify@1.0.1                |
| path-case                    | 3.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-case@3.0.4                    |
| path-exists                  | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-exists@3.0.0                  |
| path-exists                  | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-exists@4.0.0                  |
| path-type                    | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-type@3.0.0                    |
| path-type                    | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/path-type@4.0.0                    |
| pdfjs-dist                   | 4.8.69 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/pdfjs-dist@4.8.69                  |
| peek-readable                | 4.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/peek-readable@4.1.0                |
| postcss-merge-rules          | 6.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-merge-rules@6.1.1          |
| postcss-modules-values       | 4.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/postcss-modules-values@4.0.0       |
| picocolors                   | 1.1.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/picocolors@1.1.1                   |
| picomatch                    | 2.3.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/picomatch@2.3.1                    |
| picomatch                    | 4.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/picomatch@4.0.2                    |
| pidtree                      | 0.6.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pidtree@0.6.0                      |
| pify                         | 2.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pify@2.3.0                         |
| postcss                      | 8.5.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss@8.5.1                      |
| postcss-colormin             | 6.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-colormin@6.1.0             |
| postcss-discard-duplicates   | 6.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-discard-duplicates@6.0.3   |
| postcss-discard-empty        | 6.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-discard-empty@6.0.3        |
| postcss-discard-overridden   | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-discard-overridden@6.0.2   |
| postcss-import               | 16.1.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-import@16.1.0              |
| postcss-loader               | 8.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-loader@8.1.1               |
| postcss-media-query-parser   | 0.2.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/postcss-media-query-parser@0.2.3   |

|                                  |         |               |                                                                                                       |                                                |
|----------------------------------|---------|---------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------|
| postcss-merge-longhand           | 6.0.5   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-merge-longhand@6.0.5           |
| postcss-normalize-charset        | 6.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-normalize-charset@6.0.2        |
| postcss-normalize-display-values | 6.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-normalize-display-values@6.0.2 |
| postcss-normalize-unicode        | 6.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-normalize-unicode@6.1.0        |
| postcss-normalize-url            | 6.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-normalize-url@6.0.2            |
| postcss-normalize-whitespace     | 6.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-normalize-whitespace@6.0.2     |
| postcss-ordered-values           | 6.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-ordered-values@6.0.2           |
| postcss-reduce-initial           | 6.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-reduce-initial@6.1.0           |
| postcss-reduce-transforms        | 6.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-reduce-transforms@6.0.2        |
| postcss-svgo                     | 6.0.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-svgo@6.0.3                     |
| postcss-unique-selectors         | 6.0.4   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-unique-selectors@6.0.4         |
| prebuild-install                 | 7.1.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/prebuild-install@7.1.3                 |
| prelude-ls                       | 1.2.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/prelude-ls@1.2.1                       |
| process                          | 0.11.10 | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/process@0.11.10                        |
| process-nextick-args             | 2.0.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/process-nextick-args@2.0.1             |
| progress                         | 2.0.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/progress@2.0.3                         |
| promise                          | 7.3.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/promise@7.3.1                          |
| proxy-from-env                   | 1.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/proxy-from-env@1.1.0                   |
| prrr                             | 1.0.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/prrr@1.0.1                             |
| psl                              | 1.15.0  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/psl@1.15.0                             |
| public-encrypt                   | 4.0.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/public-encrypt@4.0.3                   |
| pump                             | 3.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/pump@3.0.2                             |
| punycode                         | 1.4.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/punycode@1.4.1                         |
| querystringify                   | 2.2.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/querystringify@2.2.0                   |
| queue-microtask                  | 1.2.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/queue-microtask@1.2.3                  |
| quick-lru                        | 4.0.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/quick-lru@4.0.1                        |
| randombytes                      | 2.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/randombytes@2.1.0                      |
| randomfill                       | 1.0.4   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/randomfill@1.0.4                       |
| range-parser                     | 1.2.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/range-parser@1.2.1                     |
| raw-body                         | 2.5.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/raw-body@2.5.2                         |
| react                            | 18.3.1  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/react@18.3.1                           |
| react-accessible-accordion       | 5.0.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/react-accessible-accordion@5.0.1       |
| react-beforeunload               | 2.6.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/react-beforeunload@2.6.0               |
| react-circular-progressbar       | 2.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/react-circular-progressbar@2.1.0       |
| lodash                           | 4.17.21 | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/lodash@4.17.21                         |
| react-content-loader             | 4.3.4   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/react-content-loader@4.3.4             |
| mobx                             | 6.12.3  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/mobx@6.12.3                            |
| react-dom                        | 18.3.1  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/react-dom@18.3.1                       |
| on-headers                       | 1.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/on-headers@1.0.2                       |
| js-cookie                        | 3.0.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/js-cookie@3.0.1                        |
| color-string                     | 1.9.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/color-string@1.9.1                     |
| events                           | 3.3.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/events@3.3.0                           |
| fast-deep-equal                  | 3.1.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/fast-deep-equal@3.1.3                  |
| inherits                         | 2.0.4   | ISC           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/inherits@2.0.4                         |
| object-assign                    | 4.1.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/object-assign@4.1.1                    |
| postcss-value-parser             | 4.2.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/postcss-value-parser@4.2.0             |
| prop-types                       | 15.8.1  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/prop-types@15.8.1                      |
| emoji-regex                      | 10.3.0  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/emoji-regex@10.3.0                     |
| debug                            | 4.4.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/debug@4.4.0                            |
| minimatch                        | 9.0.5   | ISC           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/minimatch@9.0.5                        |
| minipass                         | 7.1.2   | ISC           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/minipass@7.1.2                         |
| path-scurry                      | 1.11.1  | BlueOak-1.0.0 | <a href="https://blueoakcouncil.org/licenses/1.0.0">https://blueoakcouncil.org/licenses/1.0.0</a>     | pkg:npm/path-scurry@1.11.1                     |
| devlop                           | 1.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/devlop@1.1.0                           |
| fast-xml-parser                  | 4.4.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/fast-xml-parser@4.4.1                  |
| fuzzysort                        | 3.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/fuzzysort@3.1.0                        |
| lodash-es                        | 4.17.21 | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/lodash-es@4.17.21                      |
| long                             | 5.3.1   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/long@5.3.1                             |
| mdast-util-from-markdown         | 2.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/mdast-util-from-markdown@2.0.2         |
| mdast-util-gfm                   | 3.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/mdast-util-gfm@3.1.0                   |
| mdast-util-to-markdown           | 2.1.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/mdast-util-to-markdown@2.1.2           |
| mdast-util-to-string             | 4.0.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/mdast-util-to-string@4.0.0             |
| micromark-extension-gfm          | 3.0.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/micromark-extension-gfm@3.0.0          |
| micromark-util-types             | 2.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                 | pkg:npm/micromark-util-types@2.0.2             |

|                                    |              |            |                                                                                                       |                                                     |
|------------------------------------|--------------|------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| graphql                            | 16.8.1       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/graphql@16.8.1                              |
| mobx-state-tree                    | 6.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/mobx-state-tree@6.0.0                       |
| framer-motion                      | 11.3.27      | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/framer-motion@11.3.27                       |
| emoji-mart                         | 5.6.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/emoji-mart@5.6.0                            |
| prettier                           | 3.2.5        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/prettier@3.2.5                              |
| react-datepicker                   | 8.2.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/react-datepicker@8.2.0                      |
| http-proxy-middleware              | 2.0.7        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/http-proxy-middleware@2.0.7                 |
| alba                               | 3.8.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:gem/alba@3.8.0                                  |
| @dnd-kit/accessibility             | 3.1.1        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40dnd-kit/accessibility@3.1.1              |
| undici                             | 6.10.1       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/undici@6.10.1                               |
| @react-types/shared                | 3.30.0       | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40react-types/shared@3.30.0                |
| @dnd-kit/core                      | 6.3.1        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40dnd-kit/core@6.3.1                       |
| @dnd-kit/modifiers                 | 9.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40dnd-kit/modifiers@9.0.0                  |
| active_interaction                 | 5.5.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:gem/active_interaction@5.5.0                    |
| activerecord-import                | 2.2.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:gem/activerecord-import@2.2.0                   |
| aws-eventstream                    | 1.4.0        | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-eventstream@1.4.0                       |
| aws-sdk-cloudfront                 | 1.124.0      | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sdk-cloudfront@1.124.0                  |
| aws-sdk-core                       | 3.229.0      | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sdk-core@3.229.0                        |
| aws-sdk-dynamodb                   | 1.149.0      | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sdk-dynamodb@1.149.0                    |
| @dnd-kit/sortable                  | 10.0.0       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40dnd-kit/sortable@10.0.0                  |
| @dnd-kit/utilities                 | 3.2.2        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40dnd-kit/utilities@3.2.2                  |
| @smithy/core                       | 3.7.2        | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40smithy/core@3.7.2                        |
| aws-sdk-kms                        | 1.110.0      | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sdk-kms@1.110.0                         |
| @tanstack/react-table              | 8.21.3       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40tanstack/react-table@8.21.3              |
| aws-sdk-sesv2                      | 1.82.0       | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sdk-sesv2@1.82.0                        |
| aws-sdk-sns                        | 1.104.0      | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sdk-sns@1.104.0                         |
| aws-sigv4                          | 1.12.1       | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:gem/aws-sigv4@1.12.1                            |
| @smithy/smithy-client              | 4.4.9        | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40smithy/smithy-client@4.4.9               |
| benchmark-ips                      | 2.14.0       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:gem/benchmark-ips@2.14.0                        |
| @tanstack/table-core               | 8.21.3       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/%40tanstack/table-core@8.21.3               |
| better_errors                      | 2.10.1       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:gem/better_errors@2.10.1                        |
| @smithy/util-defaults-mode-browser | 4.0.25       | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40smithy/util-defaults-mode-browser@4.0.25 |
| @smithy/util-defaults-mode-node    | 4.0.25       | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/%40smithy/util-defaults-mode-node@4.0.25    |
| resolve                            | 1.22.10      | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve@1.22.10                             |
| resolve                            | 1.22.8       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve@1.22.8                              |
| resolve                            | 2.0.0-next.5 | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve@2.0.0-next.5                        |
| resolve-cwd                        | 3.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve-cwd@3.0.0                           |
| resolve-dir                        | 1.0.1        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve-dir@1.0.1                           |
| resolve-from                       | 4.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve-from@4.0.0                          |
| resolve-from                       | 5.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve-from@5.0.0                          |
| resolve-global                     | 1.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve-global@1.0.0                        |
| resolve-pkg-maps                   | 1.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve-pkg-maps@1.0.0                      |
| resolve.exports                    | 2.0.3        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/resolve.exports@2.0.3                       |
| restore-cursor                     | 3.1.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/restore-cursor@3.1.0                        |
| retry                              | 0.13.1       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/retry@0.13.1                                |
| reusify                            | 1.1.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/reusify@1.1.0                               |
| bootsnap                           | 1.18.6       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:gem/bootsnap@1.18.6                             |
| rfc4648                            | 1.5.4        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/rfc4648@1.5.4                               |
| rfdc                               | 1.4.1        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/rfdc@1.4.1                                  |
| ripemd160                          | 2.0.2        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/ripemd160@2.0.2                             |
| rss-parser                         | 3.13.0       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/rss-parser@3.13.0                           |
| run-applescript                    | 7.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/run-applescript@7.0.0                       |
| run-async                          | 2.4.1        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/run-async@2.4.1                             |
| run-parallel                       | 1.2.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/run-parallel@1.2.0                          |
| rxjs                               | 7.8.2        | Apache-2.0 | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a> | pkg:npm/rxjs@7.8.2                                  |
| safe-array-concat                  | 1.1.3        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/safe-array-concat@1.1.3                     |
| safe-buffer                        | 5.1.2        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/safe-buffer@5.1.2                           |
| safe-buffer                        | 5.2.1        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/safe-buffer@5.2.1                           |
| safe-push-apply                    | 1.0.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/safe-push-apply@1.0.0                       |
| safe-regex-test                    | 1.1.0        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/safe-regex-test@1.1.0                       |
| safer-buffer                       | 2.1.2        | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/safer-buffer@2.1.2                          |
| sass                               | 1.85.1       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/sass@1.85.1                                 |
| sass-loader                        | 12.6.0       | MIT        | <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>                 | pkg:npm/sass-loader@12.6.0                          |

|                       |        |              |                                                                                                               |                                      |
|-----------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------|
| saxes                 | 6.0.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/saxes@6.0.0                  |
| scheduler             | 0.23.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/scheduler@0.23.2             |
| schema-utils          | 3.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/schema-utils@3.3.0           |
| sax                   | 1.4.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/sax@1.4.1                    |
| schema-utils          | 4.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/schema-utils@4.3.0           |
| scuid                 | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/scuid@1.1.0                  |
| secure-compare        | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/secure-compare@3.0.1         |
| select-hose           | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/select-hose@2.0.0            |
| selfsigned            | 2.4.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/selfsigned@2.4.1             |
| semver                | 5.7.2  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/semver@5.7.2                 |
| semver                | 6.3.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/semver@6.3.1                 |
| semver                | 7.5.4  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/semver@7.5.4                 |
| semver                | 7.6.3  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/semver@7.6.3                 |
| semver                | 7.7.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/semver@7.7.1                 |
| send                  | 0.19.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/send@0.19.0                  |
| sentence-case         | 3.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sentence-case@3.0.4          |
| serialize-javascript  | 6.0.2  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/serialize-javascript@6.0.2   |
| serve-index           | 1.9.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/serve-index@1.9.1            |
| serve-static          | 1.16.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/serve-static@1.16.2          |
| set-cookie-parser     | 2.7.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/set-cookie-parser@2.7.1      |
| set-function-length   | 1.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/set-function-length@1.2.2    |
| set-function-name     | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/set-function-name@2.0.2      |
| set-proto             | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/set-proto@1.0.0              |
| setimmediate          | 1.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/setimmediate@1.0.5           |
| setprototypeof        | 1.1.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/setprototypeof@1.1.0         |
| setprototypeof        | 1.2.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/setprototypeof@1.2.0         |
| shakapacker           | 8.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/shakapacker@8.1.0            |
| shallow-clone         | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/shallow-clone@3.0.1          |
| shebang-command       | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/shebang-command@2.0.0        |
| shebang-regex         | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/shebang-regex@3.0.0          |
| shell-quote           | 1.8.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/shell-quote@1.8.2            |
| side-channel          | 1.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/side-channel@1.1.0           |
| side-channel-list     | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/side-channel-list@1.0.0      |
| side-channel-map      | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/side-channel-map@1.0.1       |
| side-channel-weakmap  | 1.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/side-channel-weakmap@1.0.2   |
| signal-exit           | 3.0.7  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/signal-exit@3.0.7            |
| signedsource          | 1.0.0  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/signedsource@1.0.0           |
| simple-concat         | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/simple-concat@1.0.1          |
| byebug                | 12.0.0 | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/byebug@12.0.0                |
| contentful            | 2.18.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/contentful@2.18.0            |
| contentful-management | 3.11.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/contentful-management@3.11.0 |
| simple-swizzle        | 0.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/simple-swizzle@0.2.2         |
| devise-jwt            | 0.12.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/devise-jwt@0.12.1            |
| simplebar-core        | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/simplebar-core@1.3.0         |
| sirv                  | 2.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sirv@2.0.4                   |
| sisteransi            | 1.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sisteransi@1.0.5             |
| slash                 | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/slash@3.0.0                  |
| slash                 | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/slash@4.0.0                  |
| slice-ansi            | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/slice-ansi@3.0.0             |
| source-list-map       | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/source-list-map@2.0.1        |
| source-map-loader     | 5.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/source-map-loader@5.0.0      |
| source-map-support    | 0.5.13 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/source-map-support@0.5.13    |
| source-map-support    | 0.5.19 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/source-map-support@0.5.19    |
| source-map-support    | 0.5.21 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/source-map-support@0.5.21    |
| spdx-correct          | 3.2.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/spdx-correct@3.2.0           |
| spdx-exceptions       | 2.5.0  | CC-BY-3.0    | <a href="https://creativecommons.org/licenses/by/3.0/">https://creativecommons.org/licenses/by/3.0/</a>       | pkg:npm/spdx-exceptions@2.5.0        |
| spdx-expression-parse | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/spdx-expression-parse@3.0.1  |
| spdx-license-ids      | 3.0.21 | CC0-1.0      | <a href="https://creativecommons.org/publicdomain/zero/">https://creativecommons.org/publicdomain/zero/</a>   | pkg:npm/spdx-license-ids@3.0.21      |
| spdy                  | 4.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/spdy@4.0.2                   |
| stackframe            | 1.3.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stackframe@1.3.4             |
| statuses              | 1.5.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/statuses@1.5.0               |
| statuses              | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/statuses@2.0.1               |
| string-argv           | 0.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string-argv@0.3.2            |

|                              |        |              |                                                                                                               |                                             |
|------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| string-env-interpolation     | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string-env-interpolation@1.0.1      |
| string-length                | 4.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string-length@4.0.2                 |
| string-width                 | 4.2.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string-width@4.2.3                  |
| string_decoder               | 1.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string_decoder@1.3.0                |
| string.prototype.includes    | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string.prototype.includes@2.0.1     |
| string_decoder               | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string_decoder@1.1.1                |
| strip-ansi                   | 6.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-ansi@6.0.1                    |
| strip-ansi                   | 7.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-ansi@7.1.0                    |
| strip-bom                    | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-bom@3.0.0                     |
| strnum                       | 1.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strnum@1.1.2                        |
| strtok3                      | 6.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strtok3@6.3.0                       |
| style-loader                 | 3.3.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/style-loader@3.3.4                  |
| style-mod                    | 4.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/style-mod@4.1.2                     |
| stylelint-config-recommended | 16.0.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylelint-config-recommended@16.0.0 |
| stylelint-config-standard    | 38.0.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylelint-config-standard@38.0.0    |
| stylelint-config-tailwindcss | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylelint-config-tailwindcss@1.0.0  |
| stylelint-scss               | 6.11.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylelint-scss@6.11.1               |
| stylis                       | 4.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylis@4.2.0                        |
| stylus-loader                | 7.1.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylus-loader@7.1.3                 |
| swap-case                    | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/swap-case@2.0.2                     |
| symbol-tree                  | 3.2.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/symbol-tree@3.2.4                   |
| synckit                      | 0.9.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/synckit@0.9.2                       |
| tabbable                     | 6.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tabbable@6.2.0                      |
| table                        | 6.9.0  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/table@6.9.0                         |
| tailwindcss                  | 4.1.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tailwindcss@4.1.4                   |
| tapable                      | 2.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tapable@2.2.1                       |
| tar                          | 7.4.3  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/tar@7.4.3                           |
| text-extensions              | 1.9.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/text-extensions@1.9.0               |
| through                      | 2.3.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/through@2.3.8                       |
| through2                     | 2.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/through2@2.0.5                      |
| timeout-signal               | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/timeout-signal@2.0.0                |
| timers-browserify            | 2.0.12 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/timers-browserify@2.0.12            |
| tiny-emitter                 | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tiny-emitter@2.1.0                  |
| tiny-invariant               | 1.3.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tiny-invariant@1.3.3                |
| tinycolor2                   | 1.6.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tinycolor2@1.6.0                    |
| tingylobby                   | 0.2.12 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tingylobby@0.2.12                   |
| title-case                   | 3.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/title-case@3.0.3                    |
| token-types                  | 4.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/token-types@4.2.1                   |
| totalist                     | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/totalist@3.0.1                      |
| tough-cookie                 | 4.1.4  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/tough-cookie@4.1.4                  |
| tr46                         | 0.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tr46@0.0.3                          |
| ts-api-utils                 | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ts-api-utils@2.0.1                  |
| ts-loader                    | 9.5.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ts-loader@9.5.2                     |
| ts-log                       | 2.2.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ts-log@2.2.7                        |
| ts-node                      | 10.9.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ts-node@10.9.1                      |
| ts-node                      | 10.9.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ts-node@10.9.2                      |
| tslib                        | 2.6.3  | 0BSD         | <a href="https://opensource.org/licenses/0bsd">https://opensource.org/licenses/0bsd</a>                       | pkg:npm/tslib@2.6.3                         |
| tsscmp                       | 1.0.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tsscmp@1.0.6                        |
| tty-browserify               | 0.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tty-browserify@0.0.1                |
| tunnel-agent                 | 0.6.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/tunnel-agent@0.6.0                  |
| turbo-stream                 | 2.4.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/turbo-stream@2.4.0                  |
| type-is                      | 1.6.18 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/type-is@1.6.18                      |
| typed-array-buffer           | 1.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/typed-array-buffer@1.0.3            |
| typed-array-byte-length      | 1.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/typed-array-byte-length@1.0.3       |
| typed-array-byte-offset      | 1.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/typed-array-byte-offset@1.0.4       |
| typed-array-length           | 1.0.7  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/typed-array-length@1.0.7            |
| typed-assert                 | 1.0.9  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/typed-assert@1.0.9                  |
| typescript                   | 5.7.3  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/typescript@5.7.3                    |
| typescript                   | 5.8.2  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/typescript@5.8.2                    |
| typescript-eslint            | 8.18.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/typescript-eslint@8.18.2            |
| typo-js                      | 1.2.5  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/typo-js@1.2.5                       |
| unist-util-visit-parents     | 6.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unist-util-visit-parents@6.0.1      |
| universalify                 | 0.1.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/universalify@0.1.2                  |

|                              |        |              |                                                                                                               |                                            |
|------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| universalify                 | 0.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/universalify@0.2.0                 |
| universalify                 | 2.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/universalify@2.0.1                 |
| unixify                      | 1.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unixify@1.0.0                      |
| upper-case-first             | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/upper-case-first@2.0.2             |
| uri-js                       | 4.4.1  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/uri-js@4.4.1                       |
| url                          | 0.11.4 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/url@0.11.4                         |
| url-join                     | 4.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/url-join@4.0.1                     |
| use-sync-external-store      | 1.4.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/use-sync-external-store@1.4.0      |
| utif                         | 3.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/utif@3.1.0                         |
| util                         | 0.12.5 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/util@0.12.5                        |
| utils-merge                  | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/utils-merge@1.0.1                  |
| v8-compile-cache-lib         | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/v8-compile-cache-lib@3.0.1         |
| v8-to-istanbul               | 9.3.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/v8-to-istanbul@9.3.0               |
| validate-npm-package-license | 3.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/validate-npm-package-license@3.0.4 |
| validate-npm-package-name    | 5.0.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/validate-npm-package-name@5.0.1    |
| value-or-promise             | 1.0.12 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/value-or-promise@1.0.12            |
| walker                       | 1.0.8  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/walker@1.0.8                       |
| warning                      | 4.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/warning@4.0.3                      |
| watchpack                    | 2.4.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/watchpack@2.4.2                    |
| web-streams-polyfill         | 3.3.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/web-streams-polyfill@3.3.3         |
| webidl-conversions           | 3.0.1  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/webidl-conversions@3.0.1           |
| webidl-conversions           | 4.0.2  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/webidl-conversions@4.0.2           |
| webidl-conversions           | 7.0.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/webidl-conversions@7.0.0           |
| webpack                      | 5.97.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack@5.97.1                     |
| webpack-assets-manifest      | 5.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-assets-manifest@5.2.1      |
| webpack-bundle-analyzer      | 4.10.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-bundle-analyzer@4.10.2     |
| webpack-cli                  | 6.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-cli@6.0.1                  |
| websocket-extensions         | 0.1.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/websocket-extensions@0.1.4         |
| whatwg-encoding              | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/whatwg-encoding@2.0.0              |
| whatwg-mimetype              | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/whatwg-mimetype@3.0.0              |
| whatwg-url                   | 11.0.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/whatwg-url@11.0.0                  |
| whatwg-url                   | 5.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/whatwg-url@5.0.0                   |
| whatwg-url                   | 7.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/whatwg-url@7.1.0                   |
| which                        | 1.3.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/which@1.3.1                        |
| which                        | 2.0.2  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/which@2.0.2                        |
| which-boxed-primitive        | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/which-boxed-primitive@1.1.1        |
| which-builtin-type           | 1.2.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/which-builtin-type@1.2.1           |
| wrappy                       | 1.0.2  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/wrappy@1.0.2                       |
| write-file-atomic            | 4.0.2  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/write-file-atomic@4.0.2            |
| ws                           | 8.17.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ws@8.17.1                          |
| ws                           | 8.18.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ws@8.18.0                          |
| xml                          | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/xml@1.0.1                          |
| faraday-retry                | 2.3.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/faraday-retry@2.3.2                |
| xml-name-validator           | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/xml-name-validator@4.0.0           |
| xml2js                       | 0.5.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/xml2js@0.5.0                       |
| xmlbuilder                   | 11.0.1 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/xmlbuilder@11.0.1                  |
| xmlchars                     | 2.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/xmlchars@2.2.0                     |
| yaml                         | 2.7.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/yaml@2.7.0                         |
| yaml-ast-parser              | 0.0.43 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/yaml-ast-parser@0.0.43             |
| yargs                        | 16.2.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/yargs@16.2.0                       |
| yocto-queue                  | 0.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/yocto-queue@0.1.0                  |
| yocto-queue                  | 1.1.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/yocto-queue@1.1.1                  |
| ffi                          | 1.17.2 | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:gem/ffi@1.17.2                         |
| foreman                      | 0.90.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/foreman@0.90.0                     |
| hashdiff                     | 1.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/hashdiff@1.2.0                     |
| zwitch                       | 2.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/zwitch@2.0.4                       |
| http                         | 5.3.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/http@5.3.1                         |
| i18n                         | 1.14.7 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/i18n@1.14.7                        |
| icalendar                    | 2.11.2 | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/icalendar@2.11.2                   |
| ice_cube                     | 0.17.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/ice_cube@0.17.0                    |
| jwt                          | 2.10.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/jwt@2.10.2                         |
| lhttp-ffi                    | 0.5.1  | MPL-2.0      | <a href="https://www.mozilla.org/en-US/MPL/2.0/">https://www.mozilla.org/en-US/MPL/2.0/</a>                   | pkg:gem/lhttp-ffi@0.5.1                    |
| lograge                      | 0.14.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/lograge@0.14.0                     |

|                              |             |              |                                                                                                             |                                             |
|------------------------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| loofah                       | 2.24.1      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/loofah@2.24.1                       |
| mime-types                   | 3.7.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/mime-types@3.7.0                    |
| msgpack                      | 1.8.0       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/msgpack@1.8.0                       |
| mime-types-data              | 3.2025.0805 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/mime-types-data@3.2025.0805         |
| oj                           | 3.16.11     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/oj@3.16.11                          |
| ostruct                      | 0.6.3       | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/ostruct@0.6.3                       |
| parallel_tests               | 5.4.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/parallel_tests@5.4.0                |
| pdf-reader                   | 2.14.1      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/pdf-reader@2.14.1                   |
| pretender                    | 0.6.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/pretender@0.6.0                     |
| pry                          | 0.15.2      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/pry@0.15.2                          |
| pry-byebug                   | 3.11.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/pry-byebug@3.11.0                   |
| public_suffix                | 6.0.2       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/public_suffix@6.0.2                 |
| puma                         | 6.6.1       | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>     | pkg:gem/puma@6.6.1                          |
| rdoc                         | 6.14.2      | Ruby         | <a href="https://www.ruby-lang.org/en/about/license.txt">https://www.ruby-lang.org/en/about/license.txt</a> | pkg:gem/rdoc@6.14.2                         |
| redis                        | 5.4.1       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/redis@5.4.1                         |
| roo                          | 2.10.1      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/roo@2.10.1                          |
| rouge                        | 4.6.0       | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/rouge@4.6.0                         |
| rswag-api                    | 2.16.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rswag-api@2.16.0                    |
| scenic                       | 1.9.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/scenic@1.9.0                        |
| sentry-rails                 | 5.26.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sentry-rails@5.26.0                 |
| sentry-ruby                  | 5.26.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sentry-ruby@5.26.0                  |
| sentry-sidekiq               | 5.26.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sentry-sidekiq@5.26.0               |
| shoulda-matchers             | 6.5.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/shoulda-matchers@6.5.0              |
| simplecov-html               | 0.13.2      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/simplecov-html@0.13.2               |
| simplecov                    | 0.22.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/simplecov@0.22.0                    |
| warden-jwt_auth              | 0.11.0      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/warden-jwt_auth@0.11.0              |
| webmock                      | 3.25.1      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/webmock@3.25.1                      |
| dry-struct                   | 1.8.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/dry-struct@1.8.0                    |
| zeitwerk                     | 2.7.3       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/zeitwerk@2.7.3                      |
| actioncable                  | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/actioncable@7.2.2.2                 |
| actionmailbox                | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/actionmailbox@7.2.2.2               |
| actionmailer                 | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/actionmailer@7.2.2.2                |
| actionpack                   | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/actionpack@7.2.2.2                  |
| actiontext                   | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/actiontext@7.2.2.2                  |
| actionview                   | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/actionview@7.2.2.2                  |
| activejob                    | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/activejob@7.2.2.2                   |
| activemodel                  | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/activemodel@7.2.2.2                 |
| activestorage                | 7.2.2.2     | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/activestorage@7.2.2.2               |
| benchmark                    | 0.4.1       | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/benchmark@0.4.1                     |
| erubi                        | 1.13.1      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/erubi@1.13.1                        |
| irb                          | 1.15.2      | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/irb@1.15.2                          |
| minitest                     | 5.25.5      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/minitest@5.25.5                     |
| react-draggable              | 4.4.6       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-draggable@4.4.6               |
| react-dropzone               | 14.2.3      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-dropzone@14.2.3               |
| react-fast-compare           | 3.2.2       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-fast-compare@3.2.2            |
| net-imap                     | 0.5.9       | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/net-imap@0.5.9                      |
| react-lifecycles-compat      | 3.0.4       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-lifecycles-compat@3.0.4       |
| react-number-format          | 4.9.4       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-number-format@4.9.4           |
| react-paginate               | 8.2.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-paginate@8.2.0                |
| react-pdf                    | 9.2.1       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-pdf@9.2.1                     |
| react-popover                | 2.3.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-popover@2.3.0                 |
| react-side-effect            | 2.1.2       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-side-effect@2.1.2             |
| react-simplemde-editor       | 4.1.5       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-simplemde-editor@4.1.5        |
| react-smooth                 | 2.0.5       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-smooth@2.0.5                  |
| net-smtp                     | 0.5.1       | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/net-smtp@0.5.1                      |
| react-truncate-markup        | 5.1.2       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:npm/react-truncate-markup@5.1.2         |
| react-virtualized            | 9.22.5      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-virtualized@9.22.5            |
| react-virtualized-auto-sizer | 1.0.24      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-virtualized-auto-sizer@1.0.24 |
| react-window                 | 1.8.10      | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-window@1.8.10                 |
| reactcss                     | 1.2.3       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/reactcss@1.2.3                      |
| readable-stream              | 2.3.8       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/readable-stream@2.3.8               |
| readable-stream              | 3.6.2       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/readable-stream@3.6.2               |
| readable-stream              | 4.7.0       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/readable-stream@4.7.0               |

|                                 |         |              |                                                                                                               |                                               |
|---------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| readable-web-to-node-stream     | 3.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/readable-web-to-node-stream@3.0.4     |
| readdirp                        | 3.6.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/readdirp@3.6.0                        |
| readdirp                        | 4.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/readdirp@4.1.2                        |
| recharts                        | 2.10.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/recharts@2.10.4                       |
| require-from-string             | 2.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/require-from-string@2.0.2             |
| redux                           | 4.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/redux@4.2.1                           |
| reflect-metadata                | 0.2.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/reflect-metadata@0.2.2                |
| regjsparser                     | 0.12.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/regjsparser@0.12.0                    |
| relay-runtime                   | 12.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/relay-runtime@12.0.0                  |
| remove-trailing-separator       | 1.1.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/remove-trailing-separator@1.1.0       |
| remove-trailing-spaces          | 1.0.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/remove-trailing-spaces@1.0.9          |
| require-directory               | 2.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/require-directory@2.1.1               |
| requireindex                    | 1.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/requireindex@1.2.0                    |
| requires-port                   | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/requires-port@1.0.0                   |
| rails                           | 7.2.2.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rails@7.2.2.2                         |
| rails-dom-testing               | 2.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rails-dom-testing@2.3.0               |
| socket.io-client                | 4.7.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/socket.io-client@4.7.0                |
| socket.io-parser                | 4.2.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/socket.io-parser@4.2.4                |
| simple-get                      | 4.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/simple-get@4.0.1                      |
| slice-ansi                      | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/slice-ansi@4.0.0                      |
| slice-ansi                      | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/slice-ansi@5.0.0                      |
| smoothscroll-polyfill           | 0.4.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/smoothscroll-polyfill@0.4.4           |
| snake-case                      | 3.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/snake-case@3.0.4                      |
| sockjs                          | 0.3.24  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sockjs@0.3.24                         |
| sorted-array-functions          | 1.3.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sorted-array-functions@1.3.0          |
| source-map-js                   | 1.2.1   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/source-map-js@1.2.1                   |
| spdy-transport                  | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/spdy-transport@3.0.0                  |
| split                           | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/split@1.0.1                           |
| split2                          | 3.2.2   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/split2@3.2.2                          |
| sponge-case                     | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sponge-case@1.0.1                     |
| sprintf-js                      | 1.0.3   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/sprintf-js@1.0.3                      |
| stable-hash                     | 0.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stable-hash@0.0.4                     |
| stack-utils                     | 2.0.6   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stack-utils@2.0.6                     |
| stream-browserify               | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stream-browserify@3.0.0               |
| stream-http                     | 3.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stream-http@3.2.0                     |
| streamroller                    | 3.1.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/streamroller@3.1.5                    |
| string.prototype.matchall       | 4.0.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string.prototype.matchall@4.0.12      |
| string.prototype.repeat         | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string.prototype.repeat@1.0.0         |
| string.prototype.trim           | 1.2.10  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string.prototype.trim@1.2.10          |
| string.prototype.trimend        | 1.0.9   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string.prototype.trimend@1.0.9        |
| string.prototype.trimstart      | 1.0.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string.prototype.trimstart@1.0.8      |
| strip-bom                       | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-bom@4.0.0                       |
| strip-final-newline             | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-final-newline@2.0.0             |
| strip-final-newline             | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-final-newline@3.0.0             |
| strip-indent                    | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-indent@3.0.0                    |
| strip-json-comments             | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-json-comments@2.0.1             |
| strip-json-comments             | 3.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/strip-json-comments@3.1.1             |
| rake                            | 13.3.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rake@13.3.0                           |
| stylehacks                      | 6.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylehacks@6.1.1                      |
| stylelint                       | 16.18.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stylelint@16.18.0                     |
| supports-color                  | 5.5.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/supports-color@5.5.0                  |
| supports-color                  | 7.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/supports-color@7.2.0                  |
| supports-color                  | 8.1.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/supports-color@8.1.1                  |
| supports-hyperlinks             | 3.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/supports-hyperlinks@3.2.0             |
| supports-preserve-symlinks-flag | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/supports-preserve-symlinks-flag@1.0.0 |
| svg-parser                      | 2.0.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/svg-parser@2.0.4                      |
| svgo                            | 3.3.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/svgo@3.3.2                            |
| sync-fetch                      | 0.6.0-2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sync-fetch@0.6.0-2                    |
| tar-stream                      | 2.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tar-stream@2.2.0                      |
| temp-dir                        | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/temp-dir@2.0.0                        |
| tempfile                        | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tempfile@3.0.0                        |
| terser                          | 5.39.0  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/terser@5.39.0                         |
| terser-webpack-plugin           | 5.3.12  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/terser-webpack-plugin@5.3.12          |

|                                             |         |              |                                                                                                               |                                                           |
|---------------------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| test-exclude                                | 6.0.0   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/test-exclude@6.0.0                                |
| through2                                    | 4.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/through2@4.0.2                                    |
| thunky                                      | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/thunky@1.1.0                                      |
| tlds                                        | 1.256.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tlds@1.256.0                                      |
| tmp                                         | 0.2.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tmp@0.2.3                                         |
| tmpl                                        | 1.0.5   | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/tmpl@1.0.5                                        |
| to-regexp-range                             | 5.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/to-regexp-range@5.0.1                             |
| toidentifier                                | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/toidentifier@1.0.1                                |
| tr46                                        | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tr46@1.0.1                                        |
| tr46                                        | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tr46@3.0.0                                        |
| tree-dump                                   | 1.0.2   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/tree-dump@1.0.2                                   |
| trim-newlines                               | 3.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/trim-newlines@3.0.1                               |
| ts-api-utils                                | 1.4.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ts-api-utils@1.4.3                                |
| tsconfig-paths                              | 3.15.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tsconfig-paths@3.15.0                             |
| tsconfig-paths                              | 4.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tsconfig-paths@4.2.0                              |
| tsconfig-paths-webpack-plugin               | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tsconfig-paths-webpack-plugin@4.0.0               |
| twemoji-parser                              | 11.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/twemoji-parser@11.0.2                             |
| type-check                                  | 0.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/type-check@0.4.0                                  |
| type-detect                                 | 4.0.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/type-detect@4.0.8                                 |
| ua-parser-js                                | 0.7.40  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ua-parser-js@0.7.40                               |
| ua-parser-js                                | 1.0.40  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ua-parser-js@1.0.40                               |
| uglify-js                                   | 3.19.3  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:npm/uglify-js@3.19.3                                  |
| unbox-primitive                             | 1.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unbox-primitive@1.1.0                             |
| unc-path-regex                              | 0.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unc-path-regex@0.1.2                              |
| undici-types                                | 5.26.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/undici-types@5.26.5                               |
| unicode-canonical-property-names-ecmascript | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unicode-canonical-property-names-ecmascript@2.0.1 |
| unicode-match-property-ecmascript           | 2.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unicode-match-property-ecmascript@2.0.0           |
| unicode-match-property-value-ecmascript     | 2.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unicode-match-property-value-ecmascript@2.2.0     |
| unicode-property-aliases-ecmascript         | 2.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unicode-property-aliases-ecmascript@2.1.0         |
| unleash-proxy-client                        | 3.5.1   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/unleash-proxy-client@3.5.1                        |
| unpipe                                      | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unpipe@1.0.0                                      |
| unplugin                                    | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unplugin@1.0.1                                    |
| upath                                       | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/upath@2.0.1                                       |
| update-browserslist-db                      | 1.1.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/update-browserslist-db@1.1.3                      |
| upper-case                                  | 2.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/upper-case@2.0.2                                  |
| urlpattern-polyfill                         | 10.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/urlpattern-polyfill@10.0.0                        |
| use-isomorphic-layout-effect                | 1.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/use-isomorphic-layout-effect@1.2.0                |
| uuid                                        | 9.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/uuid@9.0.1                                        |
| uuid                                        | 10.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/uuid@10.0.0                                       |
| uuid                                        | 3.4.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/uuid@3.4.0                                        |
| uuid                                        | 8.3.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/uuid@8.3.2                                        |
| vary                                        | 1.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/vary@1.1.2                                        |
| vm-browserify                               | 1.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/vm-browserify@1.1.2                               |
| void-elements                               | 3.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/void-elements@3.1.0                               |
| w3c-keyname                                 | 2.2.8   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/w3c-keyname@2.2.8                                 |
| w3c-xmlserializer                           | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/w3c-xmlserializer@4.0.0                           |
| wbuf                                        | 1.7.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/wbuf@1.7.3                                        |
| wcwidth                                     | 1.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/wcwidth@1.0.1                                     |
| webpack-dev-middleware                      | 7.4.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-dev-middleware@7.4.2                      |
| webpack-merge                               | 6.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-merge@6.0.1                               |
| webpack-node-externals                      | 3.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-node-externals@3.0.0                      |
| webpack-sources                             | 2.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-sources@2.3.1                             |
| webpack-sources                             | 3.2.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-sources@3.2.3                             |
| webpack-subresource-integrity               | 5.1.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-subresource-integrity@5.1.0               |
| webpack-virtual-modules                     | 0.5.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-virtual-modules@0.5.0                     |
| websocket-driver                            | 0.7.4   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/websocket-driver@0.7.4                            |
| whatwg-mimetype                             | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/whatwg-mimetype@4.0.0                             |
| which-collection                            | 1.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/which-collection@1.0.2                            |
| which-typed-array                           | 1.1.18  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/which-typed-array@1.1.18                          |
| wildcard                                    | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/wildcard@2.0.1                                    |
| word-wrap                                   | 1.2.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/word-wrap@1.2.5                                   |
| wordwrap                                    | 1.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/wordwrap@1.0.0                                    |
| wrap-ansi                                   | 6.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/wrap-ansi@6.2.0                                   |

|                                     |         |               |                                                                                                               |                                                      |
|-------------------------------------|---------|---------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| wrap-ansi                           | 7.0.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/wrap-ansi@7.0.0                              |
| write-file-atomic                   | 5.0.1   | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/write-file-atomic@5.0.1                      |
| ws                                  | 7.5.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ws@7.5.10                                    |
| xtend                               | 4.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/xtend@4.0.2                                  |
| y18n                                | 5.0.8   | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/y18n@5.0.8                                   |
| yallist                             | 3.1.1   | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/yallist@3.1.1                                |
| yallist                             | 4.0.0   | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/yallist@4.0.0                                |
| yallist                             | 5.0.0   | BlueOak-1.0.0 | <a href="https://blueoakcouncil.org/licenses/1.0.0">https://blueoakcouncil.org/licenses/1.0.0</a>             | pkg:npm/yallist@5.0.0                                |
| yaml                                | 1.10.2  | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/yaml@1.10.2                                  |
| yargs                               | 17.7.2  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/yargs@17.7.2                                 |
| yargs-parser                        | 20.2.9  | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/yargs-parser@20.2.9                          |
| yargs-parser                        | 21.1.1  | ISC           | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/yargs-parser@21.1.1                          |
| ylru                                | 1.4.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/ylru@1.4.0                                   |
| yn                                  | 3.1.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/yn@3.1.1                                     |
| rspec-core                          | 3.13.5  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rspec-core@3.13.5                            |
| rspec-rails                         | 8.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rspec-rails@8.0.2                            |
| sidekiq-cron                        | 2.3.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/sidekiq-cron@2.3.1                           |
| thor                                | 1.4.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/thor@1.4.0                                   |
| react-grid-layout                   | 1.4.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-grid-layout@1.4.2                      |
| simplebar-react                     | 3.2.6   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/simplebar-react@3.2.6                        |
| @tailwindcss/node                   | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/node@4.1.10                   |
| after_party                         | 2.0.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/after_party@2.0.0                            |
| faker                               | 3.5.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/faker@3.5.2                                  |
| simplecov-cobertura                 | 3.0.0   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:gem/simplecov-cobertura@3.0.0                    |
| @codemirror/theme-one-dark          | 6.1.3   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/theme-one-dark@6.1.3           |
| @types/hast                         | 3.0.4   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/hast@3.0.4                          |
| @uploadcare/file-uploader           | 1.17.1  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40uploadcare/file-uploader@1.17.1           |
| @internationalized/date             | 3.8.2   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40internationalized/date@3.8.2              |
| @internationalized/message          | 3.1.8   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40internationalized/message@3.1.8           |
| color-convert                       | 3.1.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/color-convert@3.1.0                          |
| color-parse                         | 2.0.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/color-parse@2.0.2                            |
| es-toolkit                          | 1.39.5  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/es-toolkit@1.39.5                            |
| hast-util-to-html                   | 9.0.5   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-to-html@9.0.5                      |
| hast-util-to-mdast                  | 10.1.2  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-to-mdast@10.1.2                    |
| @internationalized/number           | 3.6.3   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40internationalized/number@3.6.3            |
| @internationalized/string           | 3.2.7   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40internationalized/string@3.2.7            |
| @react-aria/focus                   | 3.20.5  | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/focus@3.20.5                   |
| @react-aria/i18n                    | 3.12.10 | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/i18n@3.12.10                   |
| @react-stately/flags                | 3.1.2   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-stately/flags@3.1.2                 |
| @react-stately/toggle               | 3.8.5   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-stately/toggle@3.8.5                |
| @react-stately/utlis                | 3.10.7  | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-stately/utlis@3.10.7                |
| @react-types/button                 | 3.12.2  | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-types/button@3.12.2                 |
| rehype-remark                       | 10.0.1  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/rehype-remark@10.0.1                         |
| remark-rehype                       | 11.1.2  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/remark-rehype@11.1.2                         |
| remark-stringify                    | 11.0.0  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/remark-stringify@11.0.0                      |
| vanilla-colorful                    | 0.7.2   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/vanilla-colorful@0.7.2                       |
| @react-aria/interactions            | 3.25.3  | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/interactions@3.25.3            |
| tailwindcss                         | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tailwindcss@4.1.10                           |
| @react-aria/ssr                     | 3.9.9   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/ssr@3.9.9                      |
| @tailwindcss/oxide                  | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide@4.1.10                  |
| @tailwindcss/oxide-linux-arm64-musl | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide-linux-arm64-musl@4.1.10 |
| @tailwindcss/oxide-linux-x64-gnu    | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide-linux-x64-gnu@4.1.10    |
| @tailwindcss/oxide-linux-x64-musl   | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide-linux-x64-musl@4.1.10   |
| @tailwindcss/oxide-wasm32-wasi      | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide-wasm32-wasi@4.1.10      |
| @tailwindcss/oxide-win32-arm64-msvc | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide-win32-arm64-msvc@4.1.10 |
| @tailwindcss/oxide-win32-x64-msvc   | 4.1.10  | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40tailwindcss/oxide-win32-x64-msvc@4.1.10   |
| @react-aria/utlis                   | 3.29.1  | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-aria/utlis@3.29.1                   |
| @react-types/checkbox               | 3.9.5   | Apache-2.0    | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40react-types/checkbox@3.9.5                |
| webpack-dev-server                  | 5.2.0   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/webpack-dev-server@5.2.0                     |
| base64                              | 0.3.0   | BSD-2-Clause  | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/base64@0.3.0                                 |
| faraday-multipart                   | 1.1.1   | MIT           | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/faraday-multipart@1.1.1                      |
| pp                                  | 0.6.3   | BSD-2-Clause  | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/pp@0.6.3                                     |
| prettyprint                         | 0.2.0   | BSD-2-Clause  | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>       | pkg:gem/prettyprint@0.2.0                            |

|                                        |          |              |                                                                                                             |                                                         |
|----------------------------------------|----------|--------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| react-select                           | 5.8.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-select@5.8.0                              |
| multi_json                             | 1.17.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/multi_json@1.17.0                               |
| use-resize-observer                    | 9.1.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/use-resize-observer@9.1.0                       |
| tar-fs                                 | 2.1.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/tar-fs@2.1.2                                    |
| googleapis-common-protos-types         | 1.20.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/googleapis-common-protos-types@1.20.0           |
| grpc                                   | 1.74.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/grpc@1.74.0                                     |
| grpc-tools                             | 1.74.0   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/grpc-tools@1.74.0                               |
| gruf                                   | 2.21.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/gruf@2.21.1                                     |
| gruf-rspec                             | 1.1.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/gruf-rspec@1.1.2                                |
| rspec-expectations                     | 3.13.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rspec-expectations@3.13.5                       |
| active_model_serializers               | 0.10.15  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/active_model_serializers@0.10.15                |
| bullet                                 | 8.0.8    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/bullet@8.0.8                                    |
| constant_resolver                      | 0.3.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/constant_resolver@0.3.0                         |
| dartsass-sprockets                     | 3.2.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/dartsass-sprockets@3.2.1                        |
| dotenv                                 | 3.1.8    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/dotenv@3.1.8                                    |
| dotenv-rails                           | 3.1.8    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/dotenv-rails@3.1.8                              |
| draper                                 | 4.0.4    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/draper@4.0.4                                    |
| fiber-storage                          | 1.0.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/fiber-storage@1.0.1                             |
| dry-types                              | 1.8.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/dry-types@1.8.3                                 |
| graphiql-rails                         | 1.10.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/graphiql-rails@1.10.5                           |
| matrix                                 | 0.4.3    | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/matrix@0.4.3                                    |
| packwerk                               | 3.2.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/packwerk@3.2.3                                  |
| database_cleaner-active_record         | 2.2.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/database_cleaner-active_record@2.2.2            |
| drb                                    | 2.2.3    | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/drb@2.2.3                                       |
| hairtrigger                            | 1.3.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/hairtrigger@1.3.1                               |
| io-console                             | 0.8.1    | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/io-console@0.8.1                                |
| faraday-net_http                       | 3.4.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/faraday-net_http@3.4.1                          |
| aws-partitions                         | 1.1142.0 | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/aws-partitions@1.1142.0                         |
| aws-sdk-s3                             | 1.196.1  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>       | pkg:gem/aws-sdk-s3@1.196.1                              |
| rubocop-graphql                        | 1.5.6    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rubocop-graphql@1.5.6                           |
| terser                                 | 1.2.6    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/terser@1.2.6                                    |
| rackup                                 | 1.0.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rackup@1.0.1                                    |
| psych                                  | 5.2.6    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/psych@5.2.6                                     |
| reline                                 | 0.6.2    | Ruby         | <a href="https://www.ruby-lang.org/en/about/license.txt">https://www.ruby-lang.org/en/about/license.txt</a> | pkg:gem/reline@0.6.2                                    |
| activesupport                          | 7.2.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/activesupport@7.2.2.2                           |
| ruby2ruby                              | 2.5.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/ruby2ruby@2.5.2                                 |
| rspec-mocks                            | 3.13.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rspec-mocks@3.13.5                              |
| rspec-support                          | 3.13.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/rspec-support@3.13.4                            |
| sexp_processor                         | 4.17.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/sexp_processor@4.17.3                           |
| sidekiq                                | 7.3.9    | LGPL-3.0     | <a href="https://www.gnu.org/licenses/lgpl-3.0.html">https://www.gnu.org/licenses/lgpl-3.0.html</a>         | pkg:gem/sidekiq@7.3.9                                   |
| stringio                               | 3.1.7    | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a>     | pkg:gem/stringio@3.1.7                                  |
| regenerate-unicode-properties          | 10.2.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/regenerate-unicode-properties@10.2.0            |
| regenerator-runtime                    | 0.14.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/regenerator-runtime@0.14.1                      |
| regenerator-transform                  | 0.15.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/regenerator-transform@0.15.2                    |
| regexp.prototype.flags                 | 1.5.4    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/regexp.prototype.flags@1.5.4                    |
| regexpu-core                           | 6.2.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/regexpu-core@6.2.0                              |
| regjsgen                               | 0.8.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/regjsgen@0.8.0                                  |
| resize-observer-polyfill               | 1.5.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/resize-observer-polyfill@1.5.1                  |
| railties                               | 7.2.2.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:gem/railties@7.2.2.2                                |
| @tailwindcss/oxide-android-arm64       | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/oxide-android-arm64@4.1.10       |
| @tailwindcss/oxide-darwin-arm64        | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/oxide-darwin-arm64@4.1.10        |
| @tailwindcss/oxide-darwin-x64          | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/oxide-darwin-x64@4.1.10          |
| @tailwindcss/oxide-freebsd-x64         | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/oxide-freebsd-x64@4.1.10         |
| @tailwindcss/oxide-linux-arm-gnueabihf | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/oxide-linux-arm-gnueabihf@4.1.10 |
| @tailwindcss/oxide-linux-arm64-gnu     | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/oxide-linux-arm64-gnu@4.1.10     |
| @tailwindcss/postcss                   | 4.1.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/%40tailwindcss/postcss@4.1.10                   |
| react-konva                            | 18.2.10  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-konva@18.2.10                             |
| react-error-boundary                   | 5.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-error-boundary@5.0.0                      |
| react-helmet                           | 6.1.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-helmet@6.1.0                              |
| react-i18next                          | 11.18.6  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-i18next@11.18.6                           |
| react-idle-timer                       | 5.7.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-idle-timer@5.7.2                          |
| react-image                            | 4.1.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-image@4.1.0                               |
| react-is                               | 16.13.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                       | pkg:npm/react-is@16.13.1                                |

|                          |          |              |                                                                                                               |                                           |
|--------------------------|----------|--------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| react-is                 | 17.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-is@17.0.2                   |
| react-is                 | 18.3.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-is@18.3.1                   |
| react-reconciler         | 0.29.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-reconciler@0.29.2           |
| react-refresh            | 0.16.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-refresh@0.16.0              |
| react-resizable          | 3.0.5    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-resizable@3.0.5             |
| react-string-replace     | 1.1.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-string-replace@1.1.1        |
| react-to-print           | 2.15.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-to-print@2.15.1             |
| react-transition-group   | 2.9.0    | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/react-transition-group@2.9.0      |
| react-transition-group   | 4.4.5    | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/react-transition-group@4.4.5      |
| read-cache               | 1.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/read-cache@1.0.0                  |
| read-pkg                 | 3.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/read-pkg@3.0.0                    |
| read-pkg                 | 5.2.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/read-pkg@5.2.0                    |
| read-pkg-up              | 3.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/read-pkg-up@3.0.0                 |
| read-pkg-up              | 7.0.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/read-pkg-up@7.0.1                 |
| recharts-scale           | 0.4.5    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/recharts-scale@0.4.5              |
| rechoir                  | 0.8.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/rechoir@0.8.0                     |
| redent                   | 3.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/redent@3.0.0                      |
| reflect.getprototypeof   | 1.0.10   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/reflect.getprototypeof@1.0.10     |
| regenerate               | 1.4.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/regenerate@1.4.2                  |
| react-resizable          | 1.11.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-resizable@1.11.1            |
| tmp                      | 0.0.33   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tmp@0.0.33                        |
| react-portal             | 4.2.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-portal@4.2.2                |
| react-tabs               | 6.0.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-tabs@6.0.2                  |
| simplebar                | 6.2.7    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/simplebar@6.2.7                   |
| ast                      | 2.4.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/ast@2.4.3                         |
| parser                   | 3.3.9.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/parser@3.3.9.0                    |
| json                     | 2.13.2   | Ruby         | <a href="https://www.ruby-lang.org/en/about/license.txt">https://www.ruby-lang.org/en/about/license.txt</a>   | pkg:gem/json@2.13.2                       |
| parallel                 | 1.27.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/parallel@1.27.0                   |
| regexp_parser            | 2.11.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/regexp_parser@2.11.0              |
| rubocop-rails            | 2.32.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rubocop-rails@2.32.0              |
| rubocop-rspec            | 3.6.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rubocop-rspec@3.6.0               |
| ruby-progressbar         | 1.13.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/ruby-progressbar@1.13.0           |
| rubocop                  | 1.79.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rubocop@1.79.2                    |
| language_server-protocol | 3.17.0.5 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/language_server-protocol@3.17.0.5 |
| rubocop-ast              | 1.46.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/rubocop-ast@1.46.0                |
| zip_kit                  | 6.3.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:gem/zip_kit@6.3.3                     |
| sanitize-html            | 2.13.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/sanitize-html@2.13.0              |
| url-regex-safe           | 4.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/url-regex-safe@4.0.0              |
| @react-pdf/fns           | 3.1.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/fns@3.1.2            |
| @react-pdf/font          | 4.0.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/font@4.0.2           |
| @react-pdf/image         | 3.0.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/image@3.0.3          |
| @react-pdf/layout        | 4.4.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/layout@4.4.0         |
| @react-pdf/pdfkit        | 4.0.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/pdfkit@4.0.3         |
| @react-pdf/png-js        | 3.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/png-js@3.0.0         |
| @react-pdf/primitives    | 4.1.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/primitives@4.1.1     |
| @react-pdf/reconciler    | 1.1.4    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/reconciler@1.1.4     |
| @react-pdf/render        | 4.3.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/render@4.3.0         |
| @react-pdf/renderer      | 4.3.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/renderer@4.3.0       |
| @react-pdf/stylesheet    | 6.1.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/stylesheet@6.1.0     |
| @react-pdf/textkit       | 6.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/textkit@6.0.0        |
| @react-pdf/types         | 2.9.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40react-pdf/types@2.9.0          |
| abs-svg-path             | 0.1.1    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/abs-svg-path@0.1.1                |
| base64-js                | 0.0.8    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/base64-js@0.0.8                   |
| bidi-js                  | 1.0.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/bidi-js@1.0.3                     |
| brotil                   | 1.3.3    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/brotli@1.3.3                      |
| clone                    | 2.1.2    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/clone@2.1.2                       |
| crypto-js                | 4.2.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/crypto-js@4.2.0                   |
| dfa                      | 1.2.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/dfa@1.2.0                         |
| fontkit                  | 2.0.4    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/fontkit@2.0.4                     |
| hsl-to-hex               | 1.0.0    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hsl-to-hex@1.0.0                  |
| hsl-to-rgb-for-reals     | 1.1.1    | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hsl-to-rgb-for-reals@1.1.1        |
| hyphen                   | 1.10.6   | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hyphen@1.10.6                     |
| is-url                   | 1.2.4    | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-url@1.2.4                      |

|                                           |                             |              |                                                                                                               |                                                             |
|-------------------------------------------|-----------------------------|--------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| jay-peg                                   | 1.1.1                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/jay-peg@1.1.1                                       |
| linebreak                                 | 1.1.0                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/linebreak@1.1.0                                     |
| media-engine                              | 1.0.3                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/media-engine@1.0.3                                  |
| normalize-svg-path                        | 1.1.0                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/normalize-svg-path@1.1.0                            |
| pako                                      | 0.2.9                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/pako@0.2.9                                          |
| parse-svg-path                            | 0.1.2                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/parse-svg-path@0.1.2                                |
| queue                                     | 6.0.2                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/queue@6.0.2                                         |
| restructure                               | 3.0.2                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/restructure@3.0.2                                   |
| scheduler                                 | 0.25.0-rc-603e6108-20241029 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/scheduler@0.25.0-rc-603e6108-20241029               |
| svg-arc-to-cubic-bezier                   | 3.2.0                       | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/svg-arc-to-cubic-bezier@3.2.0                       |
| tiny-inflate                              | 1.0.3                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tiny-inflate@1.0.3                                  |
| unicode-properties                        | 1.4.1                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unicode-properties@1.4.1                            |
| unicode-trie                              | 2.0.0                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/unicode-trie@2.0.0                                  |
| util-deprecate                            | 1.0.2                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/util-deprecate@1.0.2                                |
| vite-compatible-readable-stream           | 3.6.1                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/vite-compatible-readable-stream@3.6.1               |
| yoga-layout                               | 3.2.1                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/yoga-layout@3.2.1                                   |
| @aws-sdk/client-sso                       | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/client-sso@3.823.0                       |
| @aws-sdk/core                             | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/core@3.823.0                             |
| @aws-sdk/credential-provider-env          | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-env@3.823.0          |
| @aws-sdk/credential-provider-http         | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-http@3.823.0         |
| @aws-sdk/credential-provider-ini          | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-ini@3.823.0          |
| @aws-sdk/credential-provider-node         | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-node@3.823.0         |
| @aws-sdk/credential-provider-process      | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-process@3.823.0      |
| @aws-sdk/credential-provider-sso          | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-sso@3.823.0          |
| @aws-sdk/client-bedrock-runtime           | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/client-bedrock-runtime@3.823.0           |
| @aws-sdk/credential-provider-web-identity | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/credential-provider-web-identity@3.823.0 |
| @aws-sdk/eventstream-handler-node         | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/eventstream-handler-node@3.821.0         |
| @aws-sdk/middleware-eventstream           | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/middleware-eventstream@3.821.0           |
| @aws-sdk/middleware-host-header           | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/middleware-host-header@3.821.0           |
| @aws-sdk/middleware-logger                | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/middleware-logger@3.821.0                |
| @aws-sdk/middleware-recursion-detection   | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/middleware-recursion-detection@3.821.0   |
| @aws-sdk/middleware-user-agent            | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/middleware-user-agent@3.823.0            |
| @aws-sdk/nested-clients                   | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/nested-clients@3.823.0                   |
| @aws-sdk/region-config-resolver           | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/region-config-resolver@3.821.0           |
| @aws-sdk/token-providers                  | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/token-providers@3.823.0                  |
| @aws-sdk/types                            | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/types@3.821.0                            |
| @aws-sdk/util-endpoints                   | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/util-endpoints@3.821.0                   |
| @aws-sdk/util-user-agent-browser          | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/util-user-agent-browser@3.821.0          |
| @aws-sdk/util-user-agent-node             | 3.823.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/util-user-agent-node@3.823.0             |
| @aws-sdk/xml-builder                      | 3.821.0                     | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40aws-sdk/xml-builder@3.821.0                      |
| @codemirror/commands                      | 6.8.1                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40codemirror/commands@6.8.1                        |
| react-router                              | 7.0.1                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/react-router@7.0.1                                  |
| tippy.js                                  | 6.3.7                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/tippy.js@6.3.7                                      |
| signal-exit                               | 4.1.0                       | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/signal-exit@4.1.0                                   |
| source-map                                | 0.8.0-beta.0                | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/source-map@0.8.0-beta.0                             |
| string-width                              | 5.1.2                       | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/string-width@5.1.2                                  |
| @smithy/abort-controller                  | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/abort-controller@4.0.4                    |
| @smithy/config-resolver                   | 4.1.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/config-resolver@4.1.4                     |
| @smithy/credential-provider-imds          | 4.0.6                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/credential-provider-imds@4.0.6            |
| @smithy/eventstream-codec                 | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/eventstream-codec@4.0.4                   |
| @smithy/eventstream-serde-browser         | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/eventstream-serde-browser@4.0.4           |
| @smithy/eventstream-serde-config-resolver | 4.1.2                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/eventstream-serde-config-resolver@4.1.2   |
| @smithy/eventstream-serde-node            | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/eventstream-serde-node@4.0.4              |
| @smithy/eventstream-serde-universal       | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/eventstream-serde-universal@4.0.4         |
| @smithy/fetch-http-handler                | 5.1.0                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/fetch-http-handler@5.1.0                  |
| @smithy/hash-node                         | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/hash-node@4.0.4                           |
| @smithy/invalid-dependency                | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/invalid-dependency@4.0.4                  |
| @smithy/middleware-endpoint               | 4.1.17                      | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/middleware-endpoint@4.1.17                |
| @smithy/middleware-retry                  | 4.1.18                      | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/middleware-retry@4.1.18                   |
| @smithy/is-array-buffer                   | 4.0.0                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/is-array-buffer@4.0.0                     |
| @smithy/middleware-content-length         | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/middleware-content-length@4.0.4           |
| @smithy/middleware-serde                  | 4.0.8                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/middleware-serde@4.0.8                    |
| @smithy/middleware-stack                  | 4.0.4                       | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/middleware-stack@4.0.4                    |

|                                      |        |              |                                                                                                               |                                                      |
|--------------------------------------|--------|--------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| @smithy/node-config-provider         | 4.1.3  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/node-config-provider@4.1.3         |
| @smithy/node-http-handler            | 4.1.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/node-http-handler@4.1.0            |
| @smithy/property-provider            | 4.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/property-provider@4.0.4            |
| @smithy/protocol-http                | 5.1.2  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/protocol-http@5.1.2                |
| @smithy/querystring-builder          | 4.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/querystring-builder@4.0.4          |
| @smithy/querystring-parser           | 4.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/querystring-parser@4.0.4           |
| @smithy/service-error-classification | 4.0.6  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/service-error-classification@4.0.6 |
| @smithy/shared-ini-file-loader       | 4.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/shared-ini-file-loader@4.0.4       |
| @smithy/signature-v4                 | 5.1.2  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/signature-v4@5.1.2                 |
| @smithy/types                        | 4.3.1  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/types@4.3.1                        |
| @smithy/url-parser                   | 4.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/url-parser@4.0.4                   |
| @smithy/util-base64                  | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-base64@4.0.0                  |
| @smithy/util-body-length-browser     | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-body-length-browser@4.0.0     |
| @smithy/util-body-length-node        | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-body-length-node@4.0.0        |
| @smithy/util-buffer-from             | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-buffer-from@4.0.0             |
| @smithy/util-config-provider         | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-config-provider@4.0.0         |
| @smithy/util-endpoints               | 3.0.6  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-endpoints@3.0.6               |
| @smithy/util-hex-encoding            | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-hex-encoding@4.0.0            |
| @smithy/util-middleware              | 4.0.4  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-middleware@4.0.4              |
| @smithy/util-retry                   | 4.0.6  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-retry@4.0.6                   |
| @smithy/util-stream                  | 4.2.3  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-stream@4.2.3                  |
| @smithy/util-uri-escape              | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-uri-escape@4.0.0              |
| @smithy/util-utf8                    | 4.0.0  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>         | pkg:npm/%40smithy/util-utf8@4.0.0                    |
| @types/luxon                         | 3.6.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/luxon@3.6.2                         |
| @types/uuid                          | 9.0.8  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40types/uuid@9.0.8                          |
| @ungap/structured-clone              | 1.3.0  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/%40ungap/structured-clone@1.3.0              |
| bail                                 | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/bail@2.0.2                                   |
| character-entities-html4             | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/character-entities-html4@2.1.0               |
| character-entities-legacy            | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/character-entities-legacy@3.0.0              |
| @uploadcare/upload-client            | 6.14.3 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/%40uploadcare/upload-client@6.14.3           |
| comma-separated-tokens               | 2.0.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/comma-separated-tokens@2.0.3                 |
| extend                               | 3.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/extend@3.0.2                                 |
| hast-util-embedded                   | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-embedded@3.0.0                     |
| hast-util-has-property               | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-has-property@3.0.0                 |
| hast-util-is-body-ok-link            | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-is-body-ok-link@3.0.1              |
| hast-util-is-element                 | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-is-element@3.0.0                   |
| hast-util-from-dom                   | 5.0.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hast-util-from-dom@5.0.1                     |
| hast-util-minify-whitespace          | 1.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-minify-whitespace@1.0.1            |
| hast-util-parse-selector             | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-parse-selector@4.0.0               |
| hast-util-phrasing                   | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-phrasing@3.0.1                     |
| hast-util-to-dom                     | 4.0.1  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/hast-util-to-dom@4.0.1                       |
| hast-util-to-text                    | 4.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-to-text@4.0.2                      |
| hast-util-whitespace                 | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hast-util-whitespace@3.0.0                   |
| html-void-elements                   | 3.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/html-void-elements@3.0.0                     |
| is-plain-obj                         | 4.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/is-plain-obj@4.1.0                           |
| hastscript                           | 9.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/hastscript@9.0.1                             |
| mdast-util-newline-to-break          | 2.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mdast-util-newline-to-break@2.0.0            |
| mdast-util-to-hast                   | 13.2.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/mdast-util-to-hast@13.2.0                    |
| luxon                                | 3.6.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/luxon@3.6.1                                  |
| protobufjs                           | 7.5.0  | BSD-3-Clause | <a href="https://opensource.org/licenses/bsd-3-clause">https://opensource.org/licenses/bsd-3-clause</a>       | pkg:npm/protobufjs@7.5.0                             |
| property-information                 | 7.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/property-information@7.1.0                   |
| rehype-minify-whitespace             | 6.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/rehype-minify-whitespace@6.0.2               |
| space-separated-tokens               | 2.0.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/space-separated-tokens@2.0.2                 |
| stringify-entities                   | 4.0.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/stringify-entities@4.0.4                     |
| rehype-dom-parse                     | 5.0.2  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/rehype-dom-parse@5.0.2                       |
| trim-lines                           | 3.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/trim-lines@3.0.1                             |
| trim-trailing-lines                  | 2.1.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/trim-trailing-lines@2.1.0                    |
| rehype-dom-stringify                 | 4.0.2  | ISC          | <a href="https://opensource.org/licenses/isc-license-txt">https://opensource.org/licenses/isc-license-txt</a> | pkg:npm/rehype-dom-stringify@4.0.2                   |
| remark-breaks                        | 4.0.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/remark-breaks@4.0.0                          |
| remark-gfm                           | 4.0.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/remark-gfm@4.0.1                             |
| remark-parse                         | 11.0.0 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/remark-parse@11.0.0                          |
| specificity                          | 0.4.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/specificity@0.4.1                            |
| trough                               | 2.2.0  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                         | pkg:npm/trough@2.2.0                                 |

|                               |         |              |                                                                                                         |                                             |
|-------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------|
| tslib                         | 2.8.1   | 0BSD         | <a href="https://opensource.org/licenses/0bsd">https://opensource.org/licenses/0bsd</a>                 | pkg:npm/tslib@2.8.1                         |
| unist-util-find-after         | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/unist-util-find-after@5.0.0         |
| unist-util-is                 | 6.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/unist-util-is@6.0.0                 |
| unist-util-position           | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/unist-util-position@5.0.0           |
| unist-util-stringify-position | 4.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/unist-util-stringify-position@4.0.0 |
| url-parse                     | 1.5.10  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/url-parse@1.5.10                    |
| vfile-message                 | 4.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/vfile-message@4.0.3                 |
| vfile                         | 6.0.3   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/vfile@6.0.3                         |
| unified                       | 11.0.5  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/unified@11.0.5                      |
| web-namespaces                | 2.0.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/web-namespaces@2.0.1                |
| ws                            | 8.18.1  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/ws@8.18.1                           |
| unist-util-visit              | 5.0.0   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/unist-util-visit@5.0.0              |
| activerecord                  | 7.2.2.2 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/activerecord@7.2.2.2                |
| bigdecimal                    | 3.2.3   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/bigdecimal@3.2.3                    |
| connection_pool               | 2.5.4   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/connection_pool@2.5.4               |
| elastic-transport             | 8.4.1   | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/elastic-transport@8.4.1             |
| elasticsearch                 | 8.19.1  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/elasticsearch@8.19.1                |
| elasticsearch-api             | 8.19.1  | Apache-2.0   | <a href="https://www.apache.org/licenses/LICENSE-2.0">https://www.apache.org/licenses/LICENSE-2.0</a>   | pkg:gem/elasticsearch-api@8.19.1            |
| erb                           | 5.0.3   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/erb@5.0.3                           |
| factory_bot                   | 6.5.5   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/factory_bot@6.5.5                   |
| factory_bot_rails             | 6.5.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/factory_bot_rails@6.5.1             |
| graphql                       | 2.5.14  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/graphql@2.5.14                      |
| hiredis-client                | 0.25.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/hiredis-client@0.25.3               |
| intercom                      | 4.2.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/intercom@4.2.2                      |
| logger                        | 1.7.0   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/logger@1.7.0                        |
| nokogiri                      | 1.18.10 | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/nokogiri@1.18.10                    |
| prettier-plugin-tailwindcss   | 0.6.14  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/prettier-plugin-tailwindcss@0.6.14  |
| pg                            | 1.6.2   | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/pg@1.6.2                            |
| tailwind-scrollbar            | 4.0.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/tailwind-scrollbar@4.0.2            |
| tailwindcss                   | 4.1.11  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:npm/tailwindcss@4.1.11                  |
| pundit                        | 2.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/pundit@2.5.2                        |
| rack                          | 2.2.20  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/rack@2.2.20                         |
| redis-client                  | 0.25.3  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/redis-client@0.25.3                 |
| ruby-next-core                | 1.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/ruby-next-core@1.1.2                |
| ruby-openai                   | 8.2.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/ruby-openai@8.2.1                   |
| strong_migrations             | 2.5.1   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/strong_migrations@2.5.1             |
| uri                           | 0.13.3  | BSD-2-Clause | <a href="https://opensource.org/licenses/bsd-2-clause">https://opensource.org/licenses/bsd-2-clause</a> | pkg:gem/uri@0.13.3                          |
| yabeda                        | 0.13.2  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/yabeda@0.13.2                       |
| yabeda-activerecord           | 0.1.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/yabeda-activerecord@0.1.2           |
| searchkick                    | 5.5.2   | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/searchkick@5.5.2                    |
| faraday                       | 2.13.4  | MIT          | <a href="https://opensource.org/licenses/mit">https://opensource.org/licenses/mit</a>                   | pkg:gem/faraday@2.13.4                      |